


1 CABLE ASSEMBLY TESTED FOR OPENS, SHORTS AND HI-POT @ 300V.


2 LABEL INFORMATION:



3. PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY STANDARD TEC-138-702.

4. PRODUCT MEETS THE REQUIREMENTS OF T10/2125-D, REVISION 04b [SAS-2.1].

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T.SMITH 24FEB2010	TE Connectivity	
DIMENSIONS: mm		CHK J.HACKMAN 24FEB2010		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.HACKMAN 24FEB2010	NAME CABLE ASSEMBLY, MINI-SAS, 4X, EXTERNAL 6 Gbps, PASSIVE	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC	RESTRICTED TO	
MATERIAL		APPLICATION SPEC	SIZE A1	CAGE CODE 00779
FINISH		WEIGHT	DRAWING NO C=2127833	REV B1
		CUSTOMER DRAWING	SCALE 1:1	SHEET 1 OF 2



3	3	2-4-6	2-4-6	6 GBPS	24 AWG	10±0.15 METERS	2-2127833-6
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	9±0.15 METERS	2-2127833-5
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	8±0.125 METERS	2-2127833-4
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	7±0.1 METERS	2-2127833-3
-	-	2-4-6	2-4-6	6 GBPS	24 AWG	6±0.075 METERS	2-2127833-2
-	-	2-4-6	2-4-6	6 GBPS	24 AWG	5±0.075 METERS	2-2127833-1
-	-	2-4-6	2-4-6	6 GBPS	26 AWG	4±0.075 METERS	2-2127833-0
-	-	2-4-6	2-4-6	6 GBPS	26 AWG	3±0.05 METERS	1-2127833-9
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	2.5±0.05 METERS	1-2127833-8
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	2±0.05 METERS	1-2127833-7
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	1.5±0.04 METERS	1-2127833-6
-	-	2-4-6	2-4-6	6 GBPS	30 AWG	1±0.04 METERS	1-2127833-5
-	-	2-4-6	2-4-6	6 GBPS	30 AWG	0.5±0.025 METERS	1-2127833-4
3	3	2-4	4-6	6 GBPS	24 AWG	10±0.15 METERS	1-2127833-3
3	3	2-4	4-6	6 GBPS	24 AWG	9±0.15 METERS	1-2127833-2
3	3	2-4	4-6	6 GBPS	24 AWG	8±0.125 METERS	1-2127833-1
3	3	2-4	4-6	6 GBPS	24 AWG	7±0.1 METERS	1-2127833-0
-	-	2-4	4-6	6 GBPS	24 AWG	6±0.075 METERS	2127833-9
-	-	2-4	4-6	6 GBPS	24 AWG	5±0.075 METERS	2127833-8
-	-	2-4	4-6	6 GBPS	26 AWG	4±0.075 METERS	2127833-7
-	-	2-4	4-6	6 GBPS	26 AWG	3±0.05 METERS	2127833-6
-	-	2-4	4-6	6 GBPS	28 AWG	2.5±0.05 METERS	2127833-5
-	-	2-4	4-6	6 GBPS	28 AWG	2±0.05 METERS	2127833-4
-	-	2-4	4-6	6 GBPS	28 AWG	1.5±0.04 METERS	2127833-3
-	-	2-4	4-6	6 GBPS	30 AWG	1±0.04 METERS	2127833-2
-	-	2-4	4-6	6 GBPS	30 AWG	0.5±0.025 METERS	2127833-1
P1	P2	P1	P2	DATA RATE	WIRE GAGE	L	PART NO
KEY RIB		KEY SLOTS					

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DRAWING NO	RESTRICTED TO
0. PLC ± -	1. PLC ± -	24FEB2010	
2. PLC ± -	3. PLC ± -	24FEB2010	
4. PLC ± -	ANGLES ± -	24FEB2010	
MATERIAL	FINISH	WEIGHT	SCALE 1:1 SHEET 2 OF 2 REV B1

STE TE Connectivity  
 CABLE ASSEMBLY, MINI-SAS, 4X, EXTERNAL  
 6 Gbps, PASSIVE

CUSTOMER DRAWING

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ethernet Cables / Networking Cables](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[0152660053](#) [603020002](#) [73-7797-25](#) [73-8890-10](#) [73-8890-14](#) [73-8891-14](#) [73-8891-25](#) [73-8892-50](#) [73-8894-10](#) [73-8894-3](#) [73-8895-14](#) [73-8896-7](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [9QA0-111-12-3.00](#) [1200650742](#) [1200700174](#) [1200860368](#) [1200650013](#) [1201080008](#) [1-21919-1](#) [1300500373](#) [1300101844](#) [1300101845](#) [130050-0004](#) [1300500014](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [MT14-187L](#) [17-103530](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC30BLY](#) [NK5EPC30VLY](#) [NK5EPC30YLY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [NK6PC30BUY](#) [NK6PC30GRY](#) [NK6PC30RDY](#) [NK6PC30Y](#) [NK6PC30YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#)