



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	-	A	RELEASED		21AUG'13	J.W	C.W




STANDARD (STD) CAP TYPE  
2229490-X AS SHOWN




RAISED CAP TYPE  
4-2229490-3 AS SHOWN


CAP ASSY CONDITION



FOR EMBOSS PACKING  
200PCS/REEL, 180PCS/REEL, 150PCS/REEL  
(REFERENCE)



FOR HARD TRAY PACKING



STANDARD(STD) CAP TYPE RAISED CAP TYPE  
DETAIL Y


56	150	TAPE & REEL	RAISED	rPGA947	4-2229490-3
56	180	TAPE & REEL	STD	rPGA947	2229490-3
52	200	TAPE & REEL	STD	rPGA947	2229490-2
-	18	HARD TRAY	STD	rPGA947	2229490-1
DIMENSION Y		SOCKET QTY PER TRAY OR REEL	PACKAGE TYPE	CAP TYPE	SOCKET TYPE
					PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 单位: 毫米 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN: JEFF WANG 21AUG2013	 TE Connectivity SOCKET ASSY rPGA947
	Ø-PLC ±0.5 1-PLC ±0.5 2-PLC ±0.5 3-PLC ±0.5 4-PLC ±0.5 ANGLES ±3° FINISH 仕上	CHK: SIMON LI 23AUG2013	
		APVD: COREL WANG 23AUG2013	
		PRODUCT SPEC 製品規格	
MATERIAL 材料 SEE NOTE	FINISH 仕上 SEE NOTE	APPLICATION SPEC 取付適用規格	NAME 名称
		WEIGHT	SIZE: A2
		CUSTOMER DRAWING	CAGE CODE: 00779
			DRAWING NO: C=2229490
			RESTRICTED TO: -
			SCALE: NTS
			SHEET: 1 OF 4
			REV: A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P		LTR		DESCRIPTION	DATE	DWN	APVD
-		-		SEE SHEET 1	-	-	-



1. MATERIAL

- ① BASE HOUSING : HIGH TEMP, THERMOPLASTIC, UL94V-0
- ② COVER HOUSING : HIGH TEMP, THERMOPLASTIC, UL94V-0
- ③ CONTACT : COPPER ALLOY  
FINISH : 0.00010 MIN Au PL. AT CONTACT AREA ON ALL OVER Ni UNDER PL. 0.00127 MIN.
- ④ SOLDER BALL : Sn/Ag/Cu
- ⑤ CAM : STAINLESS STEEL
- ⑥ BASE PLATE : STAINLESS STEEL
- ⑦ SLIDE PLATE : STAINLESS STEEL
- ⑧ WASHER : STAINLESS STEEL
- ⑨ PnP CAP : HIGH TEMP, THERMOPLASTIC, UL94V-0, BLACK


- △ INDICATED DATE CODE ON THE HSG
- 4. HALOGEN FREE SPECIFICATION  
CHLORINE(CI): 900 ppm MAX  
BROMINE(BR): 900 ppm MAX  
CHLORINE(CI) & BROMINE(BR): 1500 ppm MAX

rPGA947 AS SHOWN  
CAP IS REMOVED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE Connectivity	
DIMENSIONS: 単位: 寸 mm		CHK	NAME 名称	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	SOCKET ASSY rPGA947	
①-PLC ± 0.3		PRODUCT SPEC	SIZE	CAGE CODE
②-PLC ± 0.3		APPLICATION SPEC	A2	00779
③-PLC ± 0.3		取付適用規格	DRAWING NO	RESTRICTED TO
④-PLC ± 0.3		ANGLES ± 1°	番号	-
MATERIAL 材料 SEE NOTE		FINISH 仕上 SEE NOTE	SCALE	SHEET
			NTS	2 of 4
				REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DATE	DWN	APVD
J	-	-	-	SEE SHEET 1	-	-



BOTTOM VIEW  
(OPEN POSITION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN			NAME												
DIMENSIONS: 単位: 種 mm		CHK			SOCKET ASSY												
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	rPGA947		RESTRICTED TO												
<table border="1"> <tr><td>0-PLC</td><td>±0.3</td></tr> <tr><td>1-PLC</td><td>±0.3</td></tr> <tr><td>2-PLC</td><td>±0.3</td></tr> <tr><td>3-PLC</td><td>±0.3</td></tr> <tr><td>4-PLC</td><td>±0.3</td></tr> <tr><td>ANGLES</td><td>±1°</td></tr> </table>		0-PLC	±0.3	1-PLC	±0.3	2-PLC	±0.3	3-PLC	±0.3	4-PLC	±0.3	ANGLES	±1°	PRODUCT SPEC	SIZE	CAGE CODE	DRAWING NO
0-PLC	±0.3																
1-PLC	±0.3																
2-PLC	±0.3																
3-PLC	±0.3																
4-PLC	±0.3																
ANGLES	±1°																
MATERIAL		APPLICATION SPEC	A2	00779	C=2229490												
FINISH		WEIGHT	SCALE 4:1		SHEET 3 OF 4												
		CUSTOMER DRAWING	REV A														



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for IC & Component Sockets category:*

*Click to view products by TE Connectivity manufacturer:*

Other Similar products are found below :

[0066-3-17-15-30-14-02-0](#) [670](#) [672](#) [673](#) [694-13-640-00-672-000](#) [712-93-120-41-001000](#) [714-93-104-31-018000](#) [8059-4G1-LF](#) [807-22-001-10-001101](#) [807-22-001-10-006101](#) [807-22-001-30-011101](#) [807-22-001-30-012101](#) [807-22-001-30-013101](#) [807-22-001-30-014101](#) [8-1437531-4](#) [8150-6P10](#) [833-93-034-10-001000](#) [851-41-006-10-001000](#) [851-43-008-20-001000](#) [851-43-014-20-001000](#) [851-93-006-20-001000](#) [851-93-010-20-001000](#) [853-43-020-10-001000](#) [86.010.0053.0](#) [116-43-308-41-007000](#) [PX-68LCC](#) [121-13-318-41-001000](#) [121-13-320-41-001000](#) [121-13-308-41-001000](#) [123-43-314-41-801000](#) [123-43-420-41-001000](#) [123-87-320-41-001101](#) [122-13-316-41-001000](#) [123-13-624-41-001000](#) [123-43-306-41-001000](#) [12-3513-11](#) [123-91-320-41-001000](#) [126-43-310-41-002000](#) [AKSUN 37V-T](#) [1437503-9](#) [1437504-1](#) [146-44-308-41-013000](#) [APO-320-G-T](#) [146-43-308-41-012000](#) [160-10-308-00-001000](#) [160-40-320-00-001000](#) [214-99-306-01-670800](#) [232-1270-02-0602](#) [2-382761-4](#) [2-5331677-4](#)