

Thermofit Molded Parts Specification Control Drawing

- inches lbs 1. All dimensions are in
- [millimeters] [gms] Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.
- 5. Weight shown in table of dimensions is based on polyolefin part.





222D211 thru 299

Part Number :

PART	T	Ť		J		P	R	S	T	U	JO	PP	RR	HW	JW	Weight
NUMBER	Min	Max	Min -3,-4, -25	Min -5,-6,-8, -12,-100	Max	±10%	Ref	Ref	Ref	Ref	±10%	±10%	±10%	±20%	±20%	Nom
	a	b	a	a	b	ь	ь	b	ь	b	b	b	ь	b	ь	
222D211	.88	.45	.88	.55	.25	4.14	.73	.47	.12	.04	3.45	.27	.49	.06	.045	.01
	[22,4]	[11,4]	[22,4]	[14,0]	[6,4]	[105,2]	[18,5]	[11,9]	[3,05]	[1,02]	[87,6]	[6,9]	[12,4]	[1,52]	[1,14]	[5,0]
222D221	1.01	.59	1.01	<u>.63</u>	.29	4.88	.78	<u>.60</u>	.12	<u>.04</u>	3.90	.33	.59	<u>.06</u>	.045	.02
	[25,7]	[15,0]	[25,7]	[16,0]	[7,4]	[124,0]	[19,8]	[15,2]	[3,05]	[1,02]	[99,1]	[8,4]	[15,0]	[1,52]	[1,14]	[9,0]
222D232	1.16	.74	1.16	<u>.72</u>	.33	5.76	.82	.75	.12	<u>.04</u>	4.50	<u>.41</u>	<u>.61</u>	<u>.07</u>	.045	.02
	[29,5]	[18,8]	[29,5]	[18,3]	[8,4]	[146,3]	[20,8]	[19,1]	[3,05]	[1,02]	[114,3]	[10,4]	[15,5]	[1,78]	[1,14]	[9,0]
222D242	1.34	<u>.90</u> [22,9]	1.34 [34,0]	<u>.84</u> [21,3]	.38 [9,7]	6.78 [172,2]	86 [21,8]	<u>.90</u> [22,9]	<u>.12</u> [3,05]	<u>.04</u> [1,02]	5.22 [132,6]	.48 [12,2]	<u>.62</u> [15,7]	<u>.07</u> [1,78]	.045 [1,14]	<u>.03</u> [14,0]
222D253	1.47	1.16	1.47	<u>.91</u>	<u>.41</u>	7.29	.96	1.15	.12	.065	5.66	<u>.61</u>	.70	.08	.045	.03
	[37,3]	[29,5]	[37,3]	[23,1]	[10,4]	[185,2]	[24,4]	[29,2]	[3,05]	[1,65]	[143,8]	[15,5]	[17,8]	[2,03]	[1,14]	[14,0]
222D263	1.72	1.34	1.72	1.07	. <u>48</u>	8.41	1,08	1.32	<u>.12</u>	.065	6.66	.72	<u>.78</u>	<u>.08</u>	.045	.05
	[43,7]	[34,0]	[43,7]	[27,2]	[12,2]	[213,6]	[27,4]	[33,5]	[3,05]	[1,65]	[169,2]	[18,3]	[19,8]	[2.03]	[1,14]	[24,0]
222D274	1.97	1.62 [41,1]	1.97 [50,0]	1.24 [31,5]	. <u>56</u> [14,2]	8.84 [224,5]	1,16 [29,5]	1.59 [40,4]	<u>.12</u> [3,05]	.065 [1,65]	6.82 [173,2]	.83 [21,1]	<u>.82</u> [20,8]	<u>.09</u> [2.29]	.055 [1,40]	.10 [46,0]
222D285	2.47	1.85	2.47	1.54	.69	8.95	1.31	1.81	.12	<u>.08</u>	6.62	.95	<u>.92</u>	.10	.055	<u>.10</u>
	[62,7]	[47,0]	[62,7]	[39,1]	[17,5]	[227,3]	[33,3]	[46,0]	[3,05]	[2,03]	[168,1]	[24,1]	[23,4]	[2,54]	[1,40]	[46,0]
222D296	2.73	2.35	2.73	1.70	. <u>77</u>	9.19	1.38	2.28	.12	.08	6.19	1.18	.93	.10	.055	.10
	[69,3]	[59,7]	[69,3]	[43,2]	[19,6]	[233,4]	[35,1]	[57,9]	[3,05]	[2,03]	[157,2]	[30,0]	[23,6]	[2.54]	[1,40]	[46,0]
222D299	3.22	2.64 [67,1]	3.22 [81,8]	2.01 [51.1]	.90 [22,9]	9.33 [237,0]	1.75 [44,5]	2.55 [64,8]	<u>.12</u> [3,05]	.08 [2,03]	5.95 [151,1]	1.31 [33.3]	1.23 [31,2]	.10 [2,54]	.055 [1,40]	<u>.11</u> [48,0]

Reychem

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

TE CONNECTIVITY
300 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025
(415) 361-6055

Revision: R Date: 20APR11 Part Number :

222D211 thru 299 Description: Boot, 90°, With Lip

Thermofit Molded Parts Specification Control Drawing

Part Number : 222D211 thru 299 Description: Boot, 90°, With Lip

COMPATABILITY CHART								
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION			
-3	Polyolefin, Semi-rigid	RT-301	/42; /86; /87; /180	S-1017; S-1048; S-1052; S-1030	Adhesive			
-4	Polyolefin, Flexible	RT-1304	/42; /86; /87; /180	S-1017; S-1048; S-1052; S-1030	Adhesive			
-5	Elastomer, Flexible	RT-501	N/A					
-6	Silicone	RT-602	N/A					
-8	Polyolefin, Space	RT-1308	N/A					
-12	*VITON, Flexible	RT-1312	N/A					
-25	Elastomer, Fluid Resistant	RT-1325	/42; /86	S-1017; S-1048	Adhesive			
-100	Polyolefin, Semi-flexible ZEROHAL™	RT-1323	/184	S-1030	Adhesive			

*VITON is a Registered Trademark of Dupont

ORDERING INFORMATION 222D2XX -XX /XXXBase part number Material dash number (See Compatability Chart) Modification number (If necessary, see front of scd binder for a complete list) Adhesive slash number (If necessary, see Compatability Chart)

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

ETE Reychem

TE Connectivity
TE CONNECTIVITY
300 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025
(415) 361–6055

Revision: R Date: 20APR11 Part Number :

222D211 thru 299 Description: Boot, 90°, With Lip

CAD FILE MP92422

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Boots category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

618235-000 622A014-3-0 CX4132-000 879515-000 982033-2 R280576000 1300830729 EN3BOOTLKIT MTPSRBCL-C 1811481-1 200W531-3-0 202A121-386-0 202A142-4-00/42-0 202A163-4-0-CS5067 202B221-13-0 202B231-13-0 202B563-25-07-0 202C621710CS5361 202D132-4-07/42-0 202D221-4-0-CS5349 202D221-4-26-0 202D263-25-08-0 202D263-4-22/42-0 202D263-4-88-0 202D921-2542-0 202E336-71-0 202F211-50-22-0-CS8474 202F242-50-05-0 202F242-51-04/164-0 202K121-25-CS-1858-0 202K121-25-CS-2062-0 202K132-25-01/225-0CS8387 202K153-3-0186-0 202S132-25-UP-0 203W301-3/42-0 207W613-100/184-0-CS5657 207W623-100-01/184-0 207W634-100/184-0-CS5657 207W656-100-01/184-0 207W667-100-01/184-0 207W667-100/184-0 208A011-3-0 208A021-3-0 221A011-51164-0-CS7133 222A121-2586 222A152-342-0 222A213-25-0-CS5613 222D221-25-13/86-0 222D232-4-61-0-CS5078 222D253-100-22-0