# 222K174-3-00-0 ACTIVE

### Raychem

TE Internal #: 822322-000

Heat Shrink Boots, 90°, Molded Part Shape Code 222, Lipped, 3, 10, Operating Temperature Range -55 – 135 °C [-67 – 275 °F]

View on TE.com >



Harnessing > Heat Shrink Components > Heat Shrink Boots



Molded Part Shape: 90°

Molded Part Shape Code: 222

Lipped: Yes

Material Code: 3

Heat Shrink Boot Material Systems Code: 10

### **Features**

Product Type Features	
Molded Part Shape	90°
Configuration Features	
Lipped	Yes
Body Features	
Material Code	3
Heat Shrink Boot Material Systems Code	10
Adhesive Pre-Coat	No
Material	Semi-Rigid Modified Polyolefin
Dimensions	
Inside Diameter as Supplied	60 mm[2.36 in]
Cable Diameter Range	35.1 – 60 mm[1.38 – 2.36 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Operation/Application	

No

No

SAE AS81765/1 Type I

Power Cable Accessory

Approved Standards

Government Qualified

**Industry Standards** 



#### Other

Molded Part Shape Code	222
Fluid/Chemical Resistance	Occasional exposure to fluids
Adhesive Options	/42 Precoat
Adhesive Type	Adhesive Purchased Separately

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





# Customers Also Bought


















### **Documents**

### **Product Drawings**

222K174-3-00-0

English

## Datasheets & Catalog Pages

1654025\_Sec4\_-3

English

1654025\_Sec4\_222K121to185

English

Raychem Molded Parts Visual Guide

English

### Product Environmental Compliance

Safety Datasheet

Safety Datasheet

German

Safety Datasheet

English

Safety Datasheet

Safety Datasheet

French

Safety Datasheet

Safety Datasheet

Safety Datasheet

Heat Shrink Boots, 90°, Molded Part Shape Code 222, Lipped, 3, 10, Operating Temperature Range -55 – 135 °C [-67 – 275 °F]



Safety Datasheet

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Boots category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

618235-000 622A014-3-0 CX4132-000 879515-000 982033-2 R280576000 1300830729 EN3BOOTLKIT MTPSRBCL-C 1811481-1 200W531-3-0 202A121-386-0 202A142-4-00/42-0 202A163-4-0-CS5067 202B221-13-0 202B231-13-0 202B563-25-07-0 202C621710CS5361 202D132-4-07/42-0 202D221-4-0-CS5349 202D221-4-26-0 202D263-25-08-0 202D263-4-22/42-0 202D263-4-88-0 202D921-2542-0 202E336-71-0 202F211-50-22-0-CS8474 202F242-50-05-0 202F242-51-04/164-0 202K121-25-CS-1858-0 202K121-25-CS-2062-0 202K132-25-01/225-0CS8387 202K153-3-0186-0 202S132-25-UP-0 203W301-3/42-0 207W613-100/184-0-CS5657 207W623-100-01/184-0 207W634-100/184-0-CS5657 207W656-100-01/184-0 207W667-100-01/184-0 207W667-100/184-0 208A011-3-0 208A021-3-0 221A011-51164-0-CS7133 222A121-2586 222A152-342-0 222A213-25-0-CS5613 222D221-25-13/86-0 222D232-4-61-0-CS5078 222D253-100-22-0