



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00				
	B	REVISED PER ECO-15-011655	11AUG2015	WZ	GG



1. ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.
2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL INFORMATION:

	2231171-[]	TE LOGO AND P/N
	METERS	LENGTH
	MADE IN	COUNTRY OF ORIGIN
	YYWWSSSS	YYWW IS DATE CODE, SSSS IS SERIAL
		BAR FOR YYWWSSSS


4. SEE SHEET #2 FOR WIRING SCHEMATIC.

3000.0 ^{+50.0} _{-0.00} mm	2231171-6
600.0 ^{+25.0} _{-0.00} mm	2231171-5
1000.0 ^{+25.0} _{-0.00} mm	2231171-4
700.0 ^{+25.0} _{-0.00} mm	2231171-3
500.0 ^{+25.0} _{-0.00} mm	2231171-2
300.0 ^{+25.0} _{-0.00} mm	2231171-1
"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 15/FEB/13 E.C. CLAYBAUGH	TE Connectivity	
		CHK 25/MAR/13 G.GUTGOLD		
DIMENSIONS: mm		APVD 28/MAR/13 G.GUTGOLD	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	C/A, INTERNAL HD MINI SAS, STR TO STR 100 OHMS, 4X, HALOGENATED	
0 PLC ± -		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
1 PLC ± -		WEIGHT -	A2 00779 C=2231171	
2 PLC ± -		CUSTOMER DRAWING	SCALE N.T.S. SHEET 1 of 2 REV B	
3 PLC ± -				
4 PLC ± -				
ANGLES ± -				
FINISH -				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	15/FEB/13		TE Connectivity					
		CHK	E.C. CLAYBAUGH		NAME					
		APVD	25/MAR/13		C/A, INTERNAL HD MINI SAS, STR TO STR					
		PRODUCT SPEC	G.GUTGOLD		100 OHMS, 4X, HALOGENATED					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	28/MAR/13	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		0 PLC	± -	PRODUCT SPEC		A2	00779	C=2231171	-	
		1 PLC	± -	APPLICATION SPEC		SCALE		N.T.S.	SHEET	2 OF 2
		2 PLC	± -			CUSTOMER DRAWING		REV	B	
		3 PLC	± -							
MATERIAL		FINISH		WEIGHT	-					

2231171

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Computer Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [CB-716EB-RS](#) [CB-716P8P9-RS](#) [CBK-11-290K-00](#) [ACL-10550](#) [ACL-10568-2](#) [ACL-10568-5](#)
[427522400-3](#) [32102-021500-200-RS](#) [426091300-3](#) [48000023](#) [10114976-P015002LF](#) [10111838-S444ALF](#) [88761-6101](#) [NT631C-CN321-EU](#)
[ACL-10568NF-1](#) [MIKROE-2092](#) [PCL-101100R-2E](#) [1700009405](#) [PS/2 Cable](#) [NT31C-CN323-EU](#) [PCL-10168H-1E](#) [68801-1905](#) [111068-](#)
[1015](#) [100436-1107](#) [68801-0630](#) [68801-3612](#) [68801-3618](#) [205058-1002](#) [PS2NK](#) [SATA cable](#) [96021-0000-00-0](#) [FAK-SMZSMZ 5M](#) [FAK-](#)
[SMZSMZ-3M](#) [ACC-500-200-R](#) [iW-C40-PCIe08-C1](#) [1700001531](#) [96048-0000-00-0](#) [96054-0000-00-0](#) [SATA III cable 30cm, down/straight](#)
[cab-Pico-ITX-LVDS](#) [PCL-101100SB-2E](#) [AXXSTCBLQAT](#) [NT31C-KBA05](#) [PCL-101100M-2E](#) [A2U4PSWCXCXK1](#) [2 port SATA to 5](#)
[pin,L=200mm](#) [P782-006-DH](#)