



| REVISIONS | | | | |
|-----------|-----|------------------------------|-----------|----------|
| P | LTN | DESCRIPTION | DATE | OWN APVD |
| E | | REVISED PER ECO-18-018662 | 29NOV2018 | PL EC |
| K | | REVISED PER ECO-19-002462 | 28FEB2019 | AP GF |
| L | | REVISED PER ECO-19-012453 | 13AUG2019 | AP GF |
| M | | REVISED AS PER ECN-21-132059 | 22DEC2021 | KK AK |



△ LABEL INFORMATION: -1 SHOWN.



SERIAL NUMBER:
 P P P P P = 6-DIGIT, BASE 34, ALPHANUMERIC CHARACTERS
 (EXCLUDES 1 AND 0)
 L = MANUFACTURING LOCATION CODE
 Y Y W W = DATE CODE, 2-DIGIT YEAR, 2-DIGIT WEEK
 R = 0 OR 1 FOR PCB A TRACEABILITY
 S S S = 3-DIGIT, BASE 34, SERIAL ALPHANUMERIC CHARACTERS
 (EXCLUDES 1 AND 0)

- SEE SHEET 2 FOR WIRING SCHEMATIC.
- PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES)
- EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- TEST IN ACCORDANCE WITH IEEE802.3bj.


△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3bj. RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS

| | | | |
|---------------------------|------|--------------|-------------|
| OBSOLETE | 30 | 3500 +80/-0 | 3-2231368-5 |
| | 30 | 2500 +80/-0 | 3-2231368-4 |
| SUPERSEDED BY 2333842-5 | 26 | 2500 +80/-0 | 3-2231368-3 |
| | 30 | △ 500 +50/-0 | 2-2231368-3 |
| SUPERSEDED BY 2336313-1 | 33 | △ 500 +50/-0 | 2-2231368-2 |
| SUPERSEDED BY 2333841-8 | 28 | 4000 +80/-0 | 2-2231368-1 |
| SUPERSEDED BY 2333841-4 | 28 | 2000 +80/-0 | 2-2231368-0 |
| OBSOLETE | 24 | 7000 +100/-0 | 1-2231368-9 |
| SUPERSEDED BY 2336313-4 | 33 | 2000 +80/-0 | 1-2231368-8 |
| SUPERSEDED BY 2336313-3 | 33 | 1500 +50/-0 | 1-2231368-7 |
| SUPERSEDED BY 2336313-2 | 33 | 1000 +50/-0 | 1-2231368-6 |
| SUPERSEDED BY 2333842-3 | 26 | 1500 +50/-0 | 1-2231368-5 |
| SUPERSEDED BY 2333842-4 | 26 | 2000 +80/-0 | 1-2231368-4 |
| OBSOLETE | 30 | 4000 +80/-0 | 1-2231368-3 |
| SUPERSEDED BY 1-2333842-0 | 26 | 5000 +80/-0 | 1-2231368-2 |
| OBSOLETE | 24 | 4000 +80/-0 | 1-2231368-1 |
| OBSOLETE | 24 | 3000 +80/-0 | 1-2231368-0 |
| | 30 | 1500 +50/-0 | 2231368-9 |
| | 30 | 3000 +80/-0 | 2231368-8 |
| SUPERSEDED BY 2333842-6 | 26 | 3000 +80/-0 | 2231368-7 |
| OBSOLETE | 24 | 6000 +80/-0 | 2231368-6 |
| OBSOLETE | 24 | 5000 +80/-0 | 2231368-5 |
| SUPERSEDED BY 2333842-8 | 26 | 4000 +80/-0 | 2231368-4 |
| SUPERSEDED BY 2333841-6 | 28 | 3000 +80/-0 | 2231368-3 |
| | 30 | 2000 +80/-0 | 2231368-2 |
| | 30 | 1000 +50/-0 | 2231368-1 |
| | GAGE | "L" mm | PART NO |

| | | | |
|-----------------------------------------------------------------------------|--|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | OWN T. SMITH 08FEB2017 | TE Connectivity NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG PRODUCT SPEC - APPLICATION SPEC - SIZE A1 CAGE CODE - DRAWING NO C=2231368 RESTRICTED TO - WEIGHT - MATERIAL - FINISH - CUSTOMER DRAWING |
| DIMENSIONS: mm | | CHK E. CUESTA 08FEB2017 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD E. CUESTA 08FEB2017 | |
| 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ± | | SCALE 7:5 SHEET 1 OF 2 REV M | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTN | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



WIRING PATTERN

| | | | |
|-----------------------------------------------------------------------------------------------------------------------|--|--------------------------------|-----------------------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | OWN T. SMITH 08FEB2017 | |
| DIMENSIONS: mm | | CHK E. CUESTA 08FEB2017 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ± | | APVD E. CUESTA 08FEB2017 | NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG |
| MATERIAL | | PRODUCT SPEC | RESTRICTED TO |
| | | APPLICATION SPEC | SIZE A1 |
| | | WEIGHT | CAGE CODE - |
| | | CUSTOMER DRAWING | DRAWING NO C=2231368 |
| | | SCALE 6:5 | SHEET 2 OF 2 |
| | | REV M | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)