




REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	REV'D DIMS PER SLJ	12-06-82	CS 200 / JY



- NOTES:
- Dimensions are in inches.
  - Dimensions appearing in table are as follows:  
a - As supplied  
b - After unrestricted recovery
  - Nut type is optional. Type A nut is supplied with part unless Type B is specified. (See ordering info.)

ORDERING INFORMATION:

Base part number 227W223 -3 -01 /42  
 Feedthrough material  
 -3 = Polyolefin, semi-rigid, RT-301  
 Nut option  
 Add -01 if Type B nut is required  
 Coating option  
 Add /42 if S-1017 adhesive is required

PART NUMBER	H Ref	J Min	J Max	JO ±10%	K Ref	H Thread	P ±10%	RR ±10%	S ±10%	T Ref	U ±10%	JW ±20%
227W213	.47	.73	.25	.28	.91	.79	1.06	1.83	1.51	.51	1.26	.39
227W223	.79	1.00	.33	.50	1.30	1.18	1.72	2.16	1.68	.63	1.65	.39
227W234	1.22	1.50	.59	1.26	1.81	1.65	2.98	2.86	2.12	.71	2.28	.39
227W245	1.77	2.10	.80	1.60	2.34	2.20	3.84	3.38	2.44	.71	2.80	.39
227W256	2.68	3.00	.92	2.22	3.31	3.15	5.04	3.90	2.71	.71	3.82	.39

SPECIFICATION CONTROL DRAWING (LIMITED DISTRIBUTION)

**Raychem**  
 RAYCHEM CORPORATION  
 300 CONSTITUTION DRIVE  
 MENLO PARK, CALIFORNIA 94025

TITLE  
**90° FEEDTHROUGH**

NO. 00000  
 Dwg. No. 227W213 thru 256

NO. 00000  
 Dwg. No. 227W213 thru 256

SCALE 1:1  
 SHEET 1 OF 1

THIS DRAWING AND THE INFORMATION SET FORTH HEREON ARE THE PROPERTY OF RAYCHEM CORPORATION, AND ARE TO BE HELD IN TRUST AND CONFIDENCE. PUBLICATION, DUPLICATION, OR USE FOR ANY PURPOSE NOT EXPRESSLY AUTHORIZED IN WRITING BY RAYCHEM CORPORATION IS PROHIBITED.

DO NOT SCALE THIS DRAWING


PROJECT

SIZE B

SCALE 1:1

SHEET 1 OF 1

## Ordering Information



## COMPATIBILITY CHART

MATERIAL DASH NUMBER	MATERIAL DESCRIPTION	COATING SLASH NUMBER
-3	POLYOLEFIN, SEMI-RIGID	/42, /86
-4	POLYOLEFIN, FLEXIBLE	/42, /86
-25	ELASTOMER, FLUID RESISTANT	/86, /225

AS SUPPLIED DIMENSIONS ARE FOR UNCOATED PARTS,  
WHEN COATING IS ADDED, ENTRY DIAMETERS WILL REDUCE BY 1.5mm MAX.

POTTING PORTS ARE OPTIONAL  
WHEN SPECIFIED BY SUFFIX "-00"  
THEY WILL BE LOCATED AS SHOWN

Raychem  
Electronics OEM Division Europe  
Swindon, Wiltshire, England.  
Telephone: (01793) 528171 Fax: 573923

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heat Shrink Cable Boots & End Caps](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[577159N001](#) [645494-000](#) [CX4132-000](#) [687025-000](#) [705331-000](#) [718446-000](#) [725666N001](#) [729257-000](#) [F27131-000](#) [F85868-000](#) [770-003S106W2](#) [770-013210W1](#) [770-013311](#) [770-013312](#) [806542N001](#) [807507-000](#) [808362-000](#) [808618-000](#) [809125-000](#) [809130-000](#) [809218-000](#) [812014-000](#) [812047-000](#) [813166-000](#) [813767N002](#) [814741-000](#) [819117N001](#) [823026-000](#) [823070-000](#) [841189N001](#) [861471-000](#) [866647-000](#) [879515-000](#) [937577-000](#) [957073-000](#) [982033-2](#) [A77813-000](#) [R280576000](#) [D96192-000](#) [163549-000](#) [EN3BOOTLKIT](#) [MTPSRBCL-C](#) [1954015-1](#) [200W531-3-0](#) [202A163-4-0-CS5067](#) [202A343-3-00-0](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#) [202C241-13-0](#)