





REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
A		RELEASED PER ECO-19-001811	05FEB2019	DCB AT



- 1 HOUSING: LCP, UL94V0, COLOR: BLACK. CONTACT: PHOSPHOR BRONZE.
- 2 FINISH: 1.27 μ m GOLD IN CONTACT AREA 1.27 μ m MIN. TIN-LEAD ON PCB TAIL OVER 2.54 μ m MIN. NICKEL OVER ALL.
- 3 PLATED THRU HOLE SPECIFICATION:
 - DRILLED HOLE: $\varnothing 0.45 \pm 0.02$
 - 0.025-0.050 THICK COPPER PLATING (MAX HARDNESS 150 KNOOP)
 - FINISH OPTIONS:
 - 0.0038-0.0124 HOT AIR SOLDER LEVELING (HASL) TIN-LEAD (SnPb)
 - 0.0005-0.004 IMMERSION TIN (Sn)
 - 0.0002-0.0005 ORGANIC SOLDERABILITY PRESERVATIVE (OSP)
 - 0.0001-0.0005 IMMERSION SILVER (Ag)
 - 0.0001-0.0005 IMMERSION GOLD OVER
 - 0.00127-0.0076 NICKEL (ENIG)
 - FINISH HOLE DIAMETER AFTER PLATING = $\varnothing 0.36$ REF
- 4 ADDITIONAL CONNECTOR-SIDE KEEP-OUT AREA REQUIRED IF CONNECTOR-SIDE EXTRACTION TOOL IS TO BE USED.
- 5 FINISH: 1.27 μ m MIN GOLD IN CONTACT AREA, 0.50 μ m MIN TIN ON PCB TAIL OVER 2.54 μ m MIN. NICKEL OVER ALL.



PC BOARD LAYOUT (CONNECTOR SIDE)
(SEE SHEET 2 FOR RTM)
SCALE 5:1

5	2302789-2
2	2302789-1
PLATING	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN: MILLER 09AUG2016
CHK: A. TSANG 09AUG2016
APVD: -

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±
4 PLC	±
ANGLES	±1°

MATERIAL: SEE TABLE

FINISH: SEE TABLE

RESTRICTED CUSTOMER

PRODUCT SPEC: 108-2072-3
APPLICATION SPEC: 114-163004

SIZE: 114-163004
WEIGHT: 6.51g





NAME: VERTICAL RECEPTACLE ASSEMBLY, CENTER, MULTIGIG RT 3

RESTRICTED TO: A100779C=2302789

SCALE: 2:1 SHEET 1 OF 2 REV A

REAR TRANSITION MODULE APPLICATION

REVISIONS				
P. LTR	DESCRIPTION	DATE	DWN	APVD
-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. MILLER 09AUG2016	 TE Connectivity
DIMENSIONS: mm		CHK: A. TSANG 09AUG2016	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: -	NAME: VERTICAL RECEPTACLE ASSEMBLY, CENTER, MULTIGIG RT 3
0 PLC ±0.5	1 PLC ±0.13	PRODUCT SPEC: 108-2072-3	SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO
2 PLC ±0.13	3 PLC ±0.13	APPLICATION SPEC: 114-163004	RESTRICTED TO: A100779C=2302789
4 PLC ±0.13	ANGLES ±1°	WEIGHT: 6.51g	SCALE: 2:1 SHEET 2 OF 2 REV A
MATERIAL: -	FINISH: -	RESTRICTED CUSTOMER	
SEE TABLE			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [High Speed/Modular Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[650827-1](#) [74040-1346](#) [1410191-1](#) [1410368-3](#) [1410964-2](#) [1410326-3](#) [1410367-3](#) [1410971-4](#) [1467833-1](#) [2000877-1](#) [2000878-1](#) [2041314-1](#)
[2065387-1](#) [2187307-1](#) [163P](#) [1934290-1](#) [2000875-1](#) [2065917-1](#) [2102736-2](#) [FSR-40](#) [2169868-2](#) [22354-8](#) [437-5040-000](#) [5-1393565-0](#) [039-](#)
[0246-000](#) [0740618502](#) [0761601016](#) [0784461022](#) [10123159-12ELF](#) [030-2415-003/100 PK](#) [030-7380-004](#) [030-2494-001](#) [532939-1](#) [5532901-](#)
[3](#) [3-1469268-7](#) [74748-102LF](#) [10041743-101LF](#) [10066670-100002LF](#) [1-533915-1](#) [249-4515-000](#) [7-1469373-3](#) [DL2-2J/S](#) [2000713-8](#)
[2000713-7](#) [10124313-101LF](#) [3011-21](#) [757105208](#) [430305-001](#) [4395800100](#) [8140115](#)