

WIRING CHART							
FROM	WIRE COLOR	ТО					
J1-P4	RED	J2-P3					
J1-P3	RED	J2-P4					
J1-P2	BLACK	J2-P1					
J1-P1	BLACK	J2-P2					

NOTES:

1. 100% ELECTRICAL TEST FOR CONTINUITY, OPENS AND SHORTS.

D

С

В

А

2				1			
			REVIS				
	P	A REVISE	DESCRI			APVD	
					0000072010		
							D
250±10							
			(1)				
					P2		
			Á				
<b>\</b>							
							C
		J 1			P3		
		0 1			P4		
$\begin{pmatrix} 4 \end{pmatrix} \qquad \begin{pmatrix} 3 \end{pmatrix}$							
							39
							2304889
							23
							В
			230488	89-1	NO DETECT PI	N	
			TE P	P/N	DESCRIPTION	1	
AR MR WIRE, AWG10	0, RE	D		I		4	
AR MR WIRE, AWG10						3	
8 PC ET CONTACT						2	
2 PC ET HSG, 4			FCT DINI I			∠ 1	
	, US,					'	
THIS DRAWING IS A CONTROLLED DOCUMENT.		12JUN2016	ESCRIPTION			ITEM	
THIS DRAWING IS A CONTROLLED DOCOMENT. AD	AM CHEN			<b>TE</b>	TE Connectivity		А
	VID ZHAN	12JUN2016 IG		ole AssY, ET 4P(	DS, UNSHIELD		
	UCT SPEC			_			
APPLI 3 PLC ± - 4 PLC ± - ANGLES ± -	ICATION SPEC		SIZE CAGE CODE D			STRICTED TO	
		0	A2 00779 (				-
ANDARD TEC-138-702	STOMER	DRAWING		SCALE N.	T.S SHEET 1 OF 1	REV	]

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DC Power Cords category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

172-4000172-4101172-7443-E210338364072J-1865A2R7006A20A120426055400-3MN47A4BC01M010H-OU-2CA0002420680840-3426451500-3P162PT4-361-832692-4FJ-VSP 3M96CB-POWER-B-1.8M2426040200CA0006H-OU-271700019464FJ-VSP 10MMN47B4BC01M040H-OU-202-836917-8867566-1804001P03M050G2050KH1-BK426013710-358257-1069216603-0037101114710113241012028862545-5BXC-10567172-255532102-022800-200-RSP29000-M2P29004-M2DC.CAB.0201.0150DC.CAB.0301.0150DC.CAB.0610.0150DC.CAB.0700.0150DC.CAB.1000.0300DC.CAB.1100.0150DC.CAB.1400.0150DC.CAB.1410.0150DC.CAB.1500.0150DC.CAB.1811.0150DC.CAB.1900.0150DC.CAB.1400.0150