



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED PER ECO-18-008361	28MAY2018	CJV	EDB
B		REVISED PER ECO-18-009057	12JUN2018	MS	EB
C		ADDED -3 PART	18JUN2019	CJV	EDB
D		REVISED PER ECO-20-002354	05DEC2019	ES	SH




- 1 CAGE- 0.25mm THICK STAINLESS STEEL.  
EMI SPRING- COPPER ALLOY.
- 2 FINISH:  
EMI SPRING- 1.27µm NICKEL PLATING OVER ALL.
- 3. MATES WITH OSFP MSA COMPLIANT TRANSCEIVERS.
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 5. MINIMUM PC BOARD THICKNESS:  
SINGLE SIDE = 1.5 MM  
DOUBLE SIDE = 2.1 MM
- 6 REFERENCE APPLICATION SPEC 114-XXXX, FOR  
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 7 DATE CODE MADE IN APPROXIMATE AREA.



2317416-1



2317416-2




2317416-3

2317416-3
2317416-2
2317416-1
PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ANDY XIE 15MAR2017	TE Connectivity	
DIMENSIONS: mm		CHK SEAN HAN 15MAR2017		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SEAN HAN 15MAR2017	NAME CAGE ASSEMBLY, 1X1, OSFP	
0 PLC ±		PRODUCT SPEC 108-60117	SIZE A2	
1 PLC ±0.25		APPLICATION SPEC 114-130009	CAGE CODE -	
2 PLC ±0.15		WEIGHT -	DRAWING NO C-2317416	
3 PLC ±		CUSTOMER DRAWING	RESTRICTED TO -	
4 PLC ±		SCALE 2:1	SHEET 1 OF 3	
ANGLES ±1°			REV D	
FINISH				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



RECOMMENDED PCB LAYOUT  
 SINGLE SIDED APPLICATION





DETAIL A  
 SCALE 5:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ANDY XIE 15MAR2017	TE Connectivity	
		CHK SEAN HAN 15MAR2017		
		APVD SEAN HAN 15MAR2017	NAME CAGE ASSEMBLY, 1X1, OSFP	
DIMENSIONS: mm		PRODUCT SPEC 108-60117	SIZE A2	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-130009	CAGE CODE -	
0 PLC $\pm$		WEIGHT -	DRAWING NO C-2317416	
1 PLC $\pm 0.25$		CUSTOMER DRAWING	RESTRICTED TO -	
2 PLC $\pm 0.15$		SCALE 2:1	SHEET 2 OF 3	
3 PLC $\pm$			REV D	
4 PLC $\pm$				
ANGLES $\pm 1^\circ$				
FINISH -				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



SINGLE SIDED MOUNTING  
SCALE 3:1



DETAIL B  
SCALE 16:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ANDY XIE 15MAR2017	TE Connectivity	
		CHK SEAN HAN 15MAR2017		
		APVD SEAN HAN 15MAR2017	NAME CAGE ASSEMBLY, 1X1, OSFP	
DIMENSIONS: mm 		PRODUCT SPEC 108-60117	SIZE A2	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±1° FINISH -		APPLICATION SPEC 114-130009	CAGE CODE -	DRAWING NO. C-2317416
MATERIAL -		WEIGHT -	RESTRICTED TO -	SCALE 2:1
		CUSTOMER DRAWING	SHEET 3 OF 3	REV D

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [I/O Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[571763P](#) [72.250.1628.2](#) [72.250.2428.2](#) [74720-0505](#) [76.350.0729.0](#) [76871-1403](#) [FCN-244F080-G/1](#) [FCN-260A9920](#) [MP-5T180MUNNA-005](#)  
[PCR-E36PM](#) [PCS-XE26MA+](#) [G38A71314B](#) [1571250010](#) [157-22500-3](#) [MS3471L14-19P L/C](#) [91-569786-35H](#) [172501-4002](#) [172501-6002](#)  
[FCN-260C008-A/L0](#) [FCN-260C024-AL0](#) [FCN-261Z008](#) [2000314-1](#) [200331-1](#) [PCR-E36FC+](#) [PCS-E28FS+](#) [PCS-XE26SLFD+](#) [PCS-](#)  
[XE26SLFDT+](#) [G730VID08BDC24](#) [HDMR-29-01-S-SM-TR](#) [U90B2054081210](#) [UE86K842720321](#) [38113800006](#) [DP3AR020WQ1R200](#)  
[Z4.102.0680.0](#) [500-1040](#) [500-1052](#) [500-1054](#) [ZP-4008-66L](#) [0709821002](#) [10-565995-597N](#) [5554841-1](#) [U90B3054061110](#) [U65-E04-4020](#)  
[ZPF00000000097891](#) [557-262M2-06C](#) [747360449](#) [10099439-003C-TRLF](#) [10137239-0021LF](#) [E9320-001-01](#) [10137239-0011LF](#)