



REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
C		ECO-20-013677: SM FORMAT UPDATED	25SEP2020	SS WY



1. SEE SHEET 2 FOR WIRING SCHEMATIC.
2. ALL MATERIALS, COMPONENTS AND PROCESSES SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).

△ LABEL INFORMATION: -1 SHOWN.



4. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
5. CABLE ASSEMBLY 100% TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.

1.75M 30AWG 2x8	1750±25	2323766-7
1.25M 30AWG 2x8	1250±20	2323766-6
0.75M 30AWG 2x8	750±20	2323766-5
2.0M 30AWG 2x8	2000±30	2323766-4
1.5M 30AWG 2x8	1500±25	2323766-3
1.0M 30AWG 2x8	1000±20	2323766-2
0.5M 30AWG 2x8	500±20	2323766-1
CONFIGURATION	"L"	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	NAME
mm	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	CHK K. STAUFFER	CABLE ASSY, 30 AWG QSFP-DD
MATERIAL	FINISH	PRODUCT SPEC	APPLICATION SPEC
		SIZE	CAGE CODE
		WEIGHT	DRAWING NO
		CUSTOMER DRAWING	RESTRICTED TO

TE Connectivity

SCALE 5:4 SHEET 1 OF 2 REV C

REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

P1			P2	
GND	1		20	GND
TX2-	<b>2</b>	↔	<b>21</b>	RX2-
TX2+	<b>3</b>	↔	<b>22</b>	RX2+
GND	4		23	GND
TX4-	<b>5</b>	↔	<b>24</b>	RX4-
TX4+	<b>6</b>	↔	<b>25</b>	RX4+
GND	7		26	GND
ModseIL	8		27	ModPrsL
ResetL	9		28	intL
VccRx	10		29	VccTx
SCL	11		30	Vcc1
SDA	12		31	InitMode
GND	13		32	GND
RX3+	<b>14</b>	↔	<b>33</b>	TX3+
RX3-	<b>15</b>	↔	<b>34</b>	TX3-
GND	16		35	GND
RX1+	<b>17</b>	↔	<b>36</b>	TX1+
RX1-	<b>18</b>	↔	<b>37</b>	TX1-
GND	19		38	GND
GND	20		1	GND
RX2-	<b>21</b>	↔	<b>2</b>	TX2-
RX2+	<b>22</b>	↔	<b>3</b>	TX2+
GND	23		4	GND
RX4-	<b>24</b>	↔	<b>5</b>	TX4-
RX4+	<b>25</b>	↔	<b>6</b>	TX4+
GND	26		7	GND
ModPrsL	27		8	ModseIL
intL	28		9	ResetL
VccTx	29		10	VccRx
Vcc1	30		11	SCL
InitMode	31		12	SDA
GND	32		13	GND
TX3+	<b>33</b>	↔	<b>14</b>	RX3+
TX3-	<b>34</b>	↔	<b>15</b>	RX3-
GND	35		16	GND
TX1+	<b>36</b>	↔	<b>17</b>	RX1+
TX1-	<b>37</b>	↔	<b>18</b>	RX1-
GND	38		19	GND

P1			P2	
GND	39		58	GND
TX6-	<b>40</b>	↔	<b>59</b>	RX6-
TX6+	<b>41</b>	↔	<b>60</b>	RX6+
GND	42		61	GND
TX8-	<b>43</b>	↔	<b>62</b>	RX8-
TX8+	<b>44</b>	↔	<b>63</b>	RX8+
GND	45		64	GND
Reserved	46		65	NC
VS1	47		66	Reserved
VccRx1	48		67	VccTx1
VS2	49		68	Vcc2
VS3	50		69	Reserved
GND	51		70	GND
RX7+	<b>52</b>	↔	<b>71</b>	TX7+
RX7-	<b>53</b>	↔	<b>72</b>	TX7-
GND	54		73	GND
RX5+	<b>55</b>	↔	<b>74</b>	TX5+
RX5-	<b>56</b>	↔	<b>75</b>	TX5-
GND	57		76	GND
GND	58		39	GND
RX6-	<b>59</b>	↔	<b>40</b>	TX6-
RX6+	<b>60</b>	↔	<b>41</b>	TX6+
GND	61		42	GND
RX8-	<b>62</b>	↔	<b>43</b>	TX8-
RX8+	<b>63</b>	↔	<b>44</b>	TX8+
GND	64		45	GND
NC	65		46	Reserved
Reserved	66		47	VS1
VccTx1	67		48	VccRx1
Vcc2	68		49	VS2
Reserved	69		50	VS3
GND	70		51	GND
TX7+	<b>71</b>	↔	<b>52</b>	RX7+
TX7-	<b>72</b>	↔	<b>53</b>	RX7-
GND	73		54	GND
TX5+	<b>74</b>	↔	<b>55</b>	RX5+
TX5-	<b>75</b>	↔	<b>56</b>	RX5-
GND	76		57	GND

# WIRE PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. SMITH 16OCT2017 CHK K. STAUFFER 16OCT2017 APVD -	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	NAME CABLE ASSY, 30 AWG QSPF-DD PRODUCT SPEC - APPLICATION SPEC - SIZE A   00779   C=2323766 WEIGHT - CUSTOMER DRAWING	RESTRICTED TO SCALE 5:4 SHEET 2 OF 2 REV C

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ethernet Cables / Networking Cables](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)  
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)  
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)  
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)  
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)  
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)