




REVISIONS				
P	LTM	DESCRIPTION	DATE	APVD
A		PER ECO-18-020143	31DEC2018	MY GF
B		REVISED PER ECO-20-004723	02APR2020	REH GF



△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -8): -1 SHOWN.

STE
2333841-1
0.5M - 28AWG
PPPPPLYWWSSS

MADE IN

- ← TE PN
- ← LENGTH - CABLE GAGE
- ← SERIAL NUMBER:
INCLUDES PN, MANUFACTURING LOCATION, AND DATE CODE
- ← SERIAL NUMBER BARCODE - CODE 39
- ← COUNTRY OF ORIGIN

2. SEE SHEET 2 FOR WIRING SCHEMATIC.
3. PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
4. CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
5. EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- △ TEST IN ACCORDANCE WITH IEEE802.3bj.
- △ DASH NUMBER 41 THRU 45 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- △ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -45): -41 SHOWN.

STE
4-2333841-1
0.5M - 28AWG
PPPPPLYWWSSS

MADE IN

- ← TE PN
- ← LENGTH - CABLE GAGE
- ← SERIAL NUMBER:
INCLUDES PN, MANUFACTURING LOCATION, AND DATE CODE
- ← SERIAL NUMBER BARCODE - CODE 39
- ← COUNTRY OF ORIGIN


△	STANDARD		
	GAGE	"L" mm	PART NO
△	28	2500 +80/-0	4-2333841-5
	28	2000 +80/-0	4-2333841-4
	28	1500 +50/-0	4-2333841-3
	28	1000 +50/-0	4-2333841-2
	28	500 +50/-0	4-2333841-1
△	28	4000 +80/-0	2333841-8
	28	3500 +80/-0	2333841-7
	28	3000 +80/-0	2333841-6
	28	2500 +80/-0	2333841-5
	28	2000 +80/-0	2333841-4
	28	1500 +50/-0	2333841-3
	28	1000 +50/-0	2333841-2
	28	500 +50/-0	2333841-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DATE: 29MAR2018	CHK: G. FRANKLIN	APVD: G. FRANKLIN
mm	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	SIZE: A	CAGE CODE: 00779	DRAWING NO: 2333841
MATERIAL:	FINISH:	WEIGHT:	CUSTOMER DRAWING	RESTRICTED TO: B

TE Connectivity
STE
 CABLE ASSEMBLY, DIRECT ATTACH QSFP
 25GIG, 28AWG
 SCALE: 5:1 SHEET 1 OF 2 REV B

REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: Y1 29MAR2018	
DIMENSIONS: mm		CHK: G. FRANKLIN 29MAR2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: G. FRANKLIN 29MAR2018	NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG, 28AWG
0 PLC ±		PRODUCT SPEC	
1 PLC ±		APPLICATION SPEC	SIZE: A 00779 C=2333841
2 PLC ±		WEIGHT	RESTRICTED TO
3 PLC ±		CUSTOMER DRAWING	SCALE: 5:1 SHEET 2 OF 2 REV B
4 PLC ±			
ANGLES			
FINISH			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)