




| REVISIONS | | | | |
|-----------|-----|-----------------------|-----------|----------|
| P | LTR | DESCRIPTION | DATE | DWN APVD |
| A | | PER ECO-18-020143 | 31DEC2018 | MY FG |
| B | | REV PER ECO-19-013192 | 27AUG2019 | TS GF |
| C | | REV PER ECO-20-006125 | 30APR2020 | AK GF |
| - | - | - | - | - |



1 LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -10): -1 SHOWN.



- 2. SEE SHEET 2 FOR WIRING SCHEMATIC.
- 3. PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
- 4. CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- 5. EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- 6 TEST IN ACCORDANCE WITH IEEE802.3bj.
- 7 DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- 8 LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN.



| STANDARD | GAGE | "L" mm | PART NO | |
|----------|------|-------------|-------------|-------------|
| 7 | 26 | 3000 +80/-0 | 4-2333842-6 | |
| | 26 | 2500 +80/-0 | 4-2333842-5 | |
| | 26 | 2000 +80/-0 | 4-2333842-4 | |
| | 26 | 1500 +80/-0 | 4-2333842-3 | |
| | 26 | 1000 +50/-0 | 4-2333842-2 | |
| | 26 | 500 +50/-0 | 4-2333842-1 | |
| | 6 | 26 | 5000 +80/-0 | 1-2333842-0 |
| | | 26 | 4500 +80/-0 | 2333842-9 |
| | | 26 | 4000 +80/-0 | 2333842-8 |
| | | 26 | 3500 +80/-0 | 2333842-7 |
| 26 | | 3000 +80/-0 | 2333842-6 | |
| 26 | | 2500 +80/-0 | 2333842-5 | |
| 26 | | 2000 +80/-0 | 2333842-4 | |
| 26 | | 1500 +80/-0 | 2333842-3 | |
| 26 | | 1000 +50/-0 | 2333842-2 | |
| 26 | | 500 +50/-0 | 2333842-1 | |


THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | |
|-------------------|-----------|---|
| DWN: M. YI | 17APR2018 | TE Connectivity |
| CHK: G. FRANKLIN | 17APR2018 | |
| APVD: G. FRANKLIN | 17APR2018 | NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG PRODUCT SPEC: - APPLICATION SPEC: - SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2333842 RESTRICTED TO: RESTRICTED CUSTOMER |


RESTRICTED CUSTOMER

SCALE: 5:1 SHEET 1 OF 2 REV C

| REVISIONS | | | | | |
|-----------|-----|-------------|------|-----|------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| - | - | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |



WIRING PATTERN

| | | | | | | | | | | | | | | | | | | |
|---|---|----------------------------------|---|------------------------------|---|-------|---|-------|---|-------|---|--------|---|--------|---|------------|--------------------|--------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN M. YI 17APR2018 |  TE Connectivity | | | | | | | | | | | | | | | |
| DIMENSIONS: min | | CHK G. FRANKLIN 17APR2018 | NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG | | | | | | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD G. FRANKLIN 17APR2018 | PRODUCT SPEC APPLICATION SPEC RESTRICTED TO | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> <tr><td>FINISH</td><td>±</td></tr> </table> | | 0 PLC | ± | 1 PLC | ± | 2 PLC | ± | 3 PLC | ± | 4 PLC | ± | ANGLES | ± | FINISH | ± | SIZE A1 | CAGE CODE 00779 | DRAWING NO. C=2333842 |
| 0 PLC | ± | | | | | | | | | | | | | | | | | |
| 1 PLC | ± | | | | | | | | | | | | | | | | | |
| 2 PLC | ± | | | | | | | | | | | | | | | | | |
| 3 PLC | ± | | | | | | | | | | | | | | | | | |
| 4 PLC | ± | | | | | | | | | | | | | | | | | |
| ANGLES | ± | | | | | | | | | | | | | | | | | |
| FINISH | ± | | | | | | | | | | | | | | | | | |
| MATERIAL | | WEIGHT | RESTRICTED CUSTOMER | SCALE 5:1 SHEET 2 OF 2 REV C | | | | | | | | | | | | | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)