




| REVISIONS | | | | |
|-----------|-----|---------------------------|-----------|-------|
| P | LTN | DESCRIPTION | DATE | APVD |
| A | | PER ECO-18-020143 | 31DEC2018 | MY GF |
| B | | REV PER ECO-19-012141 | 06AUG2019 | TS GF |
| C | | REVISED PER ECO-19-012364 | 09AUG2019 | AP GF |
| - | - | - | - | - |



△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -4): -1 SHOWN.



- SEE SHEET 2 FOR WIRING SCHEMATIC.
- PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
- CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- △ TEST IN ACCORDANCE WITH IEEE802.3bj.
- △ DASH NUMBER 41 THRU 43 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- △ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -43): -41 SHOWN.



| STANDARD | GAGE | "L" mm | PART NO |
|----------|------------|-------------|-------------|
| △6 | 32 | 1500 +50/-0 | 4-2336313-3 |
| | 32 | 1000 +50/-0 | 4-2336313-2 |
| | 32 | 500 +50/-0 | 4-2336313-1 |
| △5 | 32 | 2000 +80/-0 | 2336313-4 |
| | 32 | 1500 +50/-0 | 2336313-3 |
| | 32 | 1000 +50/-0 | 2336313-2 |
| 32 | 500 +50/-0 | 2336313-1 | |

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: YI 03MAY2018, CHK: G. FRANKLIN 03MAY2018, APVD: G. FRANKLIN 03MAY2018


STE TE Connectivity

NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP
 PRODUCT SPEC: 25GIG, 32 AWG
 APPLICATION SPEC: -

SIZE: A1, CAGE CODE: 100779, DRAWING NO: 2336313, RESTRICTED TO: CUSTOMER

SCALE: 1:3, SHEET: 1 OF 2, REV: C

| REVISIONS | | | | |
|-----------|------|-------------|------|--------------|
| P. | LTN. | DESCRIPTION | DATE | OWN. / APVD. |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



WIRING PATTERN

| | | | |
|---|--|-----------------------------|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN: M_YI 03MAY2018 | |
| | | CHK: G. FRANKLIN 03MAY2018 | |
| DIMENSIONS: | | APVD: G. FRANKLIN 03MAY2018 | NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG ,32 AWG |
| mm | | PRODUCT SPEC: | |
| 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± | | APPLICATION SPEC: | SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2336313 |
| MATERIAL: | | WEIGHT: | |
| FINISH: | | RESTRICTED CUSTOMER | RESTRICTED TO: SCALE: 1:3 SHEET 2 OF 2 REV C |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)