Power Versa-Lock | Power Double Lock, Power Versa-Lock 5.0

TE Internal #: 234914-1

Power Double Lock, Insertion & Extraction Tools, Contact

Extraction, Contact-to-Housing

View on TE.com >



Application Tooling > Insertion & Extraction Tools



Insertion & Extraction Tool Type: Contact Extraction

Insertion & Extraction Tool Application: Contact-to-Housing

Features

Product Type Features

Insertion & Extraction Tool Type	Contact Extraction
Insertion & Extraction Tool Application	Contact-to-Housing

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



=TE

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




TE Part # 2329906-2 PWR VERSA-LOCK TAB HC, 18-20, 2X22 AWG

TE Part # 2329907-2 PWR VERSA-LOCK SEAL TAB HC, 14-16 AWG

TE Part # 2329908-2 PWR VERSA-LOCK SEAL TAB HC, 18-20AWG

Also in the Series | Power Double Lock







Also in the Series | Power Versa-Lock 5.0



Insertion & Extraction Tools(2)



Power Contacts(8)



Rectangular Caps & Covers(3)



Rectangular Connector Locking(1)



Rectangular Connector Seals(6)



Rectangular Power Connectors(33)

Customers Also Bought



DYNAMIC D-3 REC CONT/S AU 0.38



MINI UNIVERSAL M-N-L SOCKET LP




















Documents

Product Drawings

EXT TOOL FOR POWER DBL LOK TAB

Japanese

Datasheets & Catalog Pages

Crimp Term Whitepaper-Use the Right Tool 1-1773953-1

English

CRIMPING WHERE FORM MEETS FUNCTION

English

Insertion-Extraction-Tool-2345721-1

English

Product Specifications

The Extraction Tool for AMP Power Double Lock connectors

Japanese

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

M8196914-08 768211-2 809-131 844751-2 8-59558-2 91018-1 12014013 12093647 1-21048-0 R282867020 12093078 1-21048-6

12121897 DCF.91.405.5LT 1322 15314260 15350698 15350707 15430130 1579018-4 1643916-1 1-679532-0 1976593-3 OUTEXT-0321

2-1579008-3 2-1579008-4 229694-7 231106-1 241469 91040-3 91040-7 965004-000 965069-000 1738219-1 ET-JL05-16 FG 0300 146

3000 FIT-6 210S048 2-1579007-9 231879-1 312138-3 RJ11FODE 356-162 M8196914-10 4-1579018-0 430395-001 483249-1 5
1579007-2 5-1579007-9 BPR10