



REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
E		REV PER ECO-18-005973	24APR2018	MY GF
F		REV PER ECO-18-005973	17JUL2018	MY GF
G		REV PER ECO-19-001055	25JAN2019	MY GF
H		REV PER ECO-20-002055	13FEB2020	AP GF



1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS (MEASURED DIFFRENTIALLY)

△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -6): -1 SHOWN




3. SEE SHEET 2 FOR WIRING SCHEMATIC.

4. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY SPECIFICATION TEC-138-702.

△ TEST IN ACCORDANCE WITH IEEE802.3by.

△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3by RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS.

△ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN



△ DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.

△ 8	30 AWG	300 +50/-0	4-2821222-6
	30 AWG	2000 +80/-0	4-2821222-5
	30 AWG	1500 +80/-0	4-2821222-4
	30 AWG	1000 +50/-0	4-2821222-3
	30 AWG	750 +50/-0	4-2821222-2
△ 5	30 AWG	500 +50/-0	4-2821222-1
	30 AWG	2500 +80/-0	2821222-6
	30 AWG	△ 500 +50/-0	2821222-5
	30 AWG	1500 +80/-0	2821222-4
	30 AWG	1000 +50/-0	2821222-3
	30 AWG	2000 +80/-0	2821222-2
	30 AWG	3000 +80/-0	2821222-1
STANDARD	WIRE GAGE	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: T. SMITH 11APR2017, CHK: E. CUESTA 11APR2017, APVD: E. CUESTA 11APR2017


STE TE Connectivity

NAME: CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G

SIZE: A1, CAGE CODE: - , DRAWING NO: C=2821222, SCALE: 2:1, SHEET 1 OF 2, REV H

CUSTOMER DRAWING

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
		SEE SHEET 1		



- VEET 1
- TX_FAULT 2
- TX_DISABLE 3
- SDA 4
- SCL 5
- MOD_ABS 6
- RS0 7
- RX_LOS 8
- RS1 9
- VEER 10
- VEER 11
- RD- 12
- RD+ 13
- VEER 14
- VCCR 15
- VCCT 16
- VEET 17
- TD+ 18
- TD- 19
- VEET 20

- BACKSHELL
- 20 VEET
- 19 TD-
- 18 TD+
- 17 VEET
- 16 VCCT
- 15 VCCR
- 14 VEER
- 13 RD+
- 12 RD-
- 11 VEER
- 10 VEER
- 9 RS1
- 8 RX_LOS
- 7 RS0
- 6 MOD_ABS
- 5 SCL
- 4 SDA
- 3 TX_DISABLE
- 2 TX_FAULT
- 1 VEET

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 11APR2017		
DIMENSIONS: mm		CHK E. CUESTA 11APR2017		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APVD E. CUESTA 11APR2017		PRODUCT SPEC -
MATERIAL -		FINISH -		APPLICATION SPEC -
-		WEIGHT -		RESTRICTED TO -
CUSTOMER DRAWING		SCALE 2:1		SHEET 2 OF 2 REV H

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)