

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECO-11-005033	02APR2011	RK	HMR
	A2	REDRAW IN TO CREO	14APR2017	GH	JP

Technical drawing of a Mini Mic SRS Tab Contact. The drawing includes a front view, a side view, and two cross-sectional views (A-A and B-B). Dimensions are provided in millimeters with tolerances.

Key dimensions and features:

- Overall length: 22.7 ± 0.3
- Zone A length: 5.6
- Zone B length: 6.2
- Terminal width: 1.6 ± 0.2
- Wire diameter: 0.8 ± 0.2
- Terminal thickness: 0.32 ± 0.02
- Terminal height: 1.5 ± 0.1
- Terminal width: 2.5 ± 0.2
- Terminal height: 2.3 ± 0.3
- Terminal width: 5.2 ± 0.3
- Terminal height: 4.7 ± 0.3

Two cross-sectional views of the contact:

- A-A:** Shows the contact profile with a width of 2.5 ± 0.2 and a height of 2.3 ± 0.3 . The wire diameter is 1.8 ± 0.1 .
- B-B:** Shows the contact profile with a width of 5.2 ± 0.3 and a height of 4.7 ± 0.3 .

1 GOLD PLATED $0.8 \mu\text{m}$ OVER "ZONE A". TIN PLATED OVER "ZONE B" AND NICKEL UNDERPLATING ALL OVER.
DORATURA $0.8 \mu\text{m}$ NELLA "ZONA A". STAGNATURA NELLA "ZONA B" E NICHELATURA SU TUTTO IL CONTATTO.

2 SUITABLE FOR SINGLE WIRE SEAL TE P/N 281934-4
ADATTO PER GOMMINO PASSACAVO TE P/N 281934-4

A2 3 ITEM IS SUPPLIED REELED ON CARTON REEL
WITH STRIP PITCH = $11.9 \pm 0.1 \text{mm}$
STATO DI FORNITURA: AVVOLTI SU BOBINA CON PASSO
TRA TERMINALI DI = $11.9 \pm 0.1 \text{mm}$

INS. DIA. RANGE (DIAM. ISOLANTE)	WIRE RANGE (RANGO FILO)
$\triangle 2$	$\varnothing 0.35 - 0.5 \text{mm}^2$

DIRECTION OFF TOP OF REEL
SENSO DI USCITA DALLA BOBINA

Diagram showing the direction of the reel. An arrow points to the right, indicating the direction of the reel.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC \pm
	1 PLC \pm
	2 PLC \pm
	3 PLC \pm
	4 PLC \pm
	ANGLES $\pm 2^\circ$
MATERIAL	FINISH
-	-
-	-

DWN	C.BERTINI	JUN1992
CHK	A.BRUNI	JUN1992
APVD	-	-
PRODUCT SPEC	108-20090	
APPLICATION SPEC	114-20045	
WEIGHT	-	
CUSTOMER DRAWING		

STE TE Connectivity

NAME MINI MIC SRS TAB CONTACT			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=282404	-
SCALE		SHEET	REV
5:1		1 OF 1	A2

1470-19 (3/13)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Automotive Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)