






P	LTR	DESCRIPTION	DATE	DWN	APVD
D2	PN	282909-4 RELEASED FOR PRODUCTION	20SEP2018	RK	PS
D3		282909-5 PART OBSOLETE	30AUG2020	DV	PS



282909-3 AS SHOWN

RECOMMENDED PC BOARD LAYOUT






	SEE SHEET 2	63.50	60.96	12	282909-6
OBSOLETE	-	124.46	121.92	24	282909-5
	SEE SHEET 2	124.46	121.92	24	282909-4
	-	17.78	15.24	3	282909-3
	-	12.70	10.16	2	282909-2
STATUS	MARKING	DIM.B	DIM.A	NO POS.	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI 19DEC2001			
DIMENSIONS: mm		CHK D. BIEVENOUR 19DEC2001			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BIEVENOUR 19DEC2001	NAME TERMINAL BLOCK, PCB MOUNT 1ST AND 2ND LEVEL STACKING W/ INTERLOCK, 5.08mm PITCH		
0 PLC ± 1 PLC ±0.3 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±2°		PRODUCT SPEC 108-20166	SIZE A3		
MATERIAL SEE NOTES		APPLICATION SPEC 114-20079	CAGE CODE 00779	DRAWING NO C-282909	RESTRICTED TO
FINISH SEE NOTES		WEIGHT -	SCALE 2:1		
CUSTOMER DRAWING			SHEET 1 OF 2		
			REV D3		

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

- MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR GREEN.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
- MECHANICAL
MIN. PC BOARD HOLES DIAMETER : 1.4 mm
MAX. PC BOARD THICKNESS : 2.4 mm
WIRE STRIPPING LENGTH : 5.0-6.0 mm
RECOMMENDED TIGHTENING TORQUE FOR SCREW : 0.5 Nm.
- ELECTRICAL
WIRE RANGE : 12-30 AWG
MAX. VOLTAGE : 300 V
MAX CURRENT : 24 A
CONTACT RESISTANCE : <15 m Ohm
INSULATION RESISTANCE : >1000 M Ohm (500V DC)
- END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.
- RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE NO E60677.
- OPERATING TEMPERATURE RANGE: -40°C TO +110°C



-  NOT CUMULATIVE TOLERANCE.
-  INK MARKING, BLACK COLOR.
-  PART NUMBER IS OBTAINED BY GLUING AND ASSEMBLYING TOGETHER (8) CONNECTORS P/N 282909-3



282909-4 AS SHOWN



282909-6 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI 19DEC2001	 TE Connectivity	
DIMENSIONS: mm		CHK D. BIEVENOUR 19DEC2001		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BIEVENOUR 19DEC2001	NAME TERMINAL BLOCK, PCB MOUNT 1ST AND 2ND LEVEL STACKING W/ INTERLOCK, 5.08mm PITCH	
		PRODUCT SPEC 108-20166	RESTRICTED TO	
MATERIAL SEE NOTES		APPLICATION SPEC 114-20079	SIZE A3	CAGE CODE 00779
FINISH SEE NOTES		WEIGHT -	DRAWING NO C-282909	SCALE 3:1
		CUSTOMER DRAWING	SHEET 2 OF 2	REV D3

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Terminal Blocks](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[MBE-1512](#) [MBE-154](#) [MBE-156](#) [MBES-153](#) [MBES-156](#) [MH-2512](#) [MHE-132](#) [MHE-163](#) [MI-254 \(35\)](#) [MI-272](#) [880507](#) [MPT-275](#)
[15602-04-08-21](#) [BA311TU](#) [BA411SU](#) [MV-152](#) [MV-252-D](#) [MV-253/NCNOC](#) [MV-254-D](#) [MV-255](#) [MV-462](#) [MV-493](#) [MVE-252](#) [MVE-253](#)
[MVE-273](#) [MVEB-153](#) [1700096](#) [1705142](#) [1712417](#) [1713020](#) [1713088](#) [1745195](#) [1760594](#) [1776118-2](#) [1790852](#) [1-796689-8](#) [1-796692-6](#)
[1800001](#) [1800114](#) [1995279](#) [20020314-C121B01LF](#) [20020316-G041B01LF](#) [CB2-12](#) [KP03215000J0G](#) [KP04215000J0G](#) [S451](#) [282802-2](#)
[29.007](#) [29.116](#) [30.103](#)