












THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|---------------|-------------|----------|---------|
| P | LTR | DESCRIPTION | DATE | APVD |
| P1 | ECR-16-004636 | | 16-06-30 | T.Q W.H |




KINKING FORMING 4 PLACES
 4 POS.

KINKING FORMING 3 PLACES
 3 POS.

KINKING FORMING 2 PLACES
 2 POS.

| | | | | | | | | | |
|------------|------------|------------|------------|------------|------|----|------|------|------|
| | 7-292161-5 | 5-292161-5 | 3-292161-5 | 1-292161-5 | 15 | 28 | 31.8 | 25.2 | 31.0 |
| | 7-4 | 5-4 | 3-4 | 1-4 | 14 | 26 | 29.8 | 23.2 | 29.0 |
| | 7-3 | 5-3 | 3-3 | 1-3 | 13 | 24 | 27.8 | 21.2 | 27.0 |
| 9-292161-2 | 7-2 | 5-2 | 3-2 | 1-2 | 12 | 22 | 25.8 | 19.2 | 25.0 |
| 9-1 | 7-1 | 5-1 | 3-1 | 1-1 | 11 | 20 | 23.8 | 17.2 | 23.0 |
| 9-0 | 7-0 | 5-0 | 3-0 | 1-0 | 10 | 18 | 21.8 | 15.2 | 21.0 |
| 8-9 | 6-9 | 4-9 | 2-9 | | 9 | 16 | 19.8 | 13.2 | 19.0 |
| 8-8 | 6-8 | 4-8 | 2-8 | | 8 | 14 | 17.8 | 11.2 | 17.0 |
| 8-7 | 6-7 | 4-7 | 2-7 | | 7 | 12 | 15.8 | 9.2 | 15.0 |
| 8-6 | 6-6 | 4-6 | 2-6 | | 6 | 10 | 13.8 | 7.2 | 13.0 |
| 8-5 | 6-5 | 4-5 | 2-5 | | 5 | 8 | 11.8 | 5.2 | 11.0 |
| 8-4 | 6-4 | 4-4 | 2-4 | | 4 | 6 | 9.8 | 3.2 | 9.0 |
| 8-3 | 6-3 | 4-3 | 2-3 | | 3 | 4 | 7.8 | — | 7.0 |
| 8-292161-2 | 6-292161-2 | 4-292161-2 | 2-292161-2 | 292161-2 | 2 | 2 | 5.8 | — | 5.0 |
| RED | BLACK | YELLOW | BLUE | NATURAL | Pos. | A | B | C | D |

NOTES:
 1.MATERIAL: HOUSING - NYLON 66 (UL94V-0)
 POST - TIN BRASS
 2.APPLICABLE RECEPTACLE P/N 173977
 3.OBSOLETE RED COLOR PARTS.



RECOMMENDABLE PCB LAYOUT
 (PCB THK:0.8-1.6)

TOLERANCES UNLESS OTHERWISE SPECIFIED:

| | |
|--------------|---------|
| 10 ≥ * | : ±0.2 |
| 30 ≥ * > 10 | : ±0.25 |
| 100 ≥ * > 30 | : ±0.3 |
| ANGLE | : ±3° |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S.XU 31JAN03
 CHK S.YAO 31JAN03
 APVD T. SASAKI 31JAN03

PRODUCT SPEC 108-60016
 APPLICATION SPEC

NAME POST HEADER ASS'Y VERTICAL TYPE (AMP CT CONNECTOR 2mm PITCH)

SIZE A3 CAGE CODE 00779 DRAWING NO C-292161 RESTRICTED TO —

WEIGHT 0.000000

MATERIAL SEE NOTE FINISH SEE NOTE

CUSTOMER DRAWING SCALE 5:1 SHEET 1 OF 2 REV P1

THIS DRAWING IS UNPUBLISHED.




RELEASED FOR PUBLICATION

© COPYRIGHT - By -


ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | - | SEE SHEET 1 | - | - | - |




3 POS.



5~15 Pos.

NOTES:

- 1.MATERIAL: HOUSING - NYLON 66 (UL94V-0)
POST - TIN BRASS
- 2.APPLICABLE RECEPTACLE P/N 173977



RECOMMENDABLE PCB LAYOUT (PCB THK:0.8-1.6)

TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 10 ≥ * : ±0.2
- 30 ≥ * > 10 : ±0.25
- 100 ≥ * > 30 : ±0.3
- ANGLE : ±3°

| | | | | | |
|------------|------|----|------|-----|------|
| 9-292161-7 | 7 | 12 | 15.8 | 9.2 | 15.0 |
| 9-292161-3 | 3 | 4 | 7.8 | - | 7.0 |
| NATURAL | Pos. | A | B | C | D |
| PART NO. | | | | | |

| | | | | | | | |
|--|--|------------------------|--|---------|-----------------|---------------------|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S.XU 31JAN03 | TE Connectivity | | | | |
| DIMENSIONS: mm | | CHK S.YAO 31JAN03 | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD T. SASAKI 31JAN03 | NAME | | | | |
| | | PRODUCT SPEC 108-60016 | POST HEADER ASS'Y VERTICAL TYPE (AMP CT CONNECTOR 2mm PITCH) | | | | |
| MATERIAL SEE NOTE | | FINISH SEE NOTE | APPLICATION SPEC - | SIZE A3 | CAGE CODE 00779 | DRAWING NO C-292161 | RESTRICTED TO - |
| | | WEIGHT 0.000000 | SCALE 5:1 | | SHEET 2 OF 2 | REV P1 | |
| | | CUSTOMER DRAWING | | | | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)