

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
FT	0	A4	REVISED PER ECO-12-016943	02NOV12	KH	MB	



MATERIALS:
 HOUSING: PA66, UL94V-0, SEE TABLE.
 SCREWS; M2.5, STEEL, ZINC CHROMATE.
 CAGE: BRASS, NICKEL PLATE.
 CLAMP: PHOS BRONZE, NICKEL PLATE.

MECHANICAL:
 TIGHTENING TORQUE: 3.5 IN-LB MAX.


ELECTRICAL:
 CURRENT: 15A
 VOLTAGE: 300V
 WITHSTAND VOLTAGE: AC1500V/ 1MIN
 INSULATION RESISTANCE: 5000Mohm/1000V
 CLAMP RESISTANCE: 20mohm
 WIRE RANGE: 12-28 AWG

ENVIRONMENTAL:
 OPERATING TEMP.: -40° TO +105°C
 MAX SOLDERING: +250°C, 5 SECONDS


- 1 MARKED WITH WHITE PERMANENT INK.
- 2 PRELIMINARY PART NUMBER.



3-1776910-9



4-1776910-3



5-1776910-1

COLOR	NOTES	DIM L	DIM A	NO OF POSN	PART NUMBER
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	6-1776910-0
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-9
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-8
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-7
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-6
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-5
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-4
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-3
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-2
GREEN	SEE FIGURE	60.96±0.30	55.88±0.30	12	5-1776910-1
BLACK	SEE FIGURE	66.04±0.30	60.96±0.30	13	4-1776910-3
OBSOLETE	BLACK SEE FIGURE	45.72±0.30	40.64±0.30	9	3-1776910-9
BLACK	-	20.32±0.20	15.24±0.20	4	1776910-4
BLACK	-	15.24±0.20	10.16±0.20	3	1776910-3
BLACK	-	10.16±0.20	5.08±0.15	2	1776910-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ± -
 1 PLC ± 0.3
 2 PLC ± 0.25
 3 PLC ± -
 4 PLC ± -
 ANGLES ± 1°

MATERIAL: - FINISH: -

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: S SCHLEGEL 01MAR2007
 CHK: C RICHARD 3/1/07
 APVD: C RICHARD 3/1/07
 PRODUCT SPEC: -
 APPLICATION SPEC: -
 WEIGHT: -


TE TE Connectivity

NAME: TERMINAL BLOCK, R/A PLUG, 5.08mm


SIZE: A2 CAGE CODE: 00779 DRAWING NO: C=1776910 RESTRICTED TO: -
 SCALE: NTS SHEET: 1 OF 2 REV: A4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS					
FT		0		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




5-1776910-2




5-1776910-3




5-1776910-4




5-1776910-5




5-1776910-6




5-1776910-7



5-1776910-8



5-1776910-9



6-1776910-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHLEGEL	01MAR2007		TE Connectivity						
DIMENSIONS: mm		CHK	C RICHARD	3/1/07		NAME						
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	C RICHARD	3/1/07		TERMINAL BLOCK, R/A PLUG, 5.08mm						
0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1° FINISH -		PRODUCT SPEC	-			SIZE	A2	CAGE CODE	00779	DRAWING NO	C=1776910	RESTRICTED TO
MATERIAL		WEIGHT		-		SCALE	NTS	SHEET	2 OF 2	REV	A4	CUSTOMER DRAWING

1776910

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pluggable Terminal Blocks](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[57.404.7553](#) [57.504.0053.7](#) [57.510.0053](#) [57.910.6153](#) [01.112.1453](#) [CTB932VE/6](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [734-104](#) [734-302](#) [734-304](#) [8-141-P](#) [FKCT 2.5/ 3-ST KMGY](#) [860505](#) [860508](#) [860516](#) [860810](#) [861908](#) [GBPACX-12](#) [93.731.4953.0](#) [PV05-5,08-K](#) [PVP02-5,00](#) [PVP04-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [H-10](#) [1546228-5](#) [ELFH09150](#) [ELFH16150](#) [ELFP03110](#) [ELFT06250](#) [ELFT07250](#) [ELVF09400](#) [ELVP03100](#) [ELXH03100](#) [ELXH071G0E](#) [ELXP041G0](#) [ELXT046G0](#) [1700101](#) [1700410](#) [1700425](#) [1703176](#) [1705229](#) [1710175](#) [1714537](#) [1717806](#) [1719600](#) [1729386](#) [1734692](#) [1734795](#)