



General Information					
Kit Part Number:	<u>3-2110838-1</u>				
Description:	Pre-Insulated Ring Tongue Terminals Kit				
Application:	Aerospace/Defense Equipment and Systems, Appliance Industries, Electrical/Electronic Components, Heavy				
	Equipment, HVAC Systems, Industrial, Instrumentation and Controls, Power Supplies				
Family:	PIDG				
TE Brand:	AMP Products				
Solution:	MRO (Maintenance, Repair and Operation)				
Product Type:	Terminals & Splices				
Number of Pieces:	120				
RoHS:	Yes				
Specifications					
Body and Plating:	Tin Plated, Copper Body				
Insulation:	Nylon				
Stud/Tab Size:	1/4, 3/8, 4, 6, 8, 10				
Temperature Rating:	105 Degrees C (Max)				
Terminal Type:	Ring Tongue				
Tool Included:	No				
Voltage Rating:	300V				
Wire Gauge (AWG):	12-10, 16-14 , 22-16				
Product Highlights					

PIDG products are a pre-insulated terminal designed for complete and uniform reliability in the most difficult circuit environments. PIDG terminals consist of tin plated copper or tin plated phosphor bronze body for spring spades with a copper sleeve and insulation sleeve fitted over terminal barrel. Design of the crimping dies and construction of the terminal allows for uniform insulation thickness under crimping pressure, transmitting this pressure evenly to the center of the crimp area. This produces a crimp for a given wire and terminal that are alike in appearance and performance. The tensile strength approaches that of the wire itself. PIDG products are available as rings, spades, flanged spaded, slotted rings, splices and several other varieties. Wire ranges for the terminals and splices are 26 AWG through 10 AWG and stud sizes from #2 through <sup>3</sup>/<sub>4</sub>".

#### Features and Benefits

- Nylon insulation is resistant to hydrocarbons (greases, oils, etc.) and has high dielectric strength
- Copper sleeve between insulation and terminal body provides excellent wire support after crimping
- Funneled wire entry on terminal prevents turned back wire strands and permits rapid wire insertion during high speed production
- Product is rated for use up to 105 degrees C and 300 Volts
- Serrations in the crimp barrel provide maximum contact and tensile strength after crimping
- Insulation is UL 94V-2 rated

#### Applications

- Electrical/Electronic Components
- Industrial
- Aerospace
- Instrumentation
- HVAC
- Appliances
- Heavy Equipment



Power Supplies







## **Bill of Materials**

Part No.	Qty In Kit	Description	Datasheet	P/N Details	Search Distributors Inventory
<u>31880</u>	10	Ring Tongue Terminal # 4 Stud 22-16 AWG	Datasheet	<u>Details</u>	Search
<u>36150</u>	10	Ring Tongue Terminal # 6 Stud 22-16 AWG	Datasheet	Details	<u>Search</u>
<u>31886</u>	10	Ring Tongue Terminal # 8 Stud 22-16 AWG		Details	<u>Search</u>
<u>31887</u>	10	Ring Tongue Terminal # 10 Stud 22-16 AWG		<u>Details</u>	<u>Search</u>
<u>320619</u>	10	Ring Tongue Terminal # 6 Stud 16-14 AWG	Datasheet	Details	Search
<u>320565</u>	10	Ring Tongue Terminal # 8 Stud 16-14 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>
<u>36160</u>	10	Ring Tongue Terminal # 10 Stud 16-14 AWG	Datasheet	Details	Search
<u>321045</u>	10	Ring Tongue Terminal 1/4 Stud 16-14 AWG		<u>Details</u>	<u>Search</u>
<u>35108</u>	10	Ring Tongue Terminal # 8 Stud 12-10 AWG	Datasheet	Details	Search
<u>35109</u>	10	Ring Tongue Terminal # 10 Stud 12-10 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>
<u>35110</u>	10	Ring Tongue Terminal 1/4 Stud 12-10 AWG	Datasheet	Details	Search
<u>35112</u>	10	Ring Tongue Terminal 3/8 Stud 12-10 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>

### Recommended Tool

Part No.	Included in Kit
<u>58433-3</u>	No



















# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 0-0320562-0 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02