Raychem

TE Internal #: 823364-000

Breakouts & Transitions, T Shape, 3 Branches , 3, 10, Operating


Temperature Range -55 – 135 °C [-67 – 275 °F], Occasional

exposure to fluids

View on TE.com >



Harnessing > Heat Shrink Components > Breakouts & Transitions



Molded Part Shape: **T Shape**

Number of Branches/Legs: 3

Material Code: 3

Breakout & Transition Material Systems Code: 10

Adhesive Pre-Coat: No

Features

Product Type Features

Molded Part Shape	T Shape
Size Code	148
Configuration Features	

Configuration Features

Number of Branches/Legs	3	

Body Features

Material	Semi-Rigid Modified Polyolefin
Material Code	3
Breakout & Transition Material Systems Code	10
Adhesive Pre-Coat	No

Dimensions

Inside Diameter Range (Leg 2)	5.8 – 13.2 mm[.23 – .52 in]
Inside Diameter Range (Body)	25.4 – 55.6 mm[1 – 2.19 in]
Inside Diameter Range (Leg 1)	25.4 – 55.6 mm[1 – 2.19 in]

Usage Conditions

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]

Operation/Application

Power Cable Accessory	No
-----------------------	----



Other

Molded Part Shape Code	322A
Fluid/Chemical Resistance	Occasional exposure to fluids
Breakout & Transition Adhesive Type	Adhesive Purchased Separately

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought





TE Part #696420-3
TERMINAL,PIDG PVF2 R 26-24 6




TE Part #696420-2 TERMINAL,PIDG PVF2 R 26-24 4

















Documents

Product Drawings 322A148-3-0

English

Datasheets & Catalog Pages

1654025_Sec4_-3

English

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification

English

Product Environmental Compliance

Safety Datasheet

Safety Datasheet

German

Safety Datasheet

Breakouts & Transitions, T Shape, 3 Branches , 3, 10, Operating Temperature Range -55 – 135 °C [-67 – 275 °F], Occasional exposure to fluids



English

Safety Datasheet

Safety Datasheet

French

Safety Datasheet

Safety Datasheet

Safety Datasheet

Safety Datasheet

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Boots category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

618235-000 622A014-3-0 CX4132-000 879515-000 982033-2 R280576000 1300830729 EN3BOOTLKIT MTPSRBCL-C 1811481-1 200W531-3-0 202A121-386-0 202A142-4-00/42-0 202A163-4-0-CS5067 202B221-13-0 202B231-13-0 202B563-25-07-0 202C621710CS5361 202D132-4-07/42-0 202D221-4-0-CS5349 202D221-4-26-0 202D263-25-08-0 202D263-4-22/42-0 202D263-4-88-0 202D921-2542-0 202E336-71-0 202F211-50-22-0-CS8474 202F242-50-05-0 202F242-51-04/164-0 202K121-25-CS-1858-0 202K121-25-CS-2062-0 202K132-25-01/225-0CS8387 202K153-3-0186-0 202S132-25-UP-0 203W301-3/42-0 207W613-100/184-0-CS5657 207W623-100-01/184-0 207W634-100/184-0-CS5657 207W656-100-01/184-0 207W667-100-01/184-0 207W667-100/184-0 208A011-3-0 208A021-3-0 221A011-51164-0-CS7133 222A121-2586 222A152-342-0 222A213-25-0-CS5613 222D221-25-13/86-0 222D232-4-61-0-CS5078 222D253-100-22-0