



DO NOT SCALE



DIMENSIONS IN MM.



ø4.0



BORE (SEE NOTE 1)



1 THIS SEAL IS SUITABLE FOR 0.5 TO 1.5 mm<sup>2</sup> WIRE WITH INSULATION DIAMETER OF 1.6 TO 2.4 mm.

C.A.D. FILE CODE  
S. C347707.A

ORANGE SELF-LUBRICATING SILICONE RUBBER		347707-1	
FINISH	MATERIAL	PART NUMBER	
CUSTOMER DWG FOR REFERENCE ONLY		RELEASED FOR PUBLICATION 17 SEP 1993	
TOLERANCES UNLESS OTHERWISE STATED DEC ± 0.5 ANGLES ± 1°		DR. R.J.S.	17.9.93
NAME		CH. K.W.	APP. J.P.
A RELEASED E800-0091-01 14.03.01		AMP of Great Britain Ltd. TERMINAL HOUSE STANMORE MIDDX.	
1	PREL. IN. ISSUE E800-0091-93 17.9.93	SCALE	LOC
REV	MODIFICATION	CHANGE No.	DATE
4/1		E	A3
C347707		DWG.No.	REV
1/1		SHEET	1/1

CAVITY REAR SEAL  
ECONOSEAL 3 HIGH CURRENT

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)  
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)  
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)