

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
E3		REVISED ECR-18-012951	29SEP18	T.Q	W..H

回路No. 1
CIRCUIT No. 1

注記

- 適用電線範囲: AWG #26
被覆外径: $\phi 0.8\text{mm} \sim \phi 0.95\text{mm}$
- 材料: ハウジング-ガラス入りナイロン UL94V-0、色: グレー、青
コンタクト-錫めっき済み、りん青銅
- ハウジング ロック:
2極は、1箇所 3~20極は、2箇所
- ゲート口は左付きと右付きが存在する。(2極品を除く)

NOTES:

- APPLICABLE WIRE SIZE: AWG #26
INSULATION DIA RANGE: $\phi 0.8\text{mm} \sim \phi 0.95\text{mm}$
- MATERIAL:
HOUSING: NYLON(G.F.) UL94V-0, COLOR: GRAY, BLUE
CONTACT: PRE-TIN PHOS-BRONZE
- HOUSING LOCK:
2 POSITION - SINGLE LOCK
3 TO 20 POSITIONS - DOUBLE LOCK
- CONNECTOR HAVE THE GATE LEFT SIDE AND RIGHT SIDE. (EXCEPT 2Pos.)

キャビティ マーク
CAVITY MARK

ピッチ
PITCH

トレード マーク
TRADE MARK

2 極
2 POSITION



DIMENSIONS: 単位: 毫 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED 一般公差 10 μ : ± 0.2 30 μ >10 : ± 0.25 100 μ >30 : ± 0.3 ANGLE : $\pm 3^\circ$	DWN	12. JUL '96	WIRE RANGE 適合電線断面積 0.08mm ² - 0.14mm ²	INSULATION DIA 被覆外径 $\phi 0.8\text{mm} \sim \phi 0.95\text{mm}$	
		CHK	12. JUL '96	TE Connectivity		
MATERIAL 材料 SEE NOTE 2 注記2参照	FINISH 仕上 SEE NOTE 2 注記2参照	APVD	12. JUL '96			NAME 名称 AMP Mini Common Terminated (CT) Connector 1.5mm PITCH MT RECEPTACLE ASSEMBLY
		PRODUCT SPEC	J. TANIGAWA	SIZE	CAGE CODE	DRAWING NO 番号
		APPLICATION SPEC 取付適用規格	108-5525	A3	00779	C=353293
		WEIGHT 重量 SEE TABLE 表参照	114-5223	SCALE 尺度 NON		
CUSTOMER DRAWING			SHEET 1 OF 2 REV E3			

RELEASED FOR PUBLICATION
ALL RIGHTS RESERVED.

THIS DRAWING IS UNPUBLISHED.
COPYRIGHT

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

0.97	31.5	30.5	28.5	20	7-353293-0	4-353293-0	2-353293-0
0.92	30.0	29.0	27.0	19	6-353293-9	3-353293-9	1-353293-9
0.87	28.5	27.5	25.5	18	6-353293-8	3-353293-8	1-353293-8
0.83	27.0	26.0	24.0	17	6-353293-7	3-353293-7	1-353293-7
0.78	25.5	24.5	22.5	16	6-353293-6	3-353293-6	1-353293-6
0.73	24.0	23.0	21.0	15	6-353293-5	3-353293-5	1-353293-5
0.68	22.5	21.5	19.5	14	6-353293-4	3-353293-4	1-353293-4
0.64	21.0	20.0	18.0	13	6-353293-3	3-353293-3	1-353293-3
0.59	19.5	18.5	16.5	12	6-353293-2	3-353293-2	1-353293-2
0.54	18.0	17.0	15.0	11	6-353293-1	3-353293-1	1-353293-1
0.49	16.5	15.5	13.5	10	6-353293-0	2-353293-0	1-353293-0
0.45	15.0	14.0	12.0	9	5-353293-9	2-353293-9	353293-9
0.40	13.5	12.5	10.5	8	5-353293-8	2-353293-8	353293-8
0.35	12.0	11.0	9.0	7	5-353293-7	2-353293-7	353293-7
0.30	10.5	9.5	7.5	6	5-353293-6	2-353293-6	353293-6
0.26	9.0	8.0	6.0	5	5-353293-5	2-353293-5	353293-5
0.21	7.5	6.5	4.5	4	5-353293-4	2-353293-4	353293-4
0.16	6.0	5.0	3.0	3	5-353293-3	2-353293-3	353293-3
0.11	4.5	3.5	1.5	2	5-353293-2	2-353293-2	353293-2
WEIGHT (g)	C	B	A	Pos.	BLUE	BLACK	GRAY
	寸法 DIMENSIONS				製品型番 P/N		

<p>DIMENSIONS: 単位: ㎜</p> <p>TOLERANCES UNLESS OTHERWISE SPECIFIED:</p> <p>一般公差</p> <p>10 > : ±0.2</p> <p>30 > : ±0.25</p> <p>100 > : ±0.3</p> <p>ANGLE : ±3°</p> 	<p>DWN T. FURUYA 12. JUL '96</p> <p>CHK J. TANIGAWA 12. JUL '96</p> <p>APVD</p>	<p>WIRE RANGE 絕合電線断面積 0.08mm²-0.14mm²</p> <p>INSULATION DIA 被覆外径 ∅0.8mm-∅0.95mm</p>	<p>MATERIAL SEE SHEET 1 OF 2 材料 目録参照</p> <p>FINISH SEE SHEET 1 OF 2 仕上 目録参照</p>	
	 <p>TE Connectivity</p>		<p>NAME 名称 AMP Mini Common Terminated (CT) Connector 1.5mm PITCH</p> <p>MT RECEPTACLE ASSEMBLY</p>	
	<p>PRODUCT SPEC 製品規格 108-5525</p> <p>APPLICATION SPEC 取付適用規格 114-5223</p> <p>WEIGHT SEE TABLE 表参照</p>	<p>SIZE A4</p> <p>CAGE CODE 00779</p> <p>DRAWING NO 番号 C-353293</p>		
	<p>CUSTOMER DRAWING</p>		<p>SCALE 尺度 NON</p> <p>SHEET 2 OF 2</p> <p>REV E3</p>	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)