



|             |         |                   |   |
|-------------|---------|-------------------|---|
| 6-1589472-9 | 1589472 | STL051PC2DC006N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.   |
| 7-1589472-0 | 1589472 | STL051PC2DC012    | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.  |
| 7-1589472-1 | 1589472 | STL051PC2DC012N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.  |
| 7-1589472-2 | 1589472 | STL051PC2DC018    | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.  |
| 7-1589472-3 | 1589472 | STL051PC2DC024N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.  |
| 7-1589472-4 | 1589472 | STL051PC2DC036N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 7-1589472-5 | 1589472 | STL051PC2DC040N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.  |
| 7-1589472-6 | 1589472 | STL051PC2DC035N   | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 35 centimeters, 1.0 captive jackscrews.   |
| 7-1589472-7 | 1589472 | STL051PC2DNC50    | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 50 centimeters.                        |
| 7-1589472-8 | 1589472 | STL065PC0DC036N   | Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.   |
| 7-1589472-9 | 1589472 | STL065PC2DC006    | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.   |
| 8-1589472-0 | 1589472 | STL065PC2DC006N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.   |
| 8-1589472-1 | 1589472 | STL065PC2DC012N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.  |
| 8-1589472-2 | 1589472 | STL065PC2DC018    | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.  |
| 8-1589472-3 | 1589472 | STL065PC2DC018N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.  |
| 8-1589472-4 | 1589472 | STL065PC2DC024N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.   |
| 8-1589472-5 | 1589472 | STL065PC2DC036N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 8-1589472-6 | 1589472 | STL065PC2DC040N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.  |
| 8-1589472-7 | 1589472 | STL065PC2DC072N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 72 inches, 1.0 captive jackscrews.  |
| 8-1589472-8 | 1589472 | STL065PC2DCC10N   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.0 captive jackscrews.   |
| 8-1589472-9 | 1589472 | STL065PC2DM018N   | Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.      |
| 9-1589472-0 | 1589472 | STL065PC2DM036N   | Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.      |
| 9-1589472-1 | 1589472 | STL065PC2GX036Q   | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches, 1.2 captive jackscrews.   |
| 9-1589472-2 | 1589472 | STL065PC3DM072N   | Dualobe, 2 row, LCP, 65 position, plug, 32 AWG stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 72 inches, 1.0 captive jackscrews.     |
| 9-1589472-3 | 1589472 | STM009PC0DC020N   | Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.  |
| 9-1589472-4 | 1589472 | STM009PC0DXC10N   | Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, white PTFE wire, 10 centimeters, 1.0 captive jackscrews.   |
| 9-1589472-5 | 1589472 | STM009PC2DC003N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.  |
| 9-1589472-6 | 1589472 | STM009PC2DC004N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 4 inches, 1.0 captive jackscrews.  |
| 9-1589472-7 | 1589472 | STM009PC2DC006    | Dualobe, 2 row, metal, 9 position, receptacle, 30 AWG 7 strand, color coded PTFE wire, 6 inches.  |
| 9-1589472-8 | 1589472 | STM009PC2DC006N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.  |
| 9-1589472-9 | 1589472 | STM009PC2DC012    | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.   |
| 1589473-1   | 1589472 | STM009PC2DC012N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.   |
| 1589473-2   | 1589472 | STM009PC2DC016N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.   |
| 1589473-3   | 1589472 | STM009PC2DC018N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.   |
| 1589473-4   | 1589472 | STM009PC2DC019    | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches.   |
| 1589473-5   | 1589472 | STM009PC2DC020Q   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.   |
| 1589473-6   | 1589472 | STM009PC2DC024    | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.   |
| 1589473-7   | 1589472 | STM009PC2DC024N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.   |
| 1589473-8   | 1589472 | STM009PC2DC028N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 28 inches, 1.0 captive jackscrews.   |
| 1589473-9   | 1589472 | STM009PC2DC030N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.   |
| 1-1589473-0 | 1589472 | STM009PC2DC036    | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.   |
| 1-1589473-1 | 1589472 | STM009PC2DC036M   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 noncaptive jackscrews.  |
| 1-1589473-2 | 1589472 | STM009PC2DC036N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.   |
| 1-1589473-3 | 1589472 | STM009PC2DC060Q   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.   |
| 1-1589473-4 | 1589472 | STM009PC2DCC40N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 centimeters, 1.0 captive jackscrews.  |
| 1-1589473-5 | 1589472 | STM009PC2DCC90Q   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 90 centimeters, 1.2 captive jackscrews.  |
| 1-1589473-6 | 1589472 | STM009PC2DCM01N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.   |
| 1-1589473-7 | 1589472 | STM009PC2DM012N   | Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.     |
| 1-1589473-8 | 1589472 | STM009PC2DM012Q   | Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.     |
| 1-1589473-9 | 1589472 | STM009PC2DM018N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.    |
| 2-1589473-0 | 1589472 | STM009PC2DM036N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.    |
| 2-1589473-1 | 1589472 | STM009PC2DN036M   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 noncaptive jackscrews. |
| 2-1589473-2 | 1589472 | STM009PC2DT018N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.   |
| 2-1589473-3 | 1589472 | STM009PC2DT030N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.   |
| 2-1589473-4 | 1589472 | STM009PC2DX010N   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.   |
| 2-1589473-5 | 1589472 | STM009PC2DX024N   | Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.  |
| 2-1589473-6 | 1589472 | STM009PC2DXC15Q   | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 15 centimeters, 1.2 captive jackscrews.  |
| 2-1589473-7 | 1589472 | STM009PC2GC024N   | OBSOLETE  |
| 2-1589473-8 | 1589472 | STM009PC2GC024NX8 | OBSOLETE  |
| 2-1589473-9 | 1589472 | STM015PC0DCM02Q   | Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.  |
| 3-1589473-0 | 1589472 | STM015PC0DM012N   | Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.      |
| 3-1589473-1 | 1589472 | STM015PC10722N    | OBSOLETE  |
| 3-1589473-2 | 1589472 | STM015PC10723N    | OBSOLETE  |
| 3-1589473-3 | 1589472 | STM015PC10724N    | OBSOLETE  |
| 3-1589473-4 | 1589472 | STM015PC10725N    | OBSOLETE  |
| 3-1589473-5 | 1589472 | STM015PC1DC002G   | OBSOLETE  |
| 3-1589473-6 | 1589472 | STM015PC2DC003N   | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.   |
| 3-1589473-7 | 1589472 | STM015PC2DC005N   | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 inches, 1.0 captive jackscrews.   |
| 3-1589473-8 | 1589472 | STM015PC2DC006N   | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.   |









|             |         |                 |  |
|-------------|---------|-----------------|--|
| 1-1589788-9 | 1589472 | STM051PC0DM036N | Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.          |
| 2-1589788-0 | 1589472 | STM051PC2DC015Q | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.   |
| 2-1589788-1 | 1589472 | STM037PC0DM060N | Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.          |
| 2-1589788-2 | 1589472 | STM051PC0DM060N | Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.          |
| 2-1589788-3 | 1589472 | STM065PC0DM060N | Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 60 inches, 1.0 captive jackscrews.         |
| 2-1589788-4 | 1589472 | STL037PC2DC018Q | Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.   |
| 2-1589788-5 | 1589472 | STL051PC2DC018Q | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.   |
| 2-1589788-6 | 1589472 | STL065PC2DC018Q | Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.   |
| 2-1589788-7 | 1589472 | STM065PC2DY012Q | Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 12 inches, 1.2 captive jackscrews.  |
| 2-1589788-8 | 1589472 | STM009PC2DY030N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 30 inches, 1.0 captive jackscrews.   |
| 2-1589788-9 | 1589472 | STL009PC1DM024N | Dualobe, 2 row, LCP, 9 position, plug, 30 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.            |
| 3-1589788-0 | 1589472 | STL037PC2DC024N | Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.   |
| 3-1589788-1 | 1589472 | STM051PC2GX012N | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.  |
| 3-1589788-2 | 1589472 | STM009PC2GX012N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.   |
| 3-1589788-3 | 1589472 | STL025PC0DC012N | Dualobe, 2 row, LCP, 25 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.  |
| 3-1589788-4 | 1589472 | STL065PC0DC012N | Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.  |
| 3-1589788-5 | 1589472 | STM051PC2DCC50N | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.  |
| 3-1589788-6 | 1589472 | STM051PC2DCC50Q | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.  |
| 3-1589788-7 | 1589472 | STL009PC2DC024  | Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.  |
| 3-1589788-8 | 1589472 | STL051PC2DC018N | Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.   |
| 3-1589788-9 | 1589472 | STM015PC2DT2C2Q | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 22 centimeters, 1.2 captive jackscrews.  |
| 4-1589788-0 | 1589472 | STM065PC2DMC46N | Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 46 centimeters, 1.0 captive jackscrews. |
| 4-1589788-1 | 1589472 | STM009PC2DX012N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.  |
| 4-1589788-2 | 1589472 | STM015PC2DM020N | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.      |
| 4-1589788-3 | 1589472 | STM025PC2DM020N | Dualobe, 2 row, metal, plug, 25 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.      |
| 4-1589788-4 | 1589472 | STM037PC2DM020N | Dualobe, 2 row, metal, plug, 37 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.      |
| 4-1589788-5 | 1589472 | STM025PC0DM036N | Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.          |
| 4-1589788-6 | 1589472 | STM065PC0DM036N | Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.         |
| 4-1589788-7 | 1589472 | STL025PC2GX036  | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches.  |
| 4-1589788-8 | 1589472 | STM065PC0DMM01Q | Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.2 captive jackscrews.           |
| 4-1589788-9 | 1589472 | STM025PC2DT024N | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.   |
| 5-1589788-0 | 1589472 | STM037PC2DTC20Q | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 20 centimeters, 1.2 jackscrews.  |
| 5-1589788-1 | 1589472 | STL037PC3DC001  | Dualobe, 2 row, LCP, 37 position, plug, 32 AWG 7 strand, color coded PTFE wire, 1 inch.  |
| 5-1589788-2 | 1589472 | STM025PC2MCC20N | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 centimeters, 1.0 captive jackscrews.  |
| 5-1589788-3 | 1589472 | STM009PC2GX006  | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches.  |
| 5-1589788-4 | 1589472 | STM015PC0DC036N | Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 5-1589788-5 | 1589472 | STM025PC0DC036N | Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 5-1589788-6 | 1589472 | STM037PC0DC036N | Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 5-1589788-7 | 1589472 | STM051PC0DC036N | Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 5-1589788-8 | 1589472 | STM065PC0DC036N | Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.  |
| 5-1589788-9 | 1589472 | STM015PC2DX005Q | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 5 inches, 1.2 captive jackscrews.  |
| 6-1589788-0 | 1589472 | STM025PC2DC010Q | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.   |
| 6-1589788-1 | 1589472 | STM037PC2DC010Q | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.   |
| 6-1589788-2 | 1589472 | STM065PC2DM036N | Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.      |
| 6-1589788-3 | 1589472 | STM009PC2GX006N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches, 1.0 captive jackscrews.  |
| 6-1589788-4 | 1589472 | STM025PC2DT084N | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 84 inches, 1.0 captive jackscrews.   |
| 6-1589788-5 | 1589472 | STM015PC2DX072N | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.   |
| 6-1589788-6 | 1589472 | STM025PC2DX072N | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.   |
| 6-1589788-7 | 1589472 | STM037PC2DC001N | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.0 captive jackscrews.  |
| 6-1589788-8 | 1589472 | STM037PC2DT036N | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.   |
| 6-1589788-9 | 1589472 | STL009PC2DC012M | Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.  |
| 7-1589788-0 | 1589472 | STM051PC2DM024N | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.      |
| 7-1589788-1 | 1589472 | STM009PC2DT012N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.  |
| 7-1589788-2 | 1589472 | STM051PC2DT018N | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.   |
| 7-1589788-3 | 1589472 | STL025PC2DC018M | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.   |
| 7-1589788-4 | 1589472 | STL025PC2DC018Q | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.   |
| 7-1589788-5 | 1589472 | STL009PC0DC036N | Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.   |
| 7-1589788-6 | 1589472 | STL009PC0DC036  | Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches.   |
| 7-1589788-7 | 1589472 | STM037PC2DM036  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches.                              |
| 7-1589788-8 | 1589472 | STM025PC2DC006Q | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.  |
| 7-1589788-9 | 1589472 | STM009PC2DC012M | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.  |
| 8-1589788-0 | 1589472 | STM037PC2DT036Q | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.   |
| 8-1589788-1 | 1589472 | STM051PC2DT036Q | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.   |
| 8-1589788-2 | 1589472 | STL037PC2DC012Q | Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.   |
| 8-1589788-3 | 1589472 | STM009PC2DCM02N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.  |
| 8-1589788-4 | 1589472 | STL009PC2DCM02N | Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.  |
| 8-1589788-5 | 1589472 | STM037PC0DC009Q | Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 9 inches, 1.2 captive jackscrews.   |
| 8-1589788-6 | 1589472 | STM009PC2DCC46N | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.   |
| 8-1589788-7 | 1589472 | STM025PC2DCC46N | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.  |





|             |         |                  |  |
|-------------|---------|------------------|--|
| 5-1589946-8 | 1589472 | STM025PC2DC019Q  | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.   |
| 5-1589946-9 | 1589472 | STM037PC2DC019Q  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.   |
| 6-1589946-0 | 1589472 | STM051PC2DC019Q  | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.   |
| 6-1589946-1 | 1589472 | STM015PC2DC036Q  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.   |
| 6-1589946-2 | 1589472 | STM025PC2DC036Q  | Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.   |
| 6-1589946-3 | 1589472 | STM015PC2DC055N  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 55 inches, 1.0 captive jackscrews.   |
| 6-1589946-4 | 1589472 | STL025PC2DC006Q  | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.  |
| 6-1589946-5 | 1589472 | STL025PC2DC012Q  | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.   |
| 6-1589946-6 | 1589472 | STM009PC2DC036Q  | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.  |
| 6-1589946-7 | 1589472 | STM051PC2DT012Q  | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.   |
| 6-1589946-8 | 1589472 | STS009PC2DM012N  | Dualobe, 2 row, stainless, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews. |
| 6-1589946-9 | 1589472 | STL025PC1DC018   | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG solid, color coded PTFE wire, 18 inches.  |
| 7-1589946-0 | 1589472 | STL037PC2DT012Q  | Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.   |
| 7-1589946-1 | 1589472 | STM009PC2DCC25Q  | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.   |
| 7-1589946-2 | 1589472 | STM015PC2DCC25Q  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.  |
| 7-1589946-3 | 1589472 | STM015PC2DC006Q  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.  |
| 7-1589946-4 | 1589472 | STM009PC2DC018Q  | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.  |
| 7-1589946-5 | 1589472 | STM037PC2DM036N  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.    |
| 7-1589946-6 | 1589472 | STM051PC2DTM02Q  | Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 meters, 1.2 captive jackscrews.  |
| 7-1589946-7 | 1589472 | STM051PC0DCM02Q  | Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.   |
| 7-1589946-8 | 1589472 | STM009PC2DM018Q  | Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.     |
| 7-1589946-9 | 1589472 | STM015PC2DM018Q  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.    |
| 8-1589946-0 | 1589472 | STM065PC2DM018Q  | Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.    |
| 8-1589946-1 | 1589472 | STM025PC0DC024N  | Dualobe, 2 row, metal, 25 position, plug, 28AWG solid, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.   |
| 8-1589946-2 | 1589472 | STM037PC2DT045N  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 45 inches, 1.0 captive jackscrews.   |
| 8-1589946-3 | 1589472 | STM015PC2DCC50Q  | Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.  |
| 8-1589946-4 | 1589472 | STM037PC2DC200N  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 200 inches, 1.0 captive jackscrews.  |
| 8-1589946-5 | 1589472 | STM037PC2DC096N  | Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 96 inches, 1.0 captive jackscrews.   |
| 8-1589946-6 | 1589472 | STM065PC2DC056N  | Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 56 inches, 1.0 captive jackscrews  |
| 8-1589946-7 | 1589472 | STM025PC0DM018N  | Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color-coded PTFE wire per MIL-STD-681, 18 inches, 1.0 captive jackscrews   |
| 8-1589946-8 | 1589472 | STM025PC0DM018M  | Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid,PTFE wire, color coded per MILSTD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 non-captive jackscrews.     |
| 8-1589946-9 | 1589472 | STL025PC2DC048N  | Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.   |
| 9-1589946-0 | 1589472 | STM009PC2DXC30N  | Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 30 centimeters, 1.0 captive jackscrews   |
| 9-1589946-1 | 1589472 | STM009PC2DXM1.8Q | Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 1.8 meters, 1.2 captive jackscrews   |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)