




REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APVD
A		PER ECO-18-020143	31DEC2018	MY FG
B		REV PER ECO-19-013192	27AUG2019	TS GF
C		REV PER ECO-20-006125	30APR2020	AK GF
-	-	-	-	-



1 LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -10): -1 SHOWN.



- 2. SEE SHEET 2 FOR WIRING SCHEMATIC.
- 3. PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
- 4. CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- 5. EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- 6 TEST IN ACCORDANCE WITH IEEE802.3bj.
- 7 DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- 8 LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN.




STANDARD	GAGE	"L" mm	PART NO	
7	26	3000 +80/-0	4-2333842-6	
	26	2500 +80/-0	4-2333842-5	
	26	2000 +80/-0	4-2333842-4	
	26	1500 +80/-0	4-2333842-3	
	26	1000 +50/-0	4-2333842-2	
	26	500 +50/-0	4-2333842-1	
	6	26	5000 +80/-0	1-2333842-0
		26	4500 +80/-0	2333842-9
		26	4000 +80/-0	2333842-8
		26	3500 +80/-0	2333842-7
26		3000 +80/-0	2333842-6	
26		2500 +80/-0	2333842-5	
26		2000 +80/-0	2333842-4	
26		1500 +80/-0	2333842-3	
26		1000 +50/-0	2333842-2	
26		500 +50/-0	2333842-1	


THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: M. YI	17APR2018	TE Connectivity
CHK: G. FRANKLIN	17APR2018	
APVD: G. FRANKLIN	17APR2018	NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG
DIMENSIONS: min TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC: APPLICATION SPEC: SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2333842 RESTRICTED TO: RESTRICTED CUSTOMER
MATERIAL:		SCALE: 5:1 SHEET: 1 OF 2 REV: C

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: M. YI 17APR2018	 TE Connectivity
		CHK: G. FRANKLIN 17APR2018	
DIMENSIONS: min		APVD: G. FRANKLIN 17APR2018	NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 26AWG, 25GIG
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE: A1
0 PLC ±		APPLICATION SPEC	CAGE CODE: 00779
1 PLC ±			DRAWING NO: 2333842
2 PLC ±			RESTRICTED TO:
3 PLC ±			RESTRICTED CUSTOMER
4 PLC ±			SCALE: 5:1
ANGLES ±			SHEET 2 OF 2
FINISH			REV C

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)