



REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
E		REV PER ECO-18-005973	24APR2018	MY GF
F		REV PER ECO-18-005973	17JUL2018	MY GF
G		REV PER ECO-19-001055	25JAN2019	MY GF
H		REV PER ECO-20-002055	13FEB2020	AP GF



1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS (MEASURED DIFFRENTIALLY)

△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -6): -1 SHOWN




3. SEE SHEET 2 FOR WIRING SCHEMATIC.

4. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY SPECIFICATION TEC-138-702.

△ TEST IN ACCORDANCE WITH IEEE802.3by.

△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3by RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS.

△ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN




△ DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.

△ 8	30 AWG	300 +50/-0	4-2821222-6
	30 AWG	2000 +80/-0	4-2821222-5
	30 AWG	1500 +80/-0	4-2821222-4
	30 AWG	1000 +50/-0	4-2821222-3
	30 AWG	750 +50/-0	4-2821222-2
△ 5	30 AWG	500 +50/-0	4-2821222-1
	30 AWG	2500 +80/-0	2821222-6
	30 AWG	△ 500 +50/-0	2821222-5
	30 AWG	1500 +80/-0	2821222-4
	30 AWG	1000 +50/-0	2821222-3
	30 AWG	2000 +80/-0	2821222-2
	30 AWG	3000 +80/-0	2821222-1
STANDARD	WIRE GAGE	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 11APR2017	TE Connectivity	
DIMENSIONS:		CHK E. CUESTA 11APR2017		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD E. CUESTA 11APR2017	NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G	
mm	0 PLC ±	PRODUCT SPEC	SIZE A1	
	1 PLC ±	APPLICATION SPEC	CAGE CODE DRAWING NO	
	2 PLC ±		RESTRICTED TO	
	3 PLC ±		SCALE 2:1	
	4 PLC ±		SHEET 1 OF 2	
	ANGLES ±		REV H	
MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING	

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
		SEE SHEET 1		



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: T. SMITH 11APR2017	<b>TE</b> TE Connectivity
DIMENSIONS: mm		CHK: E. CUESTA 11APR2017	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: E. CUESTA 11APR2017	NAME: CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G
0 PLC ±	1 PLC ±	PRODUCT SPEC	SIZE: A1
2 PLC ±	3 PLC ±	APPLICATION SPEC	CAGE CODE: -
4 PLC ±	ANGLES ±	WEIGHT: -	DRAWING NO: C=2821222
MATERIAL: -	FINISH: -	CUSTOMER DRAWING	RESTRICTED TO: -
SCALE: 2:1			SHEET: 2 OF 2
REV: H			

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ethernet Cables / Networking Cables](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)  
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)  
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)  
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)  
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)  
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)