

Raychem

TE Internal #: 2820663005

Hook Up Wire, Spec 44, 600V Hook Up Wire Voltage Rating, 12AWG Wire Size, White Hook Up Wire Wire Color, Operating

Temperature Range -65 – 150 °C

View on TE.com >



Wire & Cable > Hook Up Wire



Hook Up Wire Cable Type: Spec 44
Hook Up Wire Voltage Rating: 600 V

Hook Up Wire Insulation Material: Modified Radiation Cross-linked PVDF

Hook Up Wire Conductor Material: Tin-Coated Copper

Hook Up Wire Wire Color: White

Features

Product Type Features

Cable Style	Primary
Product Type	Cable
Product Classification	Cable - High Performance - Spec 44, 55 & RCW
Hook Up Wire Cable Type	Spec 44
Configuration Features	
Number of Conductors	1
Number of Strands	37
Electrical Characteristics	
Hook Up Wire Voltage Rating	600 V
Pady Fastures	

Body Features

Hook Up Wire Insulation Material	Modified Radiation Cross-linked PVDF
Hook Up Wire Conductor Material	Tin-Coated Copper
Hook Up Wire Wire Color	White

Dimensions

Overall Outside Diameter	2.74 mm[.108 in]
Wire Diameter	2.74 mm[.108 in]



Conductor Diameter	2.23 mm[.088 in]
Strand Size	28 AWG
Wire Size	12 AWG
Usage Conditions	
Operating Temperature Range	-65 – 150 °C
Other	
Wire Source	United Kingdom

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts





Customers Also Bought





















Documents

Product Drawings

44A0111-12-9

English

Datasheets & Catalog Pages

1654025_Sec9_SPEC44

English

Raychem Wire and Cable Quick Reference Guide

English

Hook Up Wire, Spec 44, 600V Hook Up Wire Voltage Rating, 12AWG Wire Size, White Hook Up Wire Wire Color, Operating Temperature Range -65 – 150 °C



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for TE Connectivity manufacturer:

Other Similar products are found below:

D38999/24FJ4AN 570416-000 CLTEQ-M81CE-SSRELAY-4-20V 4-1195131-0 650069-000 SMD100-2 358838-000 CB-1022B-78

RM707012 RP410012 MMS42 1-640426-8 2EDL4CM DTS20W19-11PD-3028-LC RM202615 NC6-P104-06 MSPS103B DTS26F2141HE-LC DTS26F21-41AE DTS26F21-41PE-LC DTS26F21-11SE-3028-LC 30DCB6 1932144-1 293545-4 LVR125S MS27466T25F4PB

CKB-38-78010 TR04AI-TINELLOCKRING 1206SFF150F/63-2 D38999/20JB35HA TE1500A2R2J D38999/20WC8BB DTS24F19-11SC3028-LC D38999/24WG11HA D38999/24WG11HN MS27467T21F11H DJT16E21-11HA MS27467T21F35J MS27467T21F11J

MS27467T21F16H-LC MS27467T21F35H MS27467T21F41H-LC 1206SFH150F/24-2 RP330024 DJT16E21-11PA-LC DJT16E21-11HA
LC DJT16E21-11AA MS27467T21B11JA DJT16E21-11JA MS27467T21B11JA-LC