44A1121-18-9/96-9

Raychem

TE Part # 383465-000 TE Internal #: 44A1121-18-9/96-9 View on TE.com >



Wire & Cable > Twisted Pair Cable



Cable Type: Spec 44

Voltage Rating: 600 VAC

Insulation Material: Modified Radiation Cross-linked PVDF

Conductor Material: Tin-Coated Copper

Wire Size: 18 AWG

Features

Product Type Features

Cable Type

Spec 44

Electrical Characteristics

Voltage Rating

600 VAC

Body Features

Insulation Material	Modified Radiation Cross-linked PVDF
Conductor Material	Tin-Coated Copper
Dimensions	
Wire Size	18 AWG
Usage Conditions	
	-65 – 150 °C
•	-03 - 130°C
Product Compliance For compliance documentation, visit the product page on TE.com>	
Product Compliance	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

TE Part # 383465-000 TE Internal #: 44A1121-18-9/96-9



Halogen Content

Solder Process Capability

Out of Scope - excluded from Halogen requirements

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 650075-000 D-436-37

Customers Also Bought



44A1121-18-9/96-9

TE Part # 383465-000 TE Internal #: 44A1121-18-9/96-9







Documents

Product Drawings 44A1121-18-9/96-9

English

44A1121-18-9/96-9

English

Datasheets & Catalog Pages 1654025_Sec9_SPEC44

English

Product Specifications Product Specification

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Multi-Conductor Cables category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

 89504-002-1000
 89705-008-500
 6000FE-877-1000
 CS2885-000
 M27500-20SP2S23
 6309UE-877-1000
 M3905-BK005
 6502FE 8771000

 CW9530-000
 CX6543-000
 CXA-0066-20-4-9CS2973
 CXA-0078-16-1-9CS2405
 CXA-0078-22-4-9CS2405
 CXA-0078-24-4-9CS2405

 CXA-0140-16-6/9-9CS2405
 CY0660-000
 720451-000
 752687-000
 768146-000
 773159-000
 83318E-009-500
 8348-060-500
 83559-002

 1000
 83653-002-5000
 8404-060-500
 8469
 060100
 858171-000
 8628-060-500
 868361-001
 8730-060-1000
 8747-060-1000

 8747-060-1000
 8769-060-1000
 8775-060-500
 8780-060-1000
 8782-001-U1000
 9159-060-500
 9318-060-1000
 939870-000
 9423
 060U500

 9444
 060U1000
 9497
 0001000
 9520-060-1000
 9546-060-500
 9572-002-U500
 9774-060-1000
 A43962-000
 1232A1-008

 1000

 9546-060-500
 9572-002-U500
 9774-060-1000
 A43962-000
 1232A1-008