


REVISION

| REV | DESCRIPTION | DATE |
|-----|---------------------------|---------|
| H1 | REVISED PER ECO-11-005139 | 29MAR11 |



NOTES:

- All dimensions are in $\frac{\text{inches}}{\text{[millimeters]}}$
- Dimensions appearing in table are as follows:
a - As Supplied
b - After Unrestricted Recovery
- Adhesive is optional. As supplied dimensions appearing in table are for uncoated parts. When adhesive is added, entry diameters will be reduced by .06 max.
- Part numbers SSC-2 thru SSC-7 available with valves by adding TV to the part number.
- Material: polyolefin, commercial, rigid per PPS-3011/25. Adhesive: PPS 3012/70.
- Parts are to be marked with part number in white ink. (IE. SSC-X)
- SSC-1 has a smooth coating of adhesive. SSC-2 thru SSC-7 have the adhesive applied in a spiral bead.

| PART NUMBER | H | | P +15% -10% b | W ±20% b |
|-------------|----------------------|---------------------|------------------------|---------------------|
| | Min a | Max b | | |
| SSC-1 | $\frac{.39}{[10]}$ | $\frac{.16}{[4]}$ | $\frac{1.5}{[38,0]}$ | $\frac{.08}{[2,0]}$ |
| SSC-2 | $\frac{.79}{[20]}$ | $\frac{.30}{[7,5]}$ | $\frac{2.2}{[55,0]}$ | $\frac{.09}{[2,3]}$ |
| SSC-3 | $\frac{1.38}{[35]}$ | $\frac{.59}{[15]}$ | $\frac{3.5}{[90,0]}$ | $\frac{.12}{[3,0]}$ |
| SSC-4 | $\frac{2.17}{[55]}$ | $\frac{.98}{[25]}$ | $\frac{5.6}{[143,0]}$ | $\frac{.13}{[3,3]}$ |
| SSC-5 | $\frac{2.95}{[75]}$ | $\frac{1.25}{[32]}$ | $\frac{5.9}{[150,0]}$ | $\frac{.13}{[3,3]}$ |
| SSC-5M1 | $\frac{2.95}{[75]}$ | $\frac{1.25}{[32]}$ | $\frac{3.1}{[79,3]}$ | $\frac{.13}{[3,3]}$ |
| SSC-6 | $\frac{3.94}{[100]}$ | $\frac{1.77}{[45]}$ | $\frac{6.4}{[162,0]}$ | $\frac{.15}{[3,8]}$ |
| SSC-7 | $\frac{4.72}{[120]}$ | $\frac{2.76}{[70]}$ | $\frac{5.7}{[145,0]}$ | $\frac{.15}{[3,8]}$ |

ORDERING INFORMATION:

End cap, uncoated:
SSC-X/U

Self sealing end cap with thermoplastic adhesive:
SSC-X/239 and valves: SSC-XTV/239.

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.CHECK FOR THE LATEST REVISION.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES. METRIC DIMENSIONS ARE IN BRACKETS.

DECIMAL TOLERANCES
 .XXX ± 0.005 [0.13 mm]
 .XX ± 0.010 [0.25 mm]
 .X ± 0.020 [0.50 mm]

ANGLE TOLERANCE
 .X ± 0.5 DEG.

DRAWN
G. ROSITANO

DATE
10/02/2001

MATERIAL

FINISH

SPECIFICATION CONTROL DRAWING



WIRE AND HARNESSING PRODUCTS
307 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025

END CAPS

RPN

CAD FILE
MP04019

THIRD ANGLE PROJECTION

SIZE
A

CODE IDENT. NO.
06090

DWG. NO.

SSC-X

DO NOT SCALE THIS DRAWING

SHEET 1 OF 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Shrink Cable Boots & End Caps](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[577159N001](#) [007758-000](#) [610368N003](#) [645494-000](#) [M85049/141-02HU](#) [M85049/141-03HU](#) [M85049/141-04HU](#) [687025-000](#) [705331-000](#)
[718446-000](#) [725666N001](#) [729257-000](#) [F21914-000](#) [F27131-000](#) [F85868-000](#) [770-006A103R](#) [770-006A304W1](#) [770-006A305W1](#) [770-](#)
[006A308W1](#) [770-011T303W1](#) [770-011T304W1](#) [770-020S702W1](#) [770-020S704W1](#) [806138-000](#) [806542N001](#) [807507-000](#) [808059-000](#)
[808296-000](#) [808362-000](#) [808828-000](#) [809125-000](#) [809130-000](#) [809218-000](#) [811218-000](#) [811288-000](#) [812014-000](#) [812047-000](#) [813166-000](#)
[813767N002](#) [814417-000](#) [819115N001](#) [819117N001](#) [823026-000](#) [823070-000](#) [825002-000](#) [841189N001](#) [861471-000](#) [866647-000](#) [937577-](#)
[000](#) [950764-000](#)