

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	D7	OBSOLETING PART NUMBERS 15 POSITION AND ABOVE	09APR2015	CR	PS

**MATERIAL:**  
 HOUSING: NYLON, UL94V-0, BLACK.  
 TERMINAL: BRIGHT TIN PLATED, COPPER ALLOY.  
 SCREW: 6-32, STEEL, ZINC PLATED CLEAR CHROMATE, UNLESS OTHERWISE STATED.

**ELECTRICAL:**  
 UL CLASS C: 20A, 150V.  
 UL CLASS D: 10A, 300V.  
 CSA TYPE B: 20A, 300V.  
 CSA TYPE C: 20A, 300V.  
 CSA TYPE D: 10A, 300V.  
 CSA TYPE E 20A, 300V.  
 WIRE RANGE: 12-22 AWG

**MECHANICAL:**  
 MAXIMUM TORQUE RATING: 7 IN-LB.

RECOMMENDED PCB LAYOUT



1 MIDDLE TERMINAL IS ROTATED 180° FROM OTHERS. NOT TO BE USED WITH RECOMMENDED PCB LAYOUT.

2 OBSOLETE PART NUMBER.

3 PRELIMINARY PART NUMBER.



4 SCREWS ARE NICKEL PLATED BRASS.

5 SEE FIGURE.

6 SPECIAL FULL THREAD BINDER HD SCREW USED FOR THIS ASSY ONLY ALLOWS FOR USE OF J4 JUMPER.

7 OBSOLETE PARTS.

LOC	DIST	P	LTR	DESCRIPTION	DATE	DWN	APVD					
7				OBSOLETE	.160	7.540	-	-	-	23	4DB-P107-23	2-1546468-3
7				OBSOLETE	.160	7.215	-	-	-	22	4DB-P107-22	2-1546468-2
7				OBSOLETE	.160	6.890	-	-	-	21	4DB-P107-21	2-1546468-1
7				OBSOLETE	.160	6.565	-	-	-	20	4DB-P107-20	2-1546468-0
7				OBSOLETE	.160	6.240	-	-	-	19	4DB-P107-19	1-1546468-9
7				OBSOLETE	.160	5.915	-	-	-	18	4DB-P107-18	1-1546468-8
7				OBSOLETE	.160	5.590	-	-	-	17	4DB-P107-17	1-1546468-7
7				OBSOLETE	.160	5.265	-	-	-	16	4DB-P107-16	2-1437667-1
7				OBSOLETE	.160	4.940	-	-	-	15	4DB-P107-15	2-1437667-0
4	3				.160	4.615	-	-	-	14	4DB-P105-14	4-1546468-0
					.160	4.615	-	-	-	14	4DB-P107-14	1-1546468-4
					.160	4.290	-	-	-	13	4DB-P107-13	1-1546468-3
4	3				.160	3.965	-	-	-	12	4DB-P105-12	3-1546468-9
					.160	3.965	-	-	-	12	4DB-P107-12	1-1437667-9
					.160	3.640	-	-	-	11	4DB-P107-11	1-1437667-8
5	4	3			.160	3.315	-	-	10	10	4DB-P105-10-104	4-1546468-2
					.160	3.315	-	-	-	10	4DB-P107-10	1-1437667-7
					.160	2.990	-	-	-	9	4DB-P105-09	3-1546468-8
					.160	2.990	-	-	-	9	4DB-P107-09	1-1437667-6
4	3				.160	2.665	-	-	-	8	4DB-P105-08	3-1546468-7
					.160	2.665	-	-	-	8	4DB-P107-08	1-1437667-5
4	3				.160	2.340	-	-	-	7	4DB-P105-07	3-1546468-6
					.160	2.340	-	-	-	7	4DB-P107-07	1-1437667-4
4	3				.160	2.015	-	-	-	6	4DB-P105-06	3-1546468-5
					.160	2.015	-	-	-	6	4DB-P107-06	1-1437667-2
4	3				.160	1.690	-	-	-	5	4DB-P105-05	3-1546468-4
					.160	1.690	-	-	-	5	4DB-P107-05	1-1437667-1
4	3	6			.160	1.365	-	-	-	4	4DB-P107-04	4-1546468-5
					.160	1.365	-	-	-	4	4DB-P105-04	3-1546468-3
					.160	1.365	-	-	-	4	4DB-P107-04	1-1437667-0
6					.122±.012	1.040	-	-	-	3	4DB-P107-03	4-1546468-4
1	2			SEE FIGURE	.160	1.040	-	-	-	3	4DB-P107-03-070	1437667-9
3				SEE FIGURE	.160	1.040	-	-	-	3	4DB-P107-03-096	3-1546468-2
7				OBSOLETE	.160	1.040	-	-	-	3	4DB-P107-03-095	3-1546468-1
					.160	1.040	-	-	-	3	4DB-P107-03	1437667-7
4	3				.160	.715	-	-	-	2	4DB-P105-02	4-1546468-3
					.160	.715	-	-	-	2	4DB-P107-02	1437667-6
DIM B	DIM A	.187 QC TAB 90° DOUBLE SIDED	.187 QC TAB 45° DOUBLE SIDED	.187 QC TAB FLAT DOUBLE SIDED	NO. OF POS.	CATATLOG NUMBER	PART NO.					
		3	2	1								



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S SCHLEGEL 10/19/04  
 CHK S YODER 10/19/04  
 APVD S YODER 10/19/04

STE TE Connectivity

NAME: 4DB SERIES P107 STYLE

SIZE: A3 CAGE CODE: 00779 DRAWING NO: C-1437667-6 RESTRICTED TO: -


PRODUCT SPEC: - APPLICATION SPEC: - WEIGHT: -

MATERIAL: - FINISH: -


CUSTOMER DRAWING SCALE: NTS SHEET: 1 OF 2 REV: D7

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
-	-	SEE SHEET 1	-	-	-	




~~A-3-1546468-1~~




~~3-1546468-2~~



~~2-1437667-9~~



~~4-1546468-1~~



~~4-1546468-2~~

<del>5</del>	<del>4</del>	<del>3</del>	OBSOLETE	.160	9.815	30	-	-	30	4DB-P105-30-103	<del>4-1546468-1</del>
<del>7</del>			OBSOLETE	.160	9.815	-	-	-	30	4DB-P107-30	<del>3-1546468-0</del>
<del>7</del>			OBSOLETE	.160	9.490	-	-	-	29	4DB-P107-29	<del>2-1546468-9</del>
<del>7</del>			OBSOLETE	.160	9.165	-	-	-	28	4DB-P107-28	<del>2-1546468-8</del>
<del>7</del>			OBSOLETE	.160	8.840	-	-	-	27	4DB-P107-27	<del>2-1546468-7</del>
<del>7</del>			OBSOLETE	.160	8.515	-	-	-	26	4DB-P107-26	<del>2-1437667-3</del>
<del>7</del>			OBSOLETE	.160	8.190	-	-	-	25	4DB-P107-25	<del>2-1437667-2</del>
<del>7</del>			OBSOLETE	.160	7.865	-	-	-	24	4DB-P107-24	<del>2-1546468-4</del>
				DIM B	DIM A	.187 QC TAB 90° DOUBLE SIDED	.187 QC TAB 45° DOUBLE SIDED	.187 QC TAB FLAT DOUBLE SIDED	NO. OF POS.	CATALOG NUMBER	PART NO.
						(3)	(2)	(1)			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN S SCHLEGEL 10/19/04	TE Connectivity		
		CHK S YODER 10/19/04			
		APVD S YODER 10/19/04	NAME		
		PRODUCT SPEC	4DB SERIES P107 STYLE		
		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
MATERIAL	FINISH	WEIGHT	A3	00779	C-1437667-6
		CUSTOMER DRAWING	SCALE	SHEET	REV
			NTS	2 OF 2	D7

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Barrier Terminal Blocks](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[CR151D20104](#) [670A-RZ-15-KT20](#) [6C1N03](#) [6PCR-02](#) [6PCR-02-008](#) [6PCR-05-008](#) [6PCR-08-008](#) [6PCR-09-008](#) [6PCR-13-006](#) [6PCR-15-006](#) [6PCR-21-006](#) [6PCV-06-008](#) [6PCV-06-716](#) [6PCV-09-001](#) [6PCV-10-009](#) [6PCV-15-008](#) [6PCV-17-1206](#) [6PCV-20-323](#) [6PCV-20-720](#) [6PCV-30-006](#) [6STR-06-006](#) [6STR-08-006](#) [6STR-12-008](#) [6STR-13-006](#) [6STR-14-008](#) [6STR-16-008](#) [6STR-17-008](#) [6STR-21-008](#) [6STR-25-008](#) [6STR-27-008](#) [6STV-03-006](#) [6STV-03-008](#) [6STV-04-006](#) [6STV-09-006](#) [6STV-10-006](#) [6WWR-03-693](#) [6WWV-12-008](#) [72212603](#) [72504-C-50](#) [72506-C](#) [72507-C-50](#) [73203](#) [75505-C](#) [75505-C-50](#) [75510-C](#) [77010-50](#) [7C1N08](#) [812-GP-3/4ST-09](#) [8-1437402-5](#) [8-1437402-7](#)