





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	REVISED	PER ECO-17-002583	08APR2017	RS	MM
AE	REVISED	PER ECO-20-001323	17JUN2020	SM	JO



SECTION A-A



RECOMMENDED HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R BROWN
CHK
K WRIGHT
APVD
K WRIGHT

09FEB01
09FEB01
09FEB01

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± 0.13[.005]
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH
SEE TABLE

PRODUCT SPEC
108-25034
APPLICATION SPEC
114-25026
WEIGHT

SIZE
A1
CAGE CODE
00779
DRAWING NO
C=103672

RESTRICTED TO
-
REV
AE

TE Connectivity

HDR ASSY, RTANG, SINGLE ROW
2.54[.100] CL, 0.64[.025] SQ POST,
WITH PLZN & HOLD DOWNS, AMPMODU MTE

CUSTOMER DRAWING

SCALE
4:1
SHEET
1 OF 2
REV
AE

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1	-	-	-

11

8

25.91
[1.020]

27.81
[1.095]

9

10

3-103672-0

15.75
[.620]

17.65
[.695]

5

6

2-103672-9

5.59
[.220]

7.493
[.295]

1

2

2-103672-8

13.21
[.520]

15.11
[.595]

4

5

2-103672-7

10.67
[.420]

12.57
[.495]

3

4

2-103672-6

8.13
[.320]

10.03
[.395]

2

3

2-103672-5

11

1

64.01
[2.520]

65.91
[2.595]

24

25

127-103672-4

61.47
[2.420]

63.37
[2.495]

23

24

127-103672-3

58.93
[2.320]

60.83
[2.395]

22

23

127-103672-2

56.39
[2.220]

58.29
[2.295]

21

22

127-103672-1

53.85
[2.120]

55.75
[2.195]

20

21

127-103672-0

51.31
[2.020]

53.21
[2.095]

19

20

6-103672-9

48.77
[1.920]

50.67
[1.995]

18

19

126-103672-8

46.23
[1.820]

48.13
[1.895]

17

18

126-103672-7

43.69
[1.720]

45.59
[1.795]

16

17

126-103672-6

41.15
[1.620]

43.05
[1.695]

15

16

6-103672-5

38.61
[1.520]

40.51
[1.595]

14

15

126-103672-4

36.07
[1.420]

37.97
[1.495]

13

14

126-103672-3

33.53
[1.320]

35.43
[1.395]

12

13

126-103672-2

30.99
[1.220]

32.89
[1.295]

11

12

6-103672-1

28.45
[1.120]

30.35
[1.195]

10

11

126-103672-0

25.91
[1.020]

27.81
[1.095]

9

10

5-103672-9

23.37
[.920]

25.27
[0.995]

8

9

125-103672-8

20.83
[.820]

22.73
[.895]

7

8

5-103672-7

18.29
[.720]

20.19
[.795]

6

7

5-103672-6

15.75
[.620]

17.65
[.695]

5

6

5-103672-5

13.21
[.520]

15.11
[.595]

4

5

5-103672-4

10.67
[.420]

12.57
[.495]

3

4

5-103672-3

8.13
[.320]

10.03
[.395]

2

3

5-103672-2

5.59
[.220]

7.49
[.295]

1

2

5-103672-1

REMARKS

PLATING

C

B

A

NO.
OF
POSN

PART NO.

11

1

25.91
[1.020]

27.81
[1.095]

9

10

3-103672-0

15.75
[.620]

17.65
[.695]

5

6

2-103672-9

5.59
[.220]

7.493
[.295]

1

2

2-103672-8

13.21
[.520]

15.11
[.595]

4

5

2-103672-7

10.67
[.420]

12.57
[.495]

3

4

2-103672-6

8.13
[.320]

10.03
[.395]

2

3

2-103672-5

11

1

64.01
[2.520]

65.91
[2.595]

24

25

127-103672-4

61.47
[2.420]

63.37
[2.495]

23

24

127-103672-3

58.93
[2.320]

60.83
[2.395]

22

23

127-103672-2

56.39
[2.220]

58.29
[2.295]

21

22

127-103672-1

53.85
[2.120]

55.75
[2.195]

20

21

127-103672-0

51.31
[2.020]

53.21
[2.095]

19

20

1-103672-9

48.77
[1.920]

50.67
[1.995]

18

19

1-103672-8

46.23
[1.820]

48.13
[1.895]

17

18

1-103672-7

43.69
[1.720]

45.59
[1.795]

16

17

1-103672-6

41.15
[1.620]

43.05
[1.695]

15

16

1-103672-5

38.61
[1.520]

40.51
[1.595]

14

15

1-103672-4

36.07
[1.420]

37.97
[1.495]

13

14

1-103672-3

33.53
[1.320]

35.43
[1.395]

12

13

1-103672-2

30.99
[1.220]

32.89
[1.295]

11

12

1-103672-1

28.45
[1.120]

30.35
[1.195]

10

11

1-103672-0

25.91
[1.020]

27.81
[1.095]

9

10

103672-9

23.37
[.920]

25.27
[0.995]

8

9

103672-8

20.83
[.820]

22.73
[.895]

7

8

103672-7

18.29
[.720]

20.19
[.795]

6

7

103672-6

15.75
[.620]

17.65
[.695]

5

6

103672-5

13.21
[.520]

15.11
[.595]

4

5

103672-4

10.67
[.420]

12.57
[.495]

3

4

103672-3

8.13
[.320]

10.03
[.395]

2

3

103672-2

5.59
[.220]

7.49
[.295]

1

2

103672-1

REMARKS

PLATING

C

B

A

NO.
OF
POSN

PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± 0.13[.005]

3 PLC ± -

4 PLC ± -

ANGLES ± -

MATERIAL

FINISH

SEE TABLE

DWN
R BROWN

09FEB01

CHK
K WRIGHT

09FEB01

APVD
K WRIGHT

09FEB01

PRODUCT SPEC
108-25034

APPLICATION SPEC
114-25026

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=103672

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
2

REV
AE

CUSTOMER DRAWING

TE Connectivity

HDR ASSY, RTANG, SINGLE ROW
2.54[.100] CL, 0.64[.025] SQ POST,
WITH PLZN & HOLD DOWNS, AMPMODU MTE

4805 (1/15)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) *category:*

Click to view products by [TE Connectivity](#) *manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)