



LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
H		EC 0G3C 0759 04	29JAN05	BSV	JLG
H1		REVISED PER ECO-09-020689	02SEP09	KK	AEG



- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR INDIVIDUAL ASSEMBLIES SEE PART NUMBER 103900
- 6 ASSEMBLIES ARE JOINED BY THE CARRIER STRIP. ORDER QUANTITY REFLECTS TOTAL NUMBER OF INDIVIDUAL ASSEMBLIES REQUIRED. SEE TABLE FOR NUMBER OF ASSEMBLIES PER STRIP.
- 7 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 8 MAXIMUM ALLOWABLE BOW OF ASSEMBLY NOT TO EXCEED .055.
- 9 CONTACTS: .000030 GOLD IN THE CONTACT AREA, .000050-.000100 BRIGHT TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 10 CONTACTS: .000030 GOLD IN THE CONTACT AREA, .000050-.000100 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 11 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



11	OBSOLETE	10	2	2.40	1.198	1-103648-1	12	6-103970-1
11	OBSOLETE	10	2	2.20	1.098	1-103648-0	11	6-103970-0
11	OBSOLETE	10	2	2.00	0.998	103648-9	10	5-103970-9
11	OBSOLETE	10	2	1.80	0.898	103648-8	9	5-103970-8
11	OBSOLETE	10	2	1.60	0.798	103648-7	8	5-103970-7
11	OBSOLETE	10	2	1.40	0.698	103648-6	7	5-103970-6
11	OBSOLETE	10	4	2.39	0.598	103648-5	6	5-103970-5
11	OBSOLETE	10	4	1.99	0.498	103648-4	5	5-103970-4
		10	5	1.99	0.398	103648-3	4	5-103970-3
		10	8	2.40	0.298	103648-2	3	5-103970-2
		10	10	2.00	0.198	103648-1	2	5-103970-1
11	OBSOLETE	9	2	2.40	1.198	1-103648-1	12	1-103970-1
11	OBSOLETE	9	2	2.20	1.098	1-103648-0	11	1-103970-0
11	OBSOLETE	9	2	2.00	0.998	103648-9	10	103970-9
11	OBSOLETE	9	2	1.80	0.898	103648-8	9	103970-8
11	OBSOLETE	9	2	1.60	0.798	103648-7	8	103970-7
11	OBSOLETE	9	2	1.40	0.698	103648-6	7	103970-6
11	OBSOLETE	9	4	2.39	0.598	103648-5	6	103970-5
		9	4	1.99	0.498	103648-4	5	103970-4
		9	5	1.99	0.398	103648-3	4	103970-3
		9	8	2.40	0.298	103648-2	3	103970-2
		9	10	2.00	0.198	103648-1	2	103970-1
PLATING		6	B	A	HOUSING PART NUMBER 1 REQD	NO OF POSN PER ASSY	ASSEMBLY PART NUMBER ON STRIP	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN L. MAYER 05 NOV 1986  
 CHK P.C.DEJONG 12-11-86  
 APVD 12-11-86

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 0 PLC ± -  
 1 PLC ± -  
 2 PLC ± .02  
 3 PLC ± .005  
 4 PLC ± -  
 ANGLES ± -  
 FINISH SEE TABLE

PRODUCT SPEC 108-25034  
 APPLICATION SPEC 114-25026  
 WEIGHT -

Tyco Electronics Corporation  
 Harrisburg, Pa 17105-3608

RCPT ASSY, AMPMODU MTE, SINGLE ROW,  
 .100 CL WITH GUIDE RIBS,  
 FOR #22-#26 AWG WIRE SIZE, STRIP FORM

SIZE A2 CAGE CODE 00779 DRAWING NO C=103970 RESTRICTED TO -  
 CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 1 REV H1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)  
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)  
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)  
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)