


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
AD	00	J9	REVISED PER ECO-13-005565	01APR13	KH	JO		

FOR PART NUMBERS 5-147105-1 THRU 9-147105-0  
 SEE SHEET 2



RECOMMENDED PC BOARD LAYOUT  
 0.20[.008] THICK STENCIL

FINISH	EIA TAPE WIDTH	B	A	NO.OF POSN.	PART NUMBER
	120mm	99.06[3.900]	101.60[4.000]	80	4-147105-0
		96.52[3.800]	99.06[3.900]	78	3-147105-9
		93.98[3.700]	96.52[3.800]	76	3-147105-8
		91.44[3.600]	93.98[3.700]	74	3-147105-7
		88.90[3.500]	91.44[3.600]	72	3-147105-6
		86.36[3.400]	88.90[3.500]	70	3-147105-5
		83.82[3.300]	86.36[3.400]	68	3-147105-4
		81.28[3.200]	83.82[3.300]	66	3-147105-3
		78.74[3.100]	81.28[3.200]	64	3-147105-2
		76.20[3.000]	78.74[3.100]	62	3-147105-1
		73.66[2.900]	76.20[3.000]	60	3-147105-0
		71.12[2.800]	73.66[2.900]	58	2-147105-9
		68.58[2.700]	71.12[2.800]	56	2-147105-8
	88mm	66.04[2.600]	68.58[2.700]	54	2-147105-7
		63.50[2.500]	66.04[2.600]	52	2-147105-6
		60.96[2.400]	63.50[2.500]	50	2-147105-5
		58.42[2.300]	60.96[2.400]	48	2-147105-4
		55.88[2.200]	58.42[2.300]	46	2-147105-3
		53.34[2.100]	55.88[2.200]	44	2-147105-2
		50.80[2.000]	53.34[2.100]	42	2-147105-1
		48.26[1.900]	50.80[2.000]	40	2-147105-0
		45.72[1.800]	48.26[1.900]	38	1-147105-9
		43.18[1.700]	45.72[1.800]	36	1-147105-8
	72mm	40.64[1.600]	43.18[1.700]	34	1-147105-7
		38.10[1.500]	40.64[1.600]	32	1-147105-6
		35.56[1.400]	38.10[1.500]	30	1-147105-5
		33.02[1.300]	35.56[1.400]	28	1-147105-4
		30.48[1.200]	33.02[1.300]	26	1-147105-3
		27.94[1.100]	30.48[1.200]	24	1-147105-2
		25.40[1.000]	27.94[1.100]	22	1-147105-1
		22.86[.900]	25.40[1.000]	20	1-147105-0
	44mm	20.32[.800]	22.86[.900]	18	147105-9
		17.78[.700]	20.32[.800]	16	147105-8
		15.24[.600]	17.78[.700]	14	147105-7
		12.70[.500]	15.24[.600]	12	147105-6
		10.16[.400]	12.70[.500]	10	147105-5
		7.62[.300]	10.16[.400]	8	147105-4
		5.08[.200]	7.62[.300]	6	147105-3
		2.54[.100]	5.08[.200]	4	147105-2
	24mm	-	2.54[.100]	2	147105-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± .005[0.13]
3 PLC	± -
4 PLC	± -
ANGLES	± -

MATERIAL: 1 SEE TABLE

FINISH: 1

APPROVALS:

DWN	M.BINNER	06NOV02
CHK	J.OLSON	06NOV02
APVD	J.OLSON	06NOV02

PRODUCT SPEC: 108-25022

APPLICATION SPEC: 114-25018

WEIGHT: 114-25018

CUSTOMER DRAWING

TE Connectivity

RECEPTACLE ASSEMBLY, MOD IV, DOUBLE ROW, DUAL ENTRY, .100X.100CL, SURFACE MOUNT, AMPMODU

SIZE: A2 CAGE CODE: 00779 DRAWING NO: 147105 RESTRICTED TO: -

SCALE: 4:1 SHEET: 1 OF 2 REV: J9

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
		SEE SHEET 1						

- 1 HOUSING: FLAME RETARDANT, GLASS FILLED, POLYESTER, COLOR: BLACK.  
CONTACT: PHOSPHOR BRONZE  
VACUUM COVER: STAINLESS STEEL
- 2 CONTACT: DUPLEX PLATED 0.76µm[.000030] GOLD IN CONTACT AREA, 3.81-7.62µm[.000150-.000300] BRIGHT TIN-LEAD ON, LEADS, ALL OVER 1.27µm[.000050] MINIMUM NICKEL
- 3 THESE DIMENSIONS PERTAIN TO CAVIITY CENTERLINES ONLY NOT TO CONTACT LOACATIONS
- 4 MARK PART NUMBER AND DATE CODE, IN APPROXIMATE LOCATION SHOWN, EITHER SIDE.
- 5 TOLERANCE IS NON-CUMULATIVE.
- 6 2 POSITION DATE CODE IS MARKED OPPOSITE SIDE OF TE CONNECTIVITY LOGO.
- 7 POINT OF MEASUREMENT DIMENSION FOR PLATING THICKNESS (INSIDE CONTACT BEAM).
- 8 POINT-OF-CONTACT DIMENSION.
- 9 ø5.51[.217] MIN TARGET AREA FOR VACUUM PICK UP. COVER TO BE REMOVED AFTER SOLDERING.
- 10 PACKAGED IN TAPE & REEL PER EIA 481 SPECIFICATION.
- 11 TE CONNECTIVITY TRADEMARK AND CSA LOGO ARE MOLDED INTO HOUSING.
- 12 NO PART NUMBER REQUIRED ON THIS PART.
- 13 CONTACT: DUPLEX PLATE CONNECTIVITYD 0.76µm[.000030] GOLD IN CONTACT AREA, 3.81-7.62µm[.000150-.000300] MATTE TIN ON LEADS, ALL OVER 1.27µm[.000050] MINIMUM NICKEL.
- 14 ROHS 2002/95/EC COMPLIANT.
- 15 SUPERRSEDED BY 6-147105-5
- 16 SUPERRSEDED BY 6-147105-8
- 17 SUPERRSEDED BY 7-147105-2
- 18 SUPERRSEDED BY 8-147105-0

FINISH	EIA TAPE WIDTH	B	A	NO.OF POSN.	PART NUMBER
1	120mm	99.06[3.900]	101.60[4.000]	80	9-147105-0
		96.52[3.800]	99.06[3.900]	78	8-147105-9
		93.98[3.700]	96.52[3.800]	76	8-147105-8
		91.44[3.600]	93.98[3.700]	74	8-147105-7
		88.90[3.500]	91.44[3.600]	72	8-147105-6
		86.36[3.400]	88.90[3.500]	70	8-147105-5
		83.82[3.300]	86.36[3.400]	68	8-147105-4
		81.28[3.200]	83.82[3.300]	66	8-147105-3
		78.74[3.100]	81.28[3.200]	64	8-147105-2
		76.20[3.000]	78.74[3.100]	62	8-147105-1
		73.66[2.900]	76.20[3.000]	60	8-147105-0
		71.12[2.800]	73.66[2.900]	58	7-147105-9
	68.58[2.700]	71.12[2.800]	56	7-147105-8	
	88mm	66.04[2.600]	68.58[2.700]	54	7-147105-7
		63.50[2.500]	66.04[2.600]	52	7-147105-6
		60.96[2.400]	63.50[2.500]	50	7-147105-5
		58.42[2.300]	60.96[2.400]	48	7-147105-4
		55.88[2.200]	58.42[2.300]	46	7-147105-3
		53.34[2.100]	55.88[2.200]	44	7-147105-2
	72mm	50.80[2.000]	53.34[2.100]	42	7-147105-1
		48.26[1.900]	50.80[2.000]	40	7-147105-0
		45.72[1.800]	48.26[1.900]	38	6-147105-9
		43.18[1.700]	45.72[1.800]	36	6-147105-8
		40.64[1.600]	43.18[1.700]	34	6-147105-7
		38.10[1.500]	40.64[1.600]	32	6-147105-6
		35.56[1.400]	38.10[1.500]	30	6-147105-5
		33.02[1.300]	35.56[1.400]	28	6-147105-4
		30.48[1.200]	33.02[1.300]	26	6-147105-3
		27.94[1.100]	30.48[1.200]	24	6-147105-2
	44mm	25.40[1.000]	27.94[1.100]	22	6-147105-1
		22.86[.900]	25.40[1.000]	20	6-147105-0
		20.32[.800]	22.86[.900]	18	5-147105-9
		17.78[.700]	20.32[.800]	16	5-147105-8
		15.24[.600]	17.78[.700]	14	5-147105-7
		12.70[.500]	15.24[.600]	12	5-147105-6
		10.16[.400]	12.70[.500]	10	5-147105-5
7.62[.300]		10.16[.400]	8	5-147105-4	
5.08[.200]		7.62[.300]	6	5-147105-3	
2.54[.100]		5.08[.200]	4	5-147105-2	
12/6 OBSOLETE	24mm	-	2	5-147105-1	

- 12
- 12
- 12
- 12

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.BINNER 06NOV02	<b>STE</b> TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J.OLSON 06NOV02		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.OLSON 06NOV02	NAME RECEPTACLE ASSEMBLY, MOD IV, DOUBLE ROW, DUAL ENTRY, .100X.100CL, SURFACE MOUNT, AMPMODU	
0 PLC ± -		PRODUCT SPEC	SIZE	CAGE CODE
1 PLC ± -		APPLICATION SPEC	DRAWING NO	
2 PLC ± .005[0.13]		108-25022	RESTRICTED TO	
3 PLC ± -		WEIGHT 114-25018	SCALE 1:1 SHEET 2 OF 2 REV J9	
4 PLC ± -		CUSTOMER DRAWING		
ANGLES ± -				
FINISH SEE TABLE				

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)  
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)