

6-1589472-9	1589472	STL051PC2DC006N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
7-1589472-0	1589472	STL051PC2DC012	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
7-1589472-1	1589472	STL051PC2DC012N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
7-1589472-2	1589472	STL051PC2DC018	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
7-1589472-3	1589472	STL051PC2DC024N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
7-1589472-4	1589472	STL051PC2DC036N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589472-5	1589472	STL051PC2DC040N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.
7-1589472-6	1589472	STL051PC2DC035N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 35 centimeters, 1.0 captive jackscrews.
7-1589472-7	1589472	STL051PC2DNC50	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 50 centimeters.
7-1589472-8	1589472	STL065PC0DC036N	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589472-9	1589472	STL065PC2DC006	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
8-1589472-0	1589472	STL065PC2DC006N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
8-1589472-1	1589472	STL065PC2DC012N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
8-1589472-2	1589472	STL065PC2DC018	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
8-1589472-3	1589472	STL065PC2DC018N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
8-1589472-4	1589472	STL065PC2DC024N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
8-1589472-5	1589472	STL065PC2DC036N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
8-1589472-6	1589472	STL065PC2DC040N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.
8-1589472-7	1589472	STL065PC2DC072N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 72 inches, 1.0 captive jackscrews.
8-1589472-8	1589472	STL065PC2DCC10N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.0 captive jackscrews.
8-1589472-9	1589472	STL065PC2DM018N	Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
9-1589472-0	1589472	STL065PC2DM036N	Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
9-1589472-1	1589472	STL065PC2GX036Q	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches, 1.2 captive jackscrews.
9-1589472-2	1589472	STL065PC3DM072N	Dualobe, 2 row, LCP, 65 position, plug, 32 AWG stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 72 inches, 1.0 captive jackscrews.
9-1589472-3	1589472	STM009PC0DC020N	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.
9-1589472-4	1589472	STM009PC0DXC10N	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, white PTFE wire, 10 centimeters, 1.0 captive jackscrews.
9-1589472-5	1589472	STM009PC2DC003N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
9-1589472-6	1589472	STM009PC2DC004N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 4 inches, 1.0 captive jackscrews.
9-1589472-7	1589472	STM009PC2DC006	Dualobe, 2 row, metal, 9 position, receptacle, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
9-1589472-8	1589472	STM009PC2DC006N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
9-1589472-9	1589472	STM009PC2DC012	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
1589473-1	1589472	STM009PC2DC012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
1589473-2	1589472	STM009PC2DC016N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.
1589473-3	1589472	STM009PC2DC018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
1589473-4	1589472	STM009PC2DC019	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches.
1589473-5	1589472	STM009PC2DC020Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.
1589473-6	1589472	STM009PC2DC024	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
1589473-7	1589472	STM009PC2DC024N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
1589473-8	1589472	STM009PC2DC028N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 28 inches, 1.0 captive jackscrews.
1589473-9	1589472	STM009PC2DC030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
1-1589473-0	1589472	STM009PC2DC036	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
1-1589473-1	1589472	STM009PC2DC036M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 noncaptive jackscrews.
1-1589473-2	1589472	STM009PC2DC036N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1-1589473-3	1589472	STM009PC2DC060Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.
1-1589473-4	1589472	STM009PC2DCC40N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 centimeters, 1.0 captive jackscrews.
1-1589473-5	1589472	STM009PC2DCC90Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 90 centimeters, 1.2 captive jackscrews.
1-1589473-6	1589472	STM009PC2DCM01N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.
1-1589473-7	1589472	STM009PC2DM012N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
1-1589473-8	1589472	STM009PC2DM012Q	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
1-1589473-9	1589472	STM009PC2DM018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
2-1589473-0	1589472	STM009PC2DM036N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
2-1589473-1	1589472	STM009PC2DN036M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 noncaptive jackscrews.
2-1589473-2	1589472	STM009PC2DT018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.
2-1589473-3	1589472	STM009PC2DT030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
2-1589473-4	1589472	STM009PC2DX010N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
2-1589473-5	1589472	STM009PC2DX024N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
2-1589473-6	1589472	STM009PC2DXC15Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 15 centimeters, 1.2 captive jackscrews.
2-1589473-7	1589472	STM009PC2GC024N	OBSOLETE
2-1589473-8	1589472	STM009PC2GC024NX8	OBSOLETE
2-1589473-9	1589472	STM015PC0DCM02Q	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
3-1589473-0	1589472	STM015PC0DM012N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
3-1589473-1	1589472	STM015PC10722N	OBSOLETE
3-1589473-2	1589472	STM015PC10723N	OBSOLETE
3-1589473-3	1589472	STM015PC10724N	OBSOLETE
3-1589473-4	1589472	STM015PC10725N	OBSOLETE
3-1589473-5	1589472	STM015PC1DC002G	OBSOLETE
3-1589473-6	1589472	STM015PC2DC003N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
3-1589473-7	1589472	STM015PC2DC005N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 inches, 1.0 captive jackscrews.
3-1589473-8	1589472	STM015PC2DC006N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.

1-1589788-9	1589472	STM051PC0DM036N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.
2-1589788-0	1589472	STM051PC2DC015Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.
2-1589788-1	1589472	STM037PC0DM060N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.
2-1589788-2	1589472	STM051PC0DM060N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.
2-1589788-3	1589472	STM065PC0DM060N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 60 inches, 1.0 captive jackscrews.
2-1589788-4	1589472	STL037PC2DC018Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-5	1589472	STL051PC2DC018Q	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-6	1589472	STL065PC2DC018Q	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-7	1589472	STM065PC2DY012Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 12 inches, 1.2 captive jackscrews.
2-1589788-8	1589472	STM009PC2DY030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 30 inches, 1.0 captive jackscrews.
2-1589788-9	1589472	STL009PC1DM024N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
3-1589788-0	1589472	STL037PC2DC024N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
3-1589788-1	1589472	STM051PC2GX012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.
3-1589788-2	1589472	STM009PC2GX012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.
3-1589788-3	1589472	STL025PC0DC012N	Dualobe, 2 row, LCP, 25 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589788-4	1589472	STL065PC0DC012N	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589788-5	1589472	STM051PC2DCC50N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.
3-1589788-6	1589472	STM051PC2DCC50Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.
3-1589788-7	1589472	STL009PC2DC024	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
3-1589788-8	1589472	STL051PC2DC018N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
3-1589788-9	1589472	STM015PC2DT2C2Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 22 centimeters, 1.2 captive jackscrews.
4-1589788-0	1589472	STM065PC2DMC46N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 46 centimeters, 1.0 captive jackscrews.
4-1589788-1	1589472	STM009PC2DX012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
4-1589788-2	1589472	STM015PC2DM020N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-3	1589472	STM025PC2DM020N	Dualobe, 2 row, metal, plug, 25 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-4	1589472	STM037PC2DM020N	Dualobe, 2 row, metal, plug, 37 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-5	1589472	STM025PC0DM036N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.
4-1589788-6	1589472	STM065PC0DM036N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
4-1589788-7	1589472	STL025PC2GX036	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches.
4-1589788-8	1589472	STM065PC0DMM01Q	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.2 captive jackscrews.
4-1589788-9	1589472	STM025PC2DT024N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
5-1589788-0	1589472	STM037PC2DTC20Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 20 centimeters, 1.2 jackscrews.
5-1589788-1	1589472	STL037PC3DC001	Dualobe, 2 row, LCP, 37 position, plug, 32 AWG 7 strand, color coded PTFE wire, 1 inch.
5-1589788-2	1589472	STM025PC2MCC20N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 centimeters, 1.0 captive jackscrews.
5-1589788-3	1589472	STM009PC2GX006	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches.
5-1589788-4	1589472	STM015PC0DC036N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-5	1589472	STM025PC0DC036N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-6	1589472	STM037PC0DC036N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-7	1589472	STM051PC0DC036N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-8	1589472	STM065PC0DC036N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-9	1589472	STM015PC2DX005Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 5 inches, 1.2 captive jackscrews.
6-1589788-0	1589472	STM025PC2DC010Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.
6-1589788-1	1589472	STM037PC2DC010Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.
6-1589788-2	1589472	STM065PC2DM036N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
6-1589788-3	1589472	STM009PC2GX006N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches, 1.0 captive jackscrews.
6-1589788-4	1589472	STM025PC2DT084N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 84 inches, 1.0 captive jackscrews.
6-1589788-5	1589472	STM015PC2DX072N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.
6-1589788-6	1589472	STM025PC2DX072N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.
6-1589788-7	1589472	STM037PC2DC001N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.0 captive jackscrews.
6-1589788-8	1589472	STM037PC2DT036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
6-1589788-9	1589472	STL009PC2DC012M	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
7-1589788-0	1589472	STM051PC2DM024N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
7-1589788-1	1589472	STM009PC2DT012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
7-1589788-2	1589472	STM051PC2DT018N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.
7-1589788-3	1589472	STL025PC2DC018M	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
7-1589788-4	1589472	STL025PC2DC018Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
7-1589788-5	1589472	STL009PC0DC036N	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589788-6	1589472	STL009PC0DC036	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches.
7-1589788-7	1589472	STM037PC2DM036	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches.
7-1589788-8	1589472	STM025PC2DC006Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
7-1589788-9	1589472	STM009PC2DC012M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
8-1589788-0	1589472	STM037PC2DT036Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.
8-1589788-1	1589472	STM051PC2DT036Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.
8-1589788-2	1589472	STL037PC2DC012Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
8-1589788-3	1589472	STM009PC2DCM02N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.
8-1589788-4	1589472	STL009PC2DCM02N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.
8-1589788-5	1589472	STM037PC0DC009Q	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 9 inches, 1.2 captive jackscrews.
8-1589788-6	1589472	STM009PC2DCC46N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.
8-1589788-7	1589472	STM025PC2DCC46N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.

5-1589946-8	1589472	STM025PC2DC019Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
5-1589946-9	1589472	STM037PC2DC019Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
6-1589946-0	1589472	STM051PC2DC019Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
6-1589946-1	1589472	STM015PC2DC036Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-2	1589472	STM025PC2DC036Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-3	1589472	STM015PC2DC055N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 55 inches, 1.0 captive jackscrews.
6-1589946-4	1589472	STL025PC2DC006Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
6-1589946-5	1589472	STL025PC2DC012Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
6-1589946-6	1589472	STM009PC2DC036Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-7	1589472	STM051PC2DT012Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.
6-1589946-8	1589472	STS009PC2DM012N	Dualobe, 2 row, stainless, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
6-1589946-9	1589472	STL025PC1DC018	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG solid, color coded PTFE wire, 18 inches.
7-1589946-0	1589472	STL037PC2DT012Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.
7-1589946-1	1589472	STM009PC2DCC25Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.
7-1589946-2	1589472	STM015PC2DCC25Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.
7-1589946-3	1589472	STM015PC2DC006Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
7-1589946-4	1589472	STM009PC2DC018Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
7-1589946-5	1589472	STM037PC2DM036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
7-1589946-6	1589472	STM051PC2DTM02Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 meters, 1.2 captive jackscrews.
7-1589946-7	1589472	STM051PC0DCM02Q	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
7-1589946-8	1589472	STM009PC2DM018Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
7-1589946-9	1589472	STM015PC2DM018Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
8-1589946-0	1589472	STM065PC2DM018Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
8-1589946-1	1589472	STM025PC0DC024N	Dualobe, 2 row, metal, 25 position, plug, 28AWG solid, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
8-1589946-2	1589472	STM037PC2DT045N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 45 inches, 1.0 captive jackscrews.
8-1589946-3	1589472	STM015PC2DCC50Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.
8-1589946-4	1589472	STM037PC2DC200N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 200 inches, 1.0 captive jackscrews.
8-1589946-5	1589472	STM037PC2DC096N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 96 inches, 1.0 captive jackscrews.
8-1589946-6	1589472	STM065PC2DC056N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 56 inches, 1.0 captive jackscrews
8-1589946-7	1589472	STM025PC0DM018N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color-coded PTFE wire per MIL-STD-681, 18 inches, 1.0 captive jackscrews
8-1589946-8	1589472	STM025PC0DM018M	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid,PTFE wire, color coded per MILSTD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 non-captive jackscrews.
8-1589946-9	1589472	STL025PC2DC048N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.
9-1589946-0	1589472	STM009PC2DXC30N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 30 centimeters, 1.0 captive jackscrews
9-1589946-1	1589472	STM009PC2DXM1.8Q	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 1.8 meters, 1.2 captive jackscrews

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)