

| 1986 | TE DA1 | TE 00 | I N : D/N | |
|---|-------------|---------|--------------|---|
| 1985 | TE P/N | TE CD | Nanonics P/N | Part Description |
| Section Company Comp | | | | |
| Templot Temp | | | | |
| Seption Total To | | | | |
| 1998-25 1998 | | | | |
| 1988 1985 STREP-PH Deallow 7 min 1.9 protects, requires between smooth under some many forms to require a few sources of the protects of the protect | | | | |
| 1598082 1986 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 1298 1711 | | | | |
| 1. 1998/2007 1998/2007 197 | | | | |
| 1598842 15988 35111230 15988 35111230 15988 3511230 | | | | |
| Company Comp | | | | |
| 1.5560AS GIURGIAN Davide 2 row. LCP Species recepture, heteracid must, outbact termination, 200 byte, throat endowns, 12.5 (88 musting stores, heart for 10 pickerows.) | | | | |
| 1999-1999 1999-1999- | | | | |
| Expansion 1998 19 | | | | |
| | | | | |
| 1598423 198643 PROSECUE Dubble 2 vov. LPP 37 position, recommend monts, surface termination, 200 for triving beliefforms, 10.1 1/90 mourning position (1) to proceed the process of the process o | | | | |
| FSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS | | | | |
| 245984301 C1904430 C1904430 C1904430 C190440 C19040 | | | | |
| 2,1596452 1596453 1500/12/0 Dudoc 2 row LCP 37 proteins, respective, hydroxide mount, surface termination, 200 lost, inhelded sandrams, 1 2 x 1.00 mounting scene, thread for 1 2 plackorene. | | | | |
| \$19594035 \$1900.00 \$100.00 \$ | | | | |
| 2-15948423 TSSP402 TSSP402 TSSP402 Dualbob 2 on LCP 57 postors, receptable, horozonia moust, surface semination, 200 foot, triving a selfamen, 1 2 x - 160 mounting power will achieve to produce the company of the company | | | | |
| 2-5594545 159455 31.061.1230 Dubble 2 nov. (CP 5) position, receptable, historated many further termination, 200 foot, friends leadingma, 12 x 1.00 mounting steme, thread for 12 plackanes. 2-1594545 159455 1504515 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread leadingma, 10 x 100 mounting steme. Hereal for 12 plackanes. 2-1594555 1504555 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread for 12 plackanes. 2-1594555 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread for 12 plackanes. 2-1594555 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread for 12 plackanes. 2-1594555 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread for 12 plackanes. 2-1594555 Third LT-W Dubble 2 nov. (CP 5) position, receptable, historated mount, surface termination, 200 foot, thread leadingma, friend for 12 plackanes. 3-1594555 Third LT-W Dubble 2 nov. metal. 9 position, receptable, historated mount, surface termination, 200 foot, thread leadingma, friend for 12 plackanes. 3-1594555 Third LT-W Dubble 2 nov. metal. 9 position, receptable, historated mount, surface termination, 200 foot, thread leadingma, 12 x 100 mounting screw 2 standfull, flended for 10 plackanes. 3-1594555 Third LT-W Dubble 2 nov. metal. 9 position, receptable, historated mount, surface termination, 200 foot, thread leadingma, 12 x 100 mounting screw 2 standfull, flended for 10 plackanes. 3-1594555 Third LT-W Dubble 2 nov. metal. 9 position, receptable, historated mount, surface termination, 200 foot, thread leadingma, 12 x 100 mounting screw 2 standfull, flended for 10 plackanes. 3-1594555 Third LT-W Dubble 2 nov. metal. 9 position, receptable, historated mount, surface termination, 200 foot, thread leadingma, | | | | |
| 2-15948426 1595426 1 | | | | |
| \$1594843 \$159484 \$159484 \$15041.PM Dubbles, 2 row, LPC \$5 position, receptable, horizontal mount, surface termination, 200 foot intelled lendframe, 10 x 160 mounting cores, threat of 1-0 jackscrews. | | | | |
| \$1594843 \$1594843 \$1594843 \$150481.N Duabbe, 2 row, LPR & position, receptable, horozonia mont, surface termination, 200 foot, trivialed fearfarms, 10.9 x foot multing screw, Present for 1.0 juckscrews. | | | | |
| 2-1584-243 1584-233 1504-25 | | | | • |
| 2-1598-1493 1598-1493 1598-1493 170000-2270 Duslobe, 2 row, metal 9 position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, mines of position, receptable, horizontal mount, surface termination, 200 for, threshold reading row, process of positions and receptable | | | | |
| 191598430 1989483 1970002.2PN Dubbbe 2 row, metals 9 position, receptable, horizontal mount, surface termination, 200 foot, trivinged leadframe, the 201 For 10 pickscrows. 3-15948431 1989483 1970002.2PN Dubbbe 2 row, metals 9 position, receptable, horizontal mount, surface termination, 200 foot, trivinged leadframe, 10 x 160 mounting position for 10 pickscrows. 3-15948431 1970002.2PN Dubbbe 2 row, metals 15 position, receptable, horizontal mount, surface termination, 200 foot, trivinged leadframe, 10 x 160 mounting position for 10, no hardware, thread for 10 pickscrows. 3-15948341 1970002.2PN Dubbbe 2 row, metals 15 position, receptable, horizontal mount, surface termination, 200 foot, trivinged leadframe, 10 x 160 mounting position for 10 pickscrows. 3-1594834 198483 198483 198493 | | | | |
| 1594831 199483 STM00922N Dublobe, 2 row, metal, 9 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw w 2 standoffs, thread for 1.0 jackscrews. 3159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, we 2 standoffs, thread for 1.0 jackscrews. 3159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.2 jackscrews. 3159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.2 jackscrews. 3159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.2 jackscrews. 3159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.2 jackscrews. 4159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.0 jackscrews. 4159483 STM01622N Dublobe, 2 row, metal, 15 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.0 jackscrews. 4159483 STM01622ND Dublobe, 2 row, metal, 25 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.0 jackscrews. 4159483 STM01622ND Dublobe, 2 row, metal, 25 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10.1 160 mounting screw, thread for 1.0 jackscrews. 4159483 STM01622ND Dublobe, 2 row, metal, 25 position, receptable, hotocortal mount, surface termination, 200 foot, trihead leadframe, 10. | | | | |
| \$1598832 \$1598832 \$1598832 \$150001.25N Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, trivineal leadratime, threat of mounting scene, with a control of positions, receptable, horizontal mount, surface termination, 200 foot, trivineal leadratime, threat of mounting scene, with early of 1,0 placksrews. \$1598483 \$150001.25AD Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, trivineal leadratime, 12 x 1,60 mounting screw, thread for 1 2 placksrews. \$1598483 \$150001.25AD Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, trivineal leadratime, 12 x 1,60 mounting screw, thread for 1 2 placksrews. \$1598483 \$150001.25AD Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, trivineal leadratime, 12 x 1,20 mounting screw, thread for 1 2 placksrews. \$1598483 \$150001.25AD Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, 110 to, trivineal leadratime, 12 x 1,20 mounting screw, thread for 1 2 placksrews. \$1598483 \$150001.25AD Duable, 2 row, metal. § position, receptable, horizontal mount, surface termination, 200 foot, 110 to, | | | | |
| 1-598-983. STM0515.23N Duebe. 2 nov. restal. 15 position, receptable, horizontal mount, surface termination, 2010 rot, inchest leadings. 1, 12 p. 15, 16 mounting scows, thread for 1 plackscows. 3-1598-983. STM0515.24N Duebe. 2 nov. restal. 15 position, receptable, horizontal mount, surface termination, 2010 rot, inchest leadings. 1, 12 p. 15, 16 mounting scows, thread for 1 plackscows. 3-1598-983. STM051.24N Duebe. 2 nov. restal. 15 position, receptable, horizontal mount, surface termination, 2010 rot, inchest leadings. 1, 12 p. 15, 16 p. 15, 16 p. 15, 16 p. 15, 16 p. | | | | |
| 3-159843-5 (19848) STM015L2AQ Duabble, 2 row, metal. 15 position, inceptacle, horizontal mount, surface termination, .020 foot, influed leadrame, 1.2 x. 150 mounting sorw, thread for 1 plackscrews. 3-159843-7 (19848-7 | | | | • |
| 51-5984-50 1598445 1 | | | | |
| 5-159483-7 1594483 STM07512-NC Dualobe, 7 cm, metal, 15 position, neceptacle, horizontal mount, surface termination, 0.20 foot, finhed leadframe, 1.2 x, 200 mounting screw, thread for 1.2 pickscrews. | | | | 3 |
| 5189483 5189483 5189483 5189483 5189483 5180482. Duabbe, 2 row, metal. 15 position, receptacle, horizontal mount, surface termination, , 200 foot, linked leadframe, 12 x 200 mounting screw, thread for 1.2 pickscrews. | | | | |
| 1589483 TM015L2N Dualche 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, Q20 foot, to 1x 610 mounting screw, thread for 1.0 jackscrews. | | | | |
| 4-158483-0 1589483 TM0552.EAN Duabobe, 2 row, metal, 15 position, neceptade, horizontal mount, surface termination, 202 local, 104 acide defiame, 12 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-3 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local, infeed leadframe, 12 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-5 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local, infeed leadframe, 10 x 160 mounting screw, thread for 1.2 jackscrews, 4-158483-5 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local, infeed leadframe, 10 x 160 mounting screw, thread for 1.2 jackscrews, 4-158483-5 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local, infeed leadframe, 10 x 160 mounting screw, thread for 1.2 jackscrews, 4-158483-7 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local infeed leadframe, 10 x 160 mounting screw, thread for 1.2 jackscrews, 4-158483-7 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local infeed leadframe, 10 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-9 1589483 TM0552.EAN Duabobe, 2 row, metal, 25 position, neceptade, horizontal mount, surface termination, 200 local infeed leadframe, 10 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-1 1589483 TM0552.EAN Duabobe, 2 row, metal, 37 position, receptade, horizontal mount, surface termination, 200 local infeed leadframe, 10 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-1 1589483 TM0552.EAN Duabobe, 2 row, metal, 37 position, receptade, horizontal mount, surface termination, 200 local infeed leadframe, 10 x 160 mounting screw, thread for 1.0 jackscrews, 4-158483-1 1589483 | | | | |
| 15884832 1588483 STM025L2AN Dualobe, 2 row, metal. 25 position, receptable, horizontal mount, surface termination, .020 toot, inflead leadramen, 1.2 x. 160 mouring screw, thread for 1.0 jackscrews. | | | | |
| 1-1584843-3 1589483 STM025L2AD Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews, 1-158948-3 158948-3 STM025L2AN Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews, 1-158948-3 STM025L2AD Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1.0 x. 160 mounting screw, thread for 1.2 jackscrews, 1-158948-3 STM025L2D Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1.2 x. 200 mounting screw, thread for 1.2 jackscrews, 1-158948-3 STM025L2D Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1.2 x. 200 mounting screw, thread for 1.2 jackscrews, 1-158948-3 STM025L2D Dualobe, 2 row, metal, 25 position, receptable, horizontal mount, surface termination, 020 foot, timeda leadrame, 1-10 mounting screw, with a service of the se | | | | |
| 1589483-4 1589483 STM025L2FN | | | | |
| 4-1598483-5 1589483 STM025L2HN Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 1.0 x. 150 mounting sorew, thread for 1.0 jackscrews. 4-1598483-7 1589483 STM025L2HO Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 1.0 x. 150 mounting sorew, thread for 1.0 jackscrews. 4-1598483-7 1589483 STM025L2HD Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 1.0 x. 150 mounting screw w. and sheaks tape, thread for 1.0 jackscrews. 4-1598483-9 1589483 STM025L2HD Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, thread for 1.0 jackscrews. 4-1598483-9 1589483 STM025L2HD Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, thread for 1.0 jackscrews. 4-1598483-2 1589483 STM035L2HD Dualobe 2 row, metal. 25 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, thread mounting screw, thread for 1.0 jackscrews. 4-1598483-2 1589483 STM035L2HD Dualobe 2 row, metal. 37 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 12 x. 150 mounting screw, thread for 1.0 jackscrews. 4-1598483-5 1589483 STM035L2HD Dualobe 2 row, metal. 37 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 12 x. 150 mounting screw, thread for 1.0 jackscrews. 4-1598483-5 1589483 STM035L2HD Dualobe 2 row, metal. 37 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 12 x. 150 mounting screw, thread for 1.0 jackscrews. 4-1598483-5 1589483 STM035L2HD Dualobe 2 row, metal. 37 position, receptate, horizontal mount, surface termination, 020 foot, tindeal leadframe, 10 x. 150 mounting screw w. thread for 1.0 jackscrews. 4-1598483-5 158 | | | | |
| 4-1589483-7 1589483 STM025L2PLQ Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 160 mounting screw, thread for 1.2 jackscrews. 4-1589483-7 1589483 STM025L2PL Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 160 mounting screw, thread for 1.0 jackscrews. 4-1589483-7 1589483 STM025L2PN Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-2 1589483 STM035L2PN Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, thread for 1.0 jackscrews. 5-1589483-2 1589483 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, thread for 1.0 jackscrews. 5-1589483-3 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 16 mounting screw, thread for 1.0 jackscrews. 5-1589483-3 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 16 mounting screw, thread for 1.0 jackscrews. 5-1589483-1 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-1 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, 1 oz. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-1 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead leadframe, to 10 position screws, thread for 1.0 jackscrews. 5-1589483-1 STM035L2PN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tindead lead | | | | |
| 4.1589483.7 1589483. STM025L2IV. Dualobe, 2 row, metal. 25 position, receptacle, horizontal mount, surface termination, .020 foot, infead leadframe, 1.0 x 160 mounting screw, whread for 1.2 jackscrews. 4.1589483.7 1589483. STM025L2IN. Dualobe, 2 row, metal. 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, 1.0 x 160 mounting screw, whread for 1.0 jackscrews. 5.1589483.2 1589483. STM025L2IN. Dualobe, 2 row, metal. 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 5.1589483.3 STM025L2IN. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 5.1589483.3 STM037L2AN. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 5.1589483.3 STM037L2AN. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, 1.2 x 160 mounting screw, thread for 1.0 jackscrews. 5.1589483.5 STM037L2ND. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, 1.2 x 160 mounting screw, thread for 1.0 jackscrews. 5.1589483.5 STM037L2ND. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, 1.0 x 160 mounting screw, thread for 1.0 jackscrews. 5.1589483.5 STM037L2ND. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 6.1589483.5 STM037L2ND. Dualobe, 2 row, metal. 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 6.1589483.5 STM037L2ND. Dualobe, 2 row, metal. 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/fead leadframe, thread for 1.0 jackscrews. 6.1589483.5 STM051L2N | | | | |
| 1-1589483-7 1589483 STM025L2/N Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, with achieves. 1-1589483-7 1589483 STM025L2RN Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, theread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, theread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.2 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw w. 2 transfortify, thread for 1.0 jackscrews. 1-1589483-7 1589483 STM037L2AN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, 202 foot, tin/lead leadframe, 1.2 x. 160 mounting screw w. 2 transfortify, thread for 1.0 jackscrews. 1-1589483-7 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 1589483 15 | | | | |
| 1-1589483 1589483 STM025L2N Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 5-1589483 STM025L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, thread mounting screw, thread for 1.0 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.2 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483 STM037L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w/2 standoffs, thread for 1.0 jackscrews. 6-1589483 STM051L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w/2 standoffs, thread for 1.0 jackscrews. 6-1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, w/2 standoffs, thread for 1.0 jackscrews. 6-1589483 STM051L2N Dualobe, 2 row, metal, 51 position, rece | | | | |
| 5-1589483-2 1589483 STM057L2RN Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leaframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 5-1589483-3 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, 1.2 x. 150 mounting screw, thread for 1.0 jackscrews. 5-1589483-5 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, 1.2 x. 150 mounting screw, thread for 1.0 jackscrews. 5-1589483-5 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, 1.0 x. 150 mounting screw, thread for 1.0 jackscrews. 5-1589483-5 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, elearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, elearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 5-1589483-9 1589483 STM051L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, elearance hole for 1.0 mounting screw with standors, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, 1.2 x. 150 mounting screw with adhesive tape, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, in/lead leadframe, 1.2 x. 150 mounting screw with adhesive tape, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 f | | | | |
| 5-1589483-3 1589483 STM037L23N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-4 1589483 STM037L2ND Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-5 1589483 STM037L2ND Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-6 1589483 STM037L2ND Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2ND Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2ND Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screw w/2 standoffs, thread for 1.0 jackscrews. 5-1589483-9 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screw w/2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw, thread for 1.2 jackscrews. 6-1589483-3 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-3 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, | | | | |
| 5-1589483-3 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews. 5-1589483-5 1589483 STM037L2AN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM051L2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2BQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/a dhesive tape, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM051L2BQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/a dhesive tape, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM051L2CN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe | | | | |
| 5-1589483-5 1589483 STM037L2NN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.2 jackscrews. 5-1589483-6 1589483 STM037L2NN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2NN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w2 standoffs, thread for 1.0 jackscrews. 5-1589483-9 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw w2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w3 ethesive tape, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 200 mounting screw w3 ethesive tape, thread for 1.0 jackscrews. 6-1589483-4 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w4 metal for 1.0 jackscrews. 6-1589483-5 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lea | | | | |
| 5-1589483-5 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM037L2RN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 5-1589483-7 1589483 STM051L2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 6-1589483-0 1589483 STM051L2AD Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x.160 mounting screw, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2BQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x.160 mounting screw, widensive tape, thread for 1.2 jackscrews. 6-1589483-3 1589483 STM051L2DQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw widensive tape, thread for 1.0 jackscrews. 6-1589483-3 1589483 STM051L2HD Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 6-1589483-4 1589483 STM051L2HD Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2HD Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1. | | | | |
| 5-1589483-7 1589483 STM051L2N Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.0 jackscrews. 5-1589483-9 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, in hardware, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x. 160 mounting screw w/ adhesive tandor 1.2 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 6-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, thread for 1.2 jackscrews. 6-1589483-5 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x. 160 mounting screw, w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-8 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termina | | | | |
| 5-1589483-7 1589483 STM03TL2SN Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/2 standoffs, thread for 1.0 jackscrews. 5-1589483 STM05TL2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM05TL2DQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-3 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-4 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 6-1589483-5 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 6-1589483-7 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-7 1589483 STM05TL2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, elearnace hole for 1.0 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-8 1589483 STM05TL2DN Dualobe, 2 row, metal, 55 position, receptacle, horizontal mount, surface termination, .020 foo | | | STM037L2RN | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. |
| 5-1589483-9 1589483 STM051L2AN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x . 160 mounting screw, thread for 1.2 jackscrews. 6-1589483-1 1589483 STM051L2AQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x . 160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. 6-1589483-2 1589483 STM051L2CN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x . 160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 6-1589483-3 1589483 STM051L2HN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x . 160 mounting screw, thread for 1.0 jackscrews. 6-1589483-5 1589483 STM051L2HQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x . 160 mounting screw, thread for 1.2 jackscrews. 6-1589483-5 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x . 160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews. 6-1589483-7 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM055L2N Dualobe, 2 row, metal, 65 position, | | | STM037L2SN | |
| 6-1589483 STM051L2AQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. STM051L2BQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ a standoffs, thread for 1.0 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ a standoffs, thread for 1.0 jackscrews. STM051L2HN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. STM051L2HQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. STM051L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1. | | | STM051L23N | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. |
| 6-1589483-1 1589483 STM051L2RQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ adhesive tape, thread for 1.2 jackscrews. 6-1589483-2 1589483 STM051L2HN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-4 1589483 STM051L2HN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-5 1589483 STM051L2JN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-6 1589483 STM051L2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews. 6-1589483-8 1589483 STM051L2DN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-0 1589483 STM051L2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screws, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 158948 | | | STM051L2AQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. |
| 6-1589483-3 1589483 STM051L2HN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 6-1589483-5 1589483 STM051L2JN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-5 1589483 STM051L2JN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-7 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 6-1589483-8 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 7-1589483-9 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2AQ Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounti | | 1589483 | STM051L2BQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ adhesive tape, thread for 1.2 jackscrews. |
| 6-1589483-4 1589483 STM051L2NQ Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. 6-1589483-5 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-7 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 6-1589483-8 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-0 1589483 STM051L2ND Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw, w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, w/ adhesive tape, thread for 1. | 6-1589483-2 | 1589483 | STM051L2CN | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. |
| 6-1589483-5 1589483 STM051L2JN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2RN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 6-1589483-8 1589483 STM051L2RN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole addraws, thread for 1.0 jackscrews. 7-1589483-0 1589483 STM051L2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2AQ Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting screws, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2CN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screws w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, | 6-1589483-3 | 1589483 | STM051L2HN | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. |
| 6-1589483-5 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 6-1589483-6 1589483 STM051L2N Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. 6-1589483-8 I589483 STM051L2RN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 7-1589483-0 1589483 STM051L2SN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2AQ Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.2 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1 | 6-1589483-4 | 1589483 | STM051L2HQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. |
| 6-1589483-7 1589483 STM051L2RN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. 7-1589483-0 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-2 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ and leadframe, 1.0 x .160 mounting screw w/ and leadframe, 1.0 x .160 mounting screw w/ and leadframe, 1.0 yackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. | | | STM051L2JN | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. |
| 6-1589483-8 1589483 STM051L2SN Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screws, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. | 6-1589483-6 | 1589483 | STM051L2Q | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews. |
| 7-1589483-0 1589483 STM065L23N Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. 7-1589483-1 1589483 STM065L2AQ Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x.160 mounting screws, thread for 1.2 jackscrews. 7-1589483-3 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw // 2 standsforts grews, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2ND Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews. | 6-1589483-7 | 1589483 | STM051L2RN | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews. |
| 7-1589483-1 1589483 STM065L2AQ Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.2 jackscrews. 7-1589483-2 1589483 STM065L2CN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2HN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2JN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. | 6-1589483-8 | 1589483 | STM051L2SN | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. |
| 7-1589483-2 1589483 STM065L2CN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. 7-1589483-3 1589483 STM065L2HN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2JN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. | | 1589483 | STM065L23N | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. |
| 7-1589483-3 1589483 STM065L2HN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. 7-1589483-4 1589483 STM065L2JN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. | 7-1589483-1 | 1589483 | STM065L2AQ | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.2 jackscrews. |
| 7-1589483-4 1589483 STM065L2JN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. | 7-1589483-2 | 1589483 | STM065L2CN | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. |
| | 7-1589483-3 | 1589483 | STM065L2HN | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews. |
| 7-1589483-5 1589483 STM065L2KN Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews. | 7-1589483-4 | 1589483 | STM065L2JN | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews. |
| | 7-1589483-5 | 1589483 | STM065L2KN | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews. |



| 7-1589483-7 | 1589483 | STM015L2CN | Dualobe, 2 row, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews. |
|-------------|---------|------------|--|
| 7-1589483-8 | 1589483 | STM009L2CN | Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews. |
| 7-1589483-9 | 1589483 | STM051L2IQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews. |
| 8-1589483-0 | 1589483 | STM065L2IQ | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews. |
| 8-1589483-1 | 1589483 | STM037L2CN | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. |
| 8-1589483-2 | 1589483 | STM009L2AQ | Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. |
| 8-1589483-3 | 1589483 | STL009L23N | Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews. |
| 8-1589483-4 | 1589483 | STM037L2N | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews. |
| 8-1589483-5 | 1589483 | STL037L2N | Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews. |
| 8-1589483-6 | 1589483 | STL015L2N | Dualobe, 2 row, LCP, 15 position, receptacle horizontal mount, surface termination, .020 foot tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews. |
| 8-1589483-7 | 1589483 | STL015L2HQ | Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. |
| 8-1589483-8 | 1589483 | STL025L2HQ | Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews. |
| 8-1589483-9 | 1589483 | STL025L2CN | Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews. |
| 9-1589483-0 | 1589483 | STL065L2AQ | Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. |
| 9-1589483-1 | 1589483 | STM037L2IQ | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews. |
| 9-1589483-2 | 1589483 | STL009L2AQ | Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. |
| 9-1589483-3 | 1589483 | STG051L2AQ | Dualobe, 2 row, gold, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews. |
| 9-1589483-4 | 1589483 | STL051L2AN | Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews. |
| 9-1589483-5 | 1589483 | STM037L2TQ | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .250 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 9-1589483-6 | 1589483 | STM051L2TQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .250 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 9-1589483-7 | 1589483 | STL037L2KN | Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews. |
| 9-1589483-8 | 1589483 | STM037L2KN | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews. |
| 9-1589483-9 | 1589483 | STM009L2AN | Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews. |
| 1589951-1 | 1589483 | STM009L2DQ | Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1589951-2 | 1589483 | STM015L2DQ | Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/2 standoffs, thread for 1.2 jackscrews. |
| 1589951-3 | 1589483 | STM025L2DQ | Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1589951-4 | 1589483 | STM037L2DQ | Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1589951-5 | 1589483 | STM051L2DQ | Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1589951-6 | 1589483 | STM065L2DQ | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1589951-7 | 1589483 | STM009L2IQ | Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews. |
| 1589951-8 | 1589483 | STM015L2IQ | Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews. |
| 1589951-9 | 1589483 | STL015L2DQ | Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1-1589951-0 | 1589483 | STL025L2DQ | Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1-1589951-1 | 1589483 | STL051L2DQ | Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1-1589951-2 | 1589483 | STL065L2DQ | Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1-1589951-3 | 1589483 | STM065L2AN | Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.0 jackscrews. |
| 1-1589951-4 | 1589483 | STL009L2DQ | Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews. |
| 1-1589951-5 | 1589483 | STL009L2CN | Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. |
| 1-1589951-6 | 1589483 | STL051L2N | Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews. |
| | | + | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Rectangular Mil Spec Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

006-1169-16 CSR31343-0001-00000 CSR31346-0001-A0001 CSR31899-0001-00000 CSR31900-0001-A0001 CTJ-3D-05 CTS-S16/16

M55302/57A36X M55302/58-A70Y 65002-062 65008-D08 CY4602-000 732-8020-01 732-8021-02 B 77058-22-55PN 81542-20

86.030.0053.0 1241346-1 RM252-020-311-2900 DMC-M 08-16 SNE 1589051-4 BACC65CAMA BACC65CAMN BACC65CP1PN

BACI10BC1220PN 18023-9 HSB-D4S03DM222X 2217548-1 891-009-15SA2-BRT1T SIM2S100A 1604996-2 SMD25PN90L-4055

1925036-4 220A012-25225-0 22628-10-6P-791 CSR31343-0001-A0001 CSR31899-0001-A0001 CSR31900-0001-00000 33526M11-08PD

RE04-212S CTD160E01F-6148 CTJ112E03B CTJ122E02D-8000 CTJ-3D-12 CTJ920E06N-513 CTJ920E12N-513 CTL-16-090 CTR06-5100SY M55302/63A20H M55302/66-30H