

	TE OD		
TE P/N	TE CD	Nanonics P/N	Part Description
1589483-1	1589483	STG025L2AQ	Dualobe, 2 row, gold, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
1589483-2	1589483	STG037L2AQ	Dualobe, 2 row, gold, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
1589483-3	1589483	STG037L2HN	Dualobe, 2 row, gold, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1589483-6	1589483	STG065L2HN	Dualobe, 2 row, gold, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1589483-7	1589483	STG065L2KN	Dualobe, 2 row, gold, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
1589483-8	1589483	STL009L2H	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screws jackscrews.
1589483-9	1589483	STL009L2HN	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screws, thread for 1.0 jackscrews.
1-1589483-0	1589483	STL015L23N	Dualobe, 2 row, LCP, 15 position, receptacle horizontal mount, surface termination, .020 foot tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
1-1589483-1	1589483	STL015L2AN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadrame, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
1-1589483-2	1589483	STL015L2AQ	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
1-1589483-3	1589483	STL015L2CN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589483-4	1589483	STL015L2HN	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1-1589483-5	1589483	STL025L2AN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
1-1589483-6	1589483	STL025L2AQ	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
1-1589483-7	1589483	STL025L2HN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1-1589483-8	1589483	STL025L2JN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews.
1-1589483-9	1589483	STL037L23N	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
2-1589483-0	1589483	STL037L2AN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589483-1	1589483	STL037L2AQ	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
2-1589483-2	1589483	STL037L2HN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589483-3	1589483	STL037L2JN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews.
2-1589483-4	1589483	STL051L2AQ	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
2-1589483-5	1589483	STL051L2CN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
2-1589483-6	1589483	STL051L2HN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589483-7	1589483	STL065L2HN	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
2-1589483-8	1589483	STL065L2N	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews.
2-1589483-9	1589483	STM009L23N	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
3-1589483-0	1589483	STM009L2HN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
3-1589483-1	1589483	STM009L2N	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews.
3-1589483-2	1589483	STM009L2SN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
3-1589483-4	1589483	STM015L23N	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
3-1589483-5	1589483	STM015L2AQ	Dualobe, 2 row, metal, 15 position, receptade, horizontal mount, surface termination, 020 foot, tin/ead leadframe, 1.2 x 160 mounting scenario termination, jackscenas.
3-1589483-6	1589483	STM015L2HN	Dualobe, 2 row, metal, 15 position, receptade, horizontal mount, surface termination, 020 foot, tin/ead leadframe, 1.0 x 160 mounting server, interaction 1.2 policional.
3-1589483-7	1589483	STM015L2HQ	Dualobe, 2 row, metal, 15 position, receptade, horizontal moun, surface termination, 020 foot, tin/ead leadframe, 1.0 x 160 mounting server, interaction to policional.
3-1589483-8	1589483	STM015L2LQ	Dualobe, 2 row, metal, 15 position, receptade, horizontal mount, surface termination, 020 rod, tin/ead teadmane; 10 x 100 mounting sofew, timead to 12 packstews.
3-1589483-9	1589483	STM015L2N	Dualobe, 2 row, metal, 15 position, receptade, horizontal mount, surface termination, 020 rod, tin/ead leadframe, thread for 1.0 lackscrews.
	1589483	STM015L2SN	Dualobe, 2 row, metal, 15 position, receptade, horizontal mount, surface termination, 020 rod, 10 x 160 mounting screew v2 standoffs, thread for 1.0 jackscrews.
4-1589483-0		STM015L2SN STM025L2AN	Dualobe, 2 row, metal, 5 position, receptade, horizontal mount, surface termination, 020 root, 1.0 x . roo mounting screw w 2 standours, unread for 1.0 jackscrews.
4-1589483-2	1589483		
4-1589483-3	1589483	STM025L2AQ STM025L2CN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x 160 mounting screw, thread for 1.2 jackscrews.
4-1589483-4	1589483		Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589483-5	1589483	STM025L2HN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
4-1589483-6	1589483	STM025L2HQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, fin/lead leadframe, 1.0 x 160 mounting screw, thread for 1.2 jackscrews.
4-1589483-7	1589483	STM025L2IQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
4-1589483-8	1589483	STM025L2JN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead lead/rame, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews.
4-1589483-9	1589483	STM025L2N	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, thread for 1.0 jackscrews.
5-1589483-0	1589483	STM025L2RN	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leaframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews.
5-1589483-2	1589483	STM037L23N	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
5-1589483-3	1589483	STM037L2AN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
5-1589483-4	1589483	STM037L2AQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
5-1589483-5	1589483	STM037L2HN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
5-1589483-6	1589483	STM037L2RN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews.
5-1589483-7	1589483	STM037L2SN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
5-1589483-9	1589483	STM051L23N	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
6-1589483-0	1589483	STM051L2AQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
6-1589483-1	1589483	STM051L2BQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ adhesive tape, thread for 1.2 jackscrews.
6-1589483-2	1589483	STM051L2CN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589483-3	1589483	STM051L2HN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
6-1589483-4	1589483	STM051L2HQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews.
6-1589483-5		STM051L2JN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw w/ adhesive tape, thread for 1.0 jackscrews.
6-1589483-6	1589483	STM051L2Q	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.2 jackscrews.
6-1589483-7	1589483	STM051L2RN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, clearance hole for 1.0 mounting screw, thread for 1.0 jackscrews.
6-1589483-8	1589483	STM051L2SN	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589483-0	1589483	STM065L23N	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
7-1589483-1	1589483	STM065L2AQ	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x 160 mounting screws, thread for 1.2 jackscrews.
7-1589483-2	1589483	STM065L2CN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x.200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
7-1589483-3	1589483	STM065L2HN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 jackscrews.
7-1589483-4	1589483	STM065L2JN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.0 x.160 mounting screw w/ adhesive tage, thread for 1.0 jackscrews.
7-1589483-5	1589483	STM065L2KN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 0.02 foot, tin/lead leadframe, 1.0 x.200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
1-1009400-0	1003400		



		OTHICLE CON	
7-1589483-7	1589483	STM015L2CN	Dualobe, 2 row, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
7-1589483-8	1589483	STM009L2CN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
7-1589483-9	1589483	STM051L2IQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
8-1589483-0	1589483	STM065L2IQ	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
8-1589483-1	1589483	STM037L2CN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
8-1589483-2	1589483	STM009L2AQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
8-1589483-3	1589483	STL009L23N	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, no hardware, thread for 1.0 jackscrews.
8-1589483-4	1589483	STM037L2N	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews.
8-1589483-5	1589483	STL037L2N	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews.
8-1589483-6	1589483	STL015L2N	Dualobe, 2 row, LCP, 15 position, receptacle horizontal mount, surface termination, .020 foot tin/lead leadframe, thread mounting location for 1.0, thread for 1.0 jackscrews.
8-1589483-7	1589483	STL015L2HQ	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews.
8-1589483-8	1589483	STL025L2HQ	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.2 jackscrews.
8-1589483-9	1589483	STL025L2CN	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
9-1589483-0	1589483	STL065L2AQ	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
9-1589483-1	1589483	STM037L2IQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
9-1589483-2	1589483	STL009L2AQ	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
9-1589483-3	1589483	STG051L2AQ	Dualobe, 2 row, gold, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
9-1589483-4	1589483	STL051L2AN	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
9-1589483-5	1589483	STM037L2TQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .250 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
9-1589483-6	1589483	STM051L2TQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .250 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
9-1589483-7	1589483	STL037L2KN	Dualobe, 2 row, LCP, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
9-1589483-8	1589483	STM037L2KN	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
9-1589483-9	1589483	STM009L2AN	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.0 jackscrews.
1589951-1	1589483	STM009L2DQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1589951-2	1589483	STM015L2DQ	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/2 standoffs, thread for 1.2 jackscrews.
1589951-3	1589483	STM025L2DQ	Dualobe, 2 row, metal, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1589951-4	1589483	STM037L2DQ	Dualobe, 2 row, metal, 37 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1589951-5	1589483	STM051L2DQ	Dualobe, 2 row, metal, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1589951-6	1589483	STM065L2DQ	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screws w/ 2 standoffs, thread for 1.2 jackscrews.
1589951-7	1589483	STM009L2IQ	Dualobe, 2 row, metal, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
1589951-8	1589483	STM015L2IQ	Dualobe, 2 row, metal, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .200 mounting screw, thread for 1.2 jackscrews.
1589951-9	1589483	STL015L2DQ	Dualobe, 2 row, LCP, 15 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589951-0	1589483	STL025L2DQ	Dualobe, 2 row, LCP, 25 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589951-1	1589483	STL051L2DQ	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589951-2	1589483	STL065L2DQ	Dualobe, 2 row, LCP, 65 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589951-3	1589483	STM065L2AN	Dualobe, 2 row, metal, 65 position, receptacle, horizontal mount, surface termination, 020 foot, tin/lead leadframe, 1.2 x .160 mounting screws, thread for 1.0 jackscrews.
1-1589951-4	1589483	STL009L2DQ	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
1-1589951-5	1589483	STL009L2CN	Dualobe, 2 row, LCP, 9 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589951-6	1589483	STL051L2N	Dualobe, 2 row, LCP, 51 position, receptacle, horizontal mount, surface termination, .020 foot, tin/lead leadframe, thread for 1.0 jackscrews.
		1	

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Rectangular Mil Spec Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

 006-1169-16
 CSR31343-0001-00000
 CSR31346-0001-A0001
 CSR31899-0001-00000
 CSR31900-0001-A0001
 CTJ-3D-05
 CTS-S16/16

 M55302/57A36X
 M55302/58-A70Y
 65002-062
 65008-D08
 CY4602-000
 732-8021-02
 B
 77058-22-55PN
 81542-20

 86.030.0053.0
 1241346-1
 RM252-020-311-2900
 DMC-M 08-16
 SNE
 1589051-4
 BACC65CAMA
 BACC65CAMN
 BACC65CP1PN

 BACI10BC1220PN
 18023-9
 HSB-D4S03DM222X
 2217548-1
 891-009-15SA2-BRT1T
 SIM25100A
 1604996-2
 SMD25PN90L-4055

 1925036-4
 220A012-25225-0
 22628-10-6P-791
 CSR31343-0001-A0001
 CSR31899-0001-A0001
 CSR31900-0001-00000
 33526M11-08PD

 RE04-212S
 CTD160E01F-6148
 CTJ112E03B
 CTJ122E02D-8000
 CTJ-3D-12
 CTJ920E06N-513
 CTL-16-090
 CTR06-5100SY

 M55302/63A20H
 M55302/66-30H
 M81714/63-22S
 W/PLUGS INS
 NS