

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
V3		REVISED PER ECO-14-008433	05JUN2014	NK	MZ
W		REVISED PER ECR-16-016563	07DEC2016	RS	MZ

1 POLYOLEFIN, BLACK.  
 2 NYLON, BLACK.  
 3 NOMINAL WALL THICKNESS, EXPANDED.  
 4 LENGTH OF SEALANT.  
 5 EXPANDED INSIDE DIAMETER.  
 6 12.70[.500] MAXIMUM RECOVERED INSIDE DIAMETER.  
 7 ASSEMBLY WILL PASS 0.0703 KG PER SQ CENTIMETER [ONE POUND PER SQ IN.] WATER PRESSURE TEST.  
 8 121°C [250°F] SHRINK TEMPERATURE.  
 9 -55°C TO 110°C [-67°F TO 230°F] OPERATING TEMPERATURE.  
 10 THIS PART WILL ACCOMODATE  $\phi 13.97 - \phi 31.75$  [ $\phi 0.550 - \phi 1.250$ ] CABLE RANGE.  
 11 NO SEALANT APPLIED.  
 12 ACTUAL SHAPE MAY VARY DUE TO PROCESS VARIANCE.  
 13 OBSOLETE PARTS.  
 14 SEE P/N CHART FOR MARKING. WHITE CHARACTERS .15 MIN HIGH AND LOCATED ON THE OUTSIDE SURFACE OF THE TUBING.  
 15 PRELIMINARY PART - NOT FOR PRODUCTION

MARKING	THREAD "A"	PART NUMBER
13	1 3/8-18 UNEF-2B	54012-7
11, 13	1 7/16-18 UNEF-2B	54012-6
11, 13	1 3/8-18 UNEF-2B	54012-5
	1 7/16-18 UNEF-2B	54012-4
13	1 3/16-18 UNEF-2B	54012-3
	1 3/8-18 UNEF-2B	54012-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.REIFSNYDER 10 APR 96		
DIMENSIONS: INCHES		CHK R.STONE 15 APR 95		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T.A.WETZEL 03 MAY 96	NAME	
0 PLC ± -		PRODUCT SPEC	STRAIN RELIEF ASSY, SHELL SIZE 23, CPC	
1 PLC ± -		APPLICATION SPEC	SIZE	CAGE CODE
2 PLC ± -			A2	00779
3 PLC ± -		WEIGHT	DRAWING NO	
4 PLC ± -			C=54012	
ANGLES ± -		CUSTOMER DRAWING	SCALE	SHEET
FINISH			2:1	1 of 1
MATERIAL			REV	W
TUBING: 1				
SLEEVE: 2				

1471-9 (1/15)

54012

B

A

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Standard Circular Connector](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[5M2530B10P](#) [600259N006](#) [600273N007](#) [6134-336-13149](#) [6134-337-11149](#) [6134-337-2390](#) [6134-341-17149](#) [6280-4SG-516](#) [6280-7SG-3DC](#)  
[6290](#) [6291A](#) [66200A-10](#) [680-SMG](#) [681-PMG](#) [CXS3102A14S2P](#) [CXS3102A181S](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [75-474618-01S](#) [75-](#)  
[474618-04P](#) [75-474618-04S](#) [799539-000](#) [MI8-SE](#) [805-005-07NF11-19PC](#) [805-005-07NF15-7PA](#) [8280-4PG-516](#) [8280-7PG-519](#) [8282-5PG-](#)  
[519](#) [836783-1](#) [MP-4102-25P-C](#) [862256-1](#) [864019-2](#) [866857-1](#) [867865-1](#) [PT01SP-14-18P](#) [PT08P-14-5S](#) [120-1833-000](#)  
[QCM019PC2DC012B](#) [1-2069279-1](#) [121583-0217](#) [121667-0020](#) [129591AU](#) [1000B BULK](#) [RD10A16-19-P6CS051/1](#) [RD10A20-31-](#)  
[P8CS051/1](#) [RD16A14-12-S6CS051/2](#) [1301240290](#) [1301240347](#) [1301860202](#) [1301240268](#) [1301240275](#)