
## 562A022-25-0 - ACTIVE

#### Raychem

TE Internal #: 823811-000 Cable Transitions & Breakouts, Y Shape, 5 Branches , 25, 25, Adhesive Purchased Separately Adhesive Requirement View on TE.com >



Wire Protection & Management > Heat Shrink Molded Shapes > Cable Transitions & Breakouts



#### Molded Part Shape: Y Shape

Number of Branches & Legs: 5

Material Code: 25

Material Systems Code: 25

Adhesive Requirement: Adhesive Purchased Separately

### Features

#### **Product Type Features**

Configuration Features		
Size Code	022	
Molded Part Shape	Y Shape	

Number of Branches & Legs

5

Adhesive Requirement

### Adhesive Purchased Separately

#### **Body Features**

Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25
Dimensions	
Inside Diameter Range (Leg 2)	5.3 – 9.4 mm[.21 – .37 in]
Inside Diameter Range (Leg 3)	5.3 – 9.4 mm[.21 – .37 in]
Inside Diameter Range (Body)	9.7 – 19.3 mm[.38 – .76 in]
Inside Diameter Range (Leg 1)	5.3 – 9.4 mm[.21 – .37 in]
Inside Diameter Range (Leg 4)	5.3 – 9.4 mm[.21 – .37 in]
Usage Conditions	
Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]

**Operation/Application** 

**C** For support call+1 800 522 6752

08/19/2021 10:30PM | Page 1

### 562A022-25-0

Cable Transitions & Breakouts, Y Shape, 5 Branches , 25, 25, Adhesive Purchased Separately Adhesive Requirement



Power Cable Accessory	No
Industry Standards	
Government Qualified	No
Other	
Adhesive Code	S1125
Molded Part Shape Code	562A
Fluid & Chemical Resistance	Long-Term Exposure at High Temperature
Comment	Contact Raychem for additional adhesive and/or cut off boot length information
Comment Product Compliance For compliance documentation, visit the product page on TE.com>	-
Product Compliance	-
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	and/or cut off boot length information
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	and/or cut off boot length information Compliant

#### Halogen Content

Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

Does not contain REACH SVHC


Out of Scope - excluded from Halogen requirements

Not applicable for solder process capability


#### 562A022-25-0

Cable Transitions & Breakouts, Y Shape, 5 Branches , 25, 25, Adhesive Purchased Separately Adhesive Requirement





# Customers Also Bought



44A0121-16-0/9	55A1121-24-0/9-9	0024A0311-0	DR-25-1/8-0-FAR-10M	
TE Part #1456946001				
DR-25-1/2-0-FAR-7M				
Documents				
Product Drawings				
562A022-25-0				
English				
Datasheets & Catalog	Pages			
1654025_Sec425				
English				
Raychem Molded Parts	Visual Guide			
English				

**C** For support call+1 800 522 6752

### 562A022-25-0

Cable Transitions & Breakouts, Y Shape, 5 Branches , 25, 25, Adhesive Purchased Separately Adhesive Requirement



Product Environmental Compliance Safety Datasheet Safety Datasheet Safety Datasheet English Safety Datasheet French Safety Datasheet German Safety Datasheet Safety Datasheet Safety Datasheet

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Cable Boots & End Caps category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

577159N001 645494-000 CX4132-000 687025-000 705331-000 718446-000 725666N001 729257-000 F27131-000 F85868-000 770-003S106W2 770-013210W1 770-013311 770-013312 806542N001 807507-000 808362-000 808618-000 809125-000 809130-000 809218-000 812014-000 812047-000 813166-000 813767N002 814741-000 819117N001 823026-000 823070-000 841189N001 861471-000 866647-000 879515-000 937577-000 957073-000 982033-2 A77813-000 R280576000 D96192-000 163549-000 EN3BOOTLKIT MTPSRBCL-C 1954015-1 200W531-3-0 202A163-4-0-CS5067 202A343-3-00-0 202B221-13-0 202B231-13-0 202B563-25-07-0 202C241-13-0