TSAS-NR501-X-25MM ACTIVE



Raychem | Raychem TSAS

TE Internal #: 5670416002

Raychem TSAS, Heat Shrink Tubing, Clear, Single Wall Type, Adhesive, Non-Flame-Retardant, Reel, Operating Temperature

Range -30 – 125 °C, Flexible

View on TE.com >



Heat Shrink Tubing



Primary Product Color: Clear

Wall Type: Single

Primary Product Material: Adhesive

Heat Shrink Tubing Flammability: Non-Flame-Retardant

Packaging Method: Reel

Features

Product Type Features

Wall Type	Single
Body Features	
Primary Product Color	Clear
Primary Product Material	Adhesive
Flexibility	Flexible
Dimensions	
Cut Length	25 mm[.984 in]
Usage Conditions	
Heat Shrink Tubing Flammability	Non-Flame-Retardant
Operating Temperature Range	-30 – 125 °C
Product Availability	
Applicable Region	Global

Packaging Features



Packaging Method	Reel
Other	
Product Source	Czech Republic

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Raychem TSAS





Customers Also Bought









Documents

Product Drawings

TSAS-NR501-X-25MM

English

Datasheets & Catalog Pages

Measuring_Single_Wall_Tubing

English

Selecting_Correct_Tubing

English

Product Specifications

Quality Specification

English

Product Environmental Compliance

Safety Datasheet

Safety Datasheet

English

Safety Datasheet

French

Safety Datasheet

German

Safety Datasheet

Safety Datasheet

Safety Datasheet

Safety Datasheet

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Other Tools category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

CR-0AFL4--332K 568681-1 5800-0090 58061-1 59065-5 59085 00-8273-RDPP 00-8729-WHPP 593033 593072 593564100 593575
593593 011349-000 CRCW08052740FRT1 LUC-012S070DSM LUC-018S070DSP LUC-024S105DSP 599-2021-3-NME 599-JJ-2021-03
00-5080-YWPP 00-9089-RDPP 00-9300-RDPP CRCW2010331JR02 601-JJ-06 601-SPB 601YSY 602-JJ-03 602SPB 603-JJ-07-FP 603JJY-04 M15570-25 CRTN1013 CS16 6-1579014-0 6203 62200-5709 6240-1 M43435 TY 2 SZ 3 FIN B BLK M-5Z M6816 M7298
M7456 M7976 660-29ABT1 662508-1 CVHD-950X-93.333 CW104-01X 671-GP-04-KT39-73207 CW307-01A