



THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J GALLUCCI BG 10DEC92		TE Connectivity																																												
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:																																														
<table border="1"> <tr><td>0. PLC</td><td>±</td><td>-</td></tr> <tr><td>1. PLC</td><td>±</td><td>-</td></tr> <tr><td>2. PLC</td><td>±</td><td>-</td></tr> <tr><td>3. PLC</td><td>±</td><td>0.13[.005]</td></tr> <tr><td>4. PLC</td><td>±</td><td>-</td></tr> </table>		0. PLC	±	-	1. PLC	±	-	2. PLC	±	-	3. PLC	±	0.13[.005]	4. PLC	±	-	<table border="1"> <tr><td>APVD</td><td>H ROSE</td><td>NAME</td><td></td></tr> <tr><td>PRODUCT SPEC</td><td></td><td></td><td></td></tr> <tr><td>APPLICATION SPEC</td><td></td><td></td><td></td></tr> </table>		APVD	H ROSE	NAME		PRODUCT SPEC				APPLICATION SPEC				<table border="1"> <tr><td>SIZE</td><td>A1</td><td>CAGE CODE</td><td>00779</td><td>DRAWING NO</td><td>583861</td><td>RESTRICTED TO</td><td></td></tr> <tr><td>WEIGHT</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>		SIZE	A1	CAGE CODE	00779	DRAWING NO	583861	RESTRICTED TO		WEIGHT							
0. PLC	±	-																																														
1. PLC	±	-																																														
2. PLC	±	-																																														
3. PLC	±	0.13[.005]																																														
4. PLC	±	-																																														
APVD	H ROSE	NAME																																														
PRODUCT SPEC																																																
APPLICATION SPEC																																																
SIZE	A1	CAGE CODE	00779	DRAWING NO	583861	RESTRICTED TO																																										
WEIGHT																																																
MATERIAL: GLASS FILLED POLYESTER COLOR: BLACK		FINISH: -		CUSTOMER DRAWING		SCALE: 4:1 SHEET 1 OF 2 REV V2																																										



COLOR CODE FIRST FIVE (5) POSITIONS,
 NEXT FIVE (5) POSITIONS PLAIN
 THIRD FIVE (5) POSITIONS, ETC.



1.58±0.38 [.062±.015] MIN CHARACTERS STAMPED
 IN WHITE INK TWO PLACES

- 1 FIRST 22 POSITIONS MARKED WITH UPPER CASE LETTERS, FOLLOWED BY LOWER CASE LETTERS, FOLLOWED BY UPPERCASE AA,AB,AC ETC. CHARACTERS G,I,O AND Q ARE OMITTED. SEE TABLE FOR END CAVITY IDENTIFICATION.
- 2 OPTIONAL PULL GROOVES. THE PULL GROOVE LENGTH, SIZE AND LOCATION ARE AT THE DISCRETION OF THE MOLD VENDOR.
- 3 HOUSING PART NUMBER, UL & CSA LOGO'S TO BE MOLDED IN THIS AREA. UL, LOGO PER 1-18838-3, CSA LOGO PER 1-18839-3.
- 4 CORING AT AMP'S OPTION REF ONLY.
- 5 SPECIAL MARKING FOR 2-583861-3.
- 6 HIGHLIGHT MOLDED LETTERS AND NUMBERS WITH WHITE INK AT WIRE ONLY ON 2-583861-6.
- 8 DATE CODE TO BE MOLDED IN THIS AREA

	20 & X	71.88 [2.830]	65.41 [2.575]	53.85 [2.120]	58.42 [2.300]	53.34 [2.100]	48.26 [1.900]	20	2-583861-9
OBSOLETE	9 & K	43.94 [1.730]	37.47 [1.475]	25.91 [1.020]	30.48 [1.200]	25.40 [1.000]	20.32 [.800]	9	2-583861-7
OBSOLETE	SAME AS 2-583861-1 EXCEPT SPECIAL MARKING PER 6								2-583861-6
	36 & r	112.52 [4.430]	106.05 [4.175]	94.49 [3.720]	99.06 [3.900]	93.98 [3.700]	88.90 [3.500]	36	2-583861-5
OBSOLETE	SAME AS 583861-3 EXCEPT SPECIAL COLOR CODING 5								2-583861-3
	50 & AF	148.08 [5.830]	141.61 [5.575]	130.05 [5.120]	134.62 [5.300]	129.54 [5.100]	124.46 [4.900]	50	2-583861-1
	28 & f	92.20 [3.630]	85.73 [3.375]	74.17 [2.920]	78.74 [3.100]	73.66 [2.900]	68.58 [2.700]	28	1-583861-9
	25 & c	84.58 [3.330]	78.11 [3.075]	66.55 [2.620]	71.12 [2.800]	66.04 [2.600]	60.96 [2.400]	25	1-583861-7
OBSOLETE	22 & Z	76.96 [3.030]	70.49 [2.775]	58.93 [2.320]	63.50 [2.500]	58.42 [2.300]	53.34 [2.100]	22	1-583861-5
OBSOLETE	18 & V	66.80 [2.630]	60.33 [2.375]	48.77 [1.920]	53.34 [2.100]	48.26 [1.900]	43.18 [1.700]	18	1-583861-3
	17 & U	64.26 [2.530]	57.79 [2.275]	46.23 [1.820]	50.80 [2.000]	45.72 [1.800]	40.64 [1.600]	17	1-583861-1
	15 & S	59.18 [2.330]	52.71 [2.075]	41.15 [1.620]	45.72 [1.800]	40.64 [1.600]	35.56 [1.400]	15	583861-9
	10 & L	46.48 [1.830]	40.01 [1.575]	28.45 [1.120]	33.02 [1.300]	27.94 [1.100]	22.86 [.900]	10	583861-7
	6 & F	36.32 [1.430]	29.85 [1.175]	18.29 [.720]	22.86 [.900]	17.78 [.700]	12.70 [.500]	6	583861-5
	40 & v	122.68 [4.830]	116.21 [4.575]	104.65 [4.120]	109.22 [4.300]	104.14 [4.100]	99.06 [3.900]	40	583861-3
	30 & j	97.28 [3.830]	90.81 [3.575]	79.25 [3.120]	83.82 [3.300]	78.74 [3.100]	73.66 [2.900]	30	583861-1
	END CAVITY IDENT	F	E	D	C	B	A	POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN J GALLUCCI BG 100EC92
 CHK H ROSE 02MAR94
 APP'D H ROSE 02MAR94 NAME

STE TE Connectivity

HOUSING, CRIMP SNAP
 TWIN LEAF, .100 CL

SIZE CAGE CODE DRAWING NO RESTRICTED TO
 A1 00779 583861

CUSTOMER DRAWING SCALE 4:1 SHEET 2 OF 2 REV V2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[D38999/24FJ4AN](#) [570416-000](#) [CLTEQ-M81CE-SSRELAY-4-20V](#) [4-1195131-0](#) [650069-000](#) [SMD100-2](#) [358838-000](#) [CB-1022B-78](#)
[RM707012](#) [RP410012](#) [MMS42](#) [1-640426-8](#) [2EDL4CM](#) [DTS20W19-11PD-3028-LC](#) [RM202615](#) [NC6-P104-06](#) [MSPS103B](#) [DTS26F21-](#)
[41HE-LC](#) [DTS26F21-41AE](#) [DTS26F21-41PE-LC](#) [DTS26F21-11SE-3028-LC](#) [30DCB6](#) [1932144-1](#) [293545-4](#) [LVR125S](#) [MS27466T25F4PB](#)
[CKB-38-78010](#) [TR04AI-TINELLOCKRING](#) [1206SFF150F/63-2](#) [D38999/20JB35HA](#) [TE1500A2R2J](#) [D38999/20WC8BB](#) [DTS24F19-11SC-](#)
[3028-LC](#) [D38999/24WG11HA](#) [D38999/24WG11HN](#) [MS27467T21F11H](#) [DJT16E21-11HA](#) [MS27467T21F35J](#) [MS27467T21F11J](#)
[MS27467T21F16H-LC](#) [MS27467T21F35H](#) [MS27467T21F41H-LC](#) [1206SFH150F/24-2](#) [RP330024](#) [DJT16E21-11PA-LC](#) [DJT16E21-11HA-](#)
[LC](#) [DJT16E21-11AA](#) [MS27467T21B11JA](#) [DJT16E21-11JA](#) [MS27467T21B11JA-LC](#)