



PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER
9 OBSOLETE	8	25	7-103644-4
9 OBSOLETE	8	24	7-103644-3
9 OBSOLETE	8	23	7-103644-2
9 OBSOLETE	8	22	7-103644-1
	8	21	7-103644-0
9 OBSOLETE	8	20	6-103644-9
9 OBSOLETE	8	19	6-103644-8
9 OBSOLETE	8	18	6-103644-7
9 OBSOLETE	8	17	6-103644-6
9 OBSOLETE	8	16	6-103644-5
9 OBSOLETE	8	15	6-103644-4
	8	14	6-103644-3
	8	13	6-103644-2
	7	25	2-103644-4
9 OBSOLETE	7	24	2-103644-3
9 OBSOLETE	7	23	2-103644-2
9 OBSOLETE	7	22	2-103644-1
9 SUPERSEDED BY 7-103644-0	7	21	2-103644-0
	7	20	1-103644-9
9 OBSOLETE	7	19	1-103644-8
	7	18	1-103644-7
	7	17	1-103644-6
	7	16	1-103644-5
	7	15	1-103644-4
	7	14	1-103644-3
	7	13	1-103644-2
SUPERSEDED BY 1-103957-1		12	1-103644-1
SUPERSEDED BY 1-103957-0		11	1-103644-0
SUPERSEDED BY 103957-9		10	103644-9
SUPERSEDED BY 103957-8		9	103644-8
SUPERSEDED BY 103957-7		8	103644-7
SUPERSEDED BY 103957-6		7	103644-6
SUPERSEDED BY 103957-5		6	103644-5
SUPERSEDED BY 103957-4		5	103644-4
SUPERSEDED BY 103957-3		4	103644-3
SUPERSEDED BY 103957-2		3	103644-2
SUPERSEDED BY 103957-1		2	103644-1

- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103957
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 7 FINISH: CONTACTS: .000015 GOLD IN THE CONTACT AREA,.000050-.000100 BRIGHT TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 8 .000015 GOLD IN THE CONTACT AREA,.000050-.000100 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	11-4-86	STE TE Connectivity
		CHK	11-12-86	
		P	de Jong	
		APVD	-	
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC		RCPT ASSY, AMPMODU MTE, SINGLE ROW,.100 C/L LATCHED AND POLARIZED, FOR NO 22- NO 26 AWG WIRE SIZE
INCHES		108-25034		
		APPLICATION SPEC		SIZE
		114-25026		CAGE CODE
MATERIAL	FINISH	WEIGHT		DRAWING NO
HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK	SEE TABLE	-		A2 00779
CUSTOMER DRAWING				RESTRICTED TO
SCALE 4:1				SHEET 1 of 1
				REV R2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)