



#### **General Information**

Kit Part Number: 6-2110838-3

**Description:** Pre-Insulated Butt Splices Kit

Application: HVAC Systems, Instrumentation and Controls, Lighting Applications, Motors, Panel Boxes, Power Supplies, Street

Lighting, Switchgear, Transportation

Family: PLASTI-GRIP

TE Brand: AMP Products

Solution: MRO (Maintenance, Repair and Operation)

Product Type: Terminals & Splices

Number of Pieces: 120
RoHS: Yes

**Specifications** 

Stud/Tab Size:

Body and Plating: Tin Plated, Copper Body

No Stud

Insulation: Vinyl

Temperature Rating: 90 Degrees C (Max)

Terminal Type: Butt Splice

Tool Included: No

Voltage Rating: 600 Volts AC (Max.)
Wire Gauge (AWG): 12-10, 16-14, 22-16

### **Product Highlights**

Pre-insulated PLASTI-GRIP solderless terminals and splices are designed specifically to answer the need for inexpensive, insulated electrical terminations. They can be used in almost every type of commercial application and accommodate wire sizes from 22 AWG through 2/0 AWG. Carefully engineered application tooling has been developed to ensure uniformly high quality terminations. Tool and terminal have been designed as a team to promote ease and speed of application and at the same time to provide precise crimping pressure for every wire size. The wire and the terminal barrel form a homogeneous mass of metal, providing a connection of maximum conductivity, tensile strength, and high resistance to corrosion. The quality performance, the facility of installation and the inherent simplicity make them ideal for many industrial applications. PLASTI-GRIP products are available as rings, spades, flanged spaded, slotted rings, splices and several other varieties. Wire ranges for the terminals and splices are 22 AWG through 2/0 and stud sizes from #2 through 3/8".

#### Features and Benefits

- Vinyl insulation sleeve provides good dielectric strength and supports the wire insulation so that no bare wire is exposed
- Most product rated to 90 degrees C, with an operating voltage of 600 V
- Insulation is 94V-0 rated
- Funneled wire entry on terminal prevents turned back wire strands and permits rapid wire insertion during high speed production
- Serrations in the crimp barrel provide maximum contact and tensile strength after crimping

### **Applications**

- HVAC
- Instruments / Controls
- Lighting
- Switchgear
- Power Supplies
- Panel Boxes





- Transportation
- Motors





## **Bill of Materials**

Part No.	Qty In Kit	Description	Datasheet	P/N Details	Search Distributors Inventory
34067	10	Butt Splice, AWG 22-16 Wire Insulation Diameter .120/3.05		<u>Details</u>	<u>Search</u>
<u>55792-1</u>	10	Butt Splice, AWG 22-16 Wire Insulation Diameter .140/3.56		<u>Details</u>	<u>Search</u>
324138	10	Butt Splice, AWG 22-16 Wire Insulation Diameter .120/3.05		<u>Details</u>	<u>Search</u>
34070	10	PLASTI-GRIP Butt Splice 22-16 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>
<u>55785-1</u>	10	Butt Splice, AWG 16-14 Wire Insulation Diameter .170/4.32		<u>Details</u>	<u>Search</u>
34071	10	PLASTI-GRIP Butt Splice 16-14 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>
35244	10	Butt Splice, AWG 16-14 Wire Insulation Diameter .215/5.46		<u>Details</u>	<u>Search</u>
34204	10	Butt Splice, AWG 16-14 Wire Insulation Diameter .135 x .245		<u>Details</u>	<u>Search</u>
34069	10	Butt Splice, AWG 12-10 Wire Insulation Diameter .200/5.08		<u>Details</u>	<u>Search</u>
34072	10	PLASTI-GRIP Butt Splice 12-10 AWG	<u>Datasheet</u>	<u>Details</u>	<u>Search</u>
<u>34945</u>	10	Butt Splice, AWG 12-10 Wire Insulation Diameter .250/6.35		<u>Details</u>	<u>Search</u>
<u>55793-1</u>	10	Butt Splice, AWG 12-10 Wire Insulation Diameter .230/5.84		<u>Details</u>	<u>Search</u>

## **Recommended Tool**

Part No.	Included in Kit
<u>58433-3</u>	No

















# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 0-0320562-0 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02