


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
CE	16	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A		RELEASE PER NPR	25 OCT 05	CSV	JD

- 1 MAXIMUM CONNECTOR INSERTION LOSS IS 0.5 dB PLUS CABLE ATTENUATION OF 1.5dB/km AT 1300nm (SEE TABLE)
- 2 GEOMETRY REQUIREMENTS:  
RADIUS OF CURVATURE : 10-30 mm
3. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TYCO ELECTRONICS STANDARD 230-702



0.65	100.00±1.00	[3937.0±39.0]	9-6374039-9
0.57	50.00±0.50	[1969.0±20.0]	5-6374039-0
0.54	30.00±0.30	[1181.0±12.0]	3-6374039-0
0.53	20.00±0.30	[590.6±12.0]	2-6374039-0
0.52	14.00±0.15	[551.2±6.0]	1-674039-6
0.52	15.00±0.15	[590.6±6.0]	1-6374039-5
0.51	12.00±0.15	[472.4±6.0]	1-6374039-4
0.51	11.00±0.15	[433.1±6.0]	1-6374039-3
0.51	7.00±0.08	[275.6±3.0]	1-6374039-2
0.52	16.45±0.30	[648.0±12.0]	1-6374039-1
0.51	10.00±0.15	[394.0±6.0]	1-6374039-0
0.52	13.41±0.15	[528.0±6.0]	6374039-9
0.51	12.19±0.15	[480.0±6.0]	6374039-8
0.51	9.75±0.15	[384.0±6.0]	6374039-7
0.50	4.57±0.08	[180.0±3.0]	6374039-6
0.51	5.00±0.08	[197.0±3.0]	6374039-5
0.50	3.00±0.05	[118.0±2.0]	6374039-3
0.50	2.00±0.05	[79.0±2.0]	6374039-2
0.50	1.00±0.05	[39.0±2.0]	6374039-1

1 MAX IL (dB)	L	PART NUMBER
---------------	---	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	25 OCT 05	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608																				
DIMENSIONS: METERS [INCHES]		CHK	25 OCT 05																					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	25 OCT 05																					
<table border="0"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>-</td></tr> <tr><td>3 PLC</td><td>±</td><td>-</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>-</td></tr> <tr><td>FINISH</td><td></td><td></td></tr> </table>		0 PLC	±		-	1 PLC	±	-	2 PLC	±	-	3 PLC	±	-	4 PLC	±	-	ANGLES	±	-	FINISH			NAME
0 PLC	±	-																						
1 PLC	±	-																						
2 PLC	±	-																						
3 PLC	±	-																						
4 PLC	±	-																						
ANGLES	±	-																						
FINISH																								
MATERIAL		PRODUCT SPEC	CABLE ASSEMBLY, FIBER OPTIC, 62.5/125µm PLENUM ZIP, AMP SC DUPLEX FIBER CHANNEL, OPTIMATE																					
		APPLICATION SPEC																						
		WEIGHT	-																					
		CUSTOMER DRAWING	SCALE	NTS																				
		SHEET	1	OF 1																				
		REV	A																					

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fiber Optic Cable Assemblies](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[7-21002-9](#) [760-1518](#) [FA04390-50-M-72-LC-N](#) [MLB 501 V RED](#) [MLB 501 V YELLOW](#) [8-21000-7](#) [FXE3-10BM15](#) [FXE3-10FM5](#) [FZB3-NM1](#) [1-3636-600-5208](#) [ICD040GVP163D-07](#) [2901797](#) [1-6693182-0](#) [1754898-1](#) [F512D5-5F23Y](#) [F912B10-NM2](#) [FAP12WFDBDBDLCZ](#) [21055-6](#) [FXBSCSCE2LM002](#) [FXE3-10AM10](#) [FXE3-10AM20](#) [FXE3-10BM7](#) [FXE3-10FM15](#) [FXE3-10FM3](#) [FXE3-10FM4](#) [FXE3-10FM7](#) [FXE3-10GM3](#) [FZE10-10M6](#) [FZOPE10-10M5](#) [3000005](#) [3-21053-2](#) [MLB 200/1 V BLACK](#) [MLB 2001 V YELLOW](#) [MLB 501 V BLACK](#) [5492011-6](#) [106284-7000](#) [5492011-5](#) [5492011-8](#) [5492011-9](#) [CF-901201-007](#) [7-21000-4](#) [8-21007-5](#) [8-21084-0](#) [3-5106081-0](#) [106386-4447](#) [2-2064140-6](#) [F92ELLNSNSNM003](#) [2-2064140-3](#) [6-2064140-3](#) [2-2064140-2](#)