




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CM	00	S	REVISED PER ECR-20-000541	15MAY2020	PC SW

- 1 MATERIAL: CONNECTOR - NYLON UL94-V2 (RED)
 CONTACTS - 0.30[.012] THICK COPPER ALLOY BRIGHT TIN-LEAD 0.00203[.000080] MIN. THICK FOR CONTACTS 644511-2 THRU 2-644511-8.
 MATTE WHISKER MITIGATED TIN PLATE 0.00203[.000080] MIN. THICK OVER NICKEL UNDERPLATE FOR CONTACTS 3-644511-5 AND 4-644511-2 THRU 6-644511-8.
- 2 CONTACTS ACCEPT 22 AWG WIRE WITH 1.52[.060] MAX INSULATION DIAMETER.
- 3 CONTACTS MUST ACCEPT 0.64±0.03[.025±.001] POST AND REMAIN LOCKED IN POSITION.
- 4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5 DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6 HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP AND POLARIZING TAB.
- 7 PARTS TO BE PACKAGED ON CORRUGATED PLASTIC REEL.
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 9 OBSOLETE PARTS

	YES	DIM A	NO. OF CIRCUITS	PART NO.
D	YES	71.12[2.800]	28	6-644511-8
D	YES	68.58[2.700]	27	6-644511-7
D	YES	66.04[2.600]	26	6-644511-6
D	YES	63.50[2.500]	25	6-644511-5
D	YES	60.96[2.400]	24	6-644511-4
D	YES	58.42[2.300]	23	6-644511-3
D	YES	55.88[2.200]	22	6-644511-2
D	YES	53.34[2.100]	21	6-644511-1
D	YES	50.80[2.000]	20	6-644511-0
C	YES	48.26[1.900]	19	5-644511-9
C	YES	45.72[1.800]	18	5-644511-8
C	YES	43.18[1.700]	17	5-644511-7
C	YES	40.64[1.600]	16	5-644511-6
C	YES	38.10[1.500]	15	5-644511-5
C	YES	35.56[1.400]	14	5-644511-4
C	YES	33.02[1.300]	13	5-644511-3
C	YES	30.48[1.200]	12	5-644511-2
C	YES	27.94[1.100]	11	5-644511-1
C	YES	25.40[1.000]	10	5-644511-0
C	YES	22.86[.900]	9	4-644511-9
C	YES	20.32[.800]	8	4-644511-8
C	YES	17.78[.700]	7	4-644511-7
C	YES	15.24[.600]	6	4-644511-6
C	YES	12.70[.500]	5	4-644511-5
C	YES	10.16[.400]	4	4-644511-4
C	YES	7.62[.300]	3	4-644511-3
C	YES	5.08[.200]	2	4-644511-2
C	YES	12.70[.500]	5	3-644511-5
B	NO	71.12[2.800]	28	2-644511-8
B	NO	68.58[2.700]	27	2-644511-7
B	NO	66.04[2.600]	26	2-644511-6
B	NO	63.50[2.500]	25	2-644511-5
B	NO	60.96[2.400]	24	2-644511-4
B	NO	58.42[2.300]	23	2-644511-3
B	NO	55.88[2.200]	22	2-644511-2
B	NO	53.34[2.100]	21	2-644511-1
B	NO	50.80[2.000]	20	2-644511-0
B	NO	48.26[1.900]	19	1-644511-9
B	NO	45.72[1.800]	18	1-644511-8
B	NO	43.18[1.700]	17	1-644511-7
B	NO	40.64[1.600]	16	1-644511-6
B	NO	38.10[1.500]	15	1-644511-5
B	NO	35.56[1.400]	14	1-644511-4
B	NO	33.02[1.300]	13	1-644511-3
B	NO	30.48[1.200]	12	1-644511-2
B	NO	27.94[1.100]	11	1-644511-1
B	NO	25.40[1.000]	10	1-644511-0
B	NO	22.86[.900]	9	-644511-9
B	NO	20.32[.800]	8	-644511-8
B	NO	17.78[.700]	7	-644511-7
B	NO	15.24[.600]	6	-644511-6
B	NO	12.70[.500]	5	-644511-5
B	NO	10.16[.400]	4	-644511-4
B	NO	7.62[.300]	3	-644511-3
B	NO	5.08[.200]	2	-644511-2
A	NO	71.12[2.800]	28	6-644511-8
A	NO	68.58[2.700]	27	6-644511-7
A	NO	66.04[2.600]	26	6-644511-6
A	NO	63.50[2.500]	25	6-644511-5
A	NO	60.96[2.400]	24	6-644511-4
A	NO	58.42[2.300]	23	6-644511-3
A	NO	55.88[2.200]	22	6-644511-2
A	NO	53.34[2.100]	21	6-644511-1
A	NO	50.80[2.000]	20	6-644511-0
A	NO	48.26[1.900]	19	5-644511-9
A	NO	45.72[1.800]	18	5-644511-8
A	NO	43.18[1.700]	17	5-644511-7
A	NO	40.64[1.600]	16	5-644511-6
A	NO	38.10[1.500]	15	5-644511-5
A	NO	35.56[1.400]	14	5-644511-4
A	NO	33.02[1.300]	13	5-644511-3
A	NO	30.48[1.200]	12	5-644511-2
A	NO	27.94[1.100]	11	5-644511-1
A	NO	25.40[1.000]	10	5-644511-0
A	NO	22.86[.900]	9	-644511-9
A	NO	20.32[.800]	8	-644511-8
A	NO	17.78[.700]	7	-644511-7
A	NO	15.24[.600]	6	-644511-6
A	NO	12.70[.500]	5	-644511-5
A	NO	10.16[.400]	4	-644511-4
A	NO	7.62[.300]	3	-644511-3
A	NO	5.08[.200]	2	-644511-2

7
 8 SUPERSEDED
 9 SUPERSEDED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CARPENTER 08AUG2003		
DIMENSIONS: mm [INCHES]		CHK D. BOSSI 08AUG2003		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BOSSI 08AUG2003	NAME MTA-100 CONNECTOR ASSEMBLY, 22 AWG, STANDARD, TAPE MOUNTED	
0 PLC ±		PRODUCT SPEC 108-1050	SIZE A2	CAGE CODE 00779
1 PLC ±		APPLICATION SPEC 114-1019	DRAWING NO C=644511	RESTRICTED TO -
2 PLC ±		MATERIAL 1	WEIGHT	SCALE 5:1
3 PLC ± 0.13 [.005]		FINISH 1	CUSTOMER DRAWING	SHEET 1 of 1
4 PLC ±				REV S
ANGLES ±				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0009482033](#) [0009507031](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009508121](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [647662-1](#) [65039-019ELF](#) [65817-002LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67016-026LF](#) [67046-001LF](#) [67095-007LF](#) [68002-116](#) [68016-236H](#) [68648-049](#)