



- 1 HOUSING: FLAME RETARDANT, GLASS FILLED, POLYESTER, COLOR: BLACK. CONTACT: PHOSPHOR BRONZE
- 2 CONTACT: DUPLEX PLATED 0.76µm[.000030] GOLD IN CONTACT AREA, 3.81-7.62µm[.000150-.000300] BRIGHT TIN-LEAD ON LEADS ALL OVER 1.27µm[.000050] MIN NICKEL
- 3 THESE DIMENSIONS PERTAIN TO CAVITY CENTERLINES ONLY - NOT TO CONTACT LOCATIONS
- 4 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE LOCATION SHOWN, EITHER SIDE.
- 5 TOLERANCE IS NON-CUMULATIVE.
- 6 2 POSITION DATE CODE IS MARKED OPPOSITE SIDE OF TE CONNECTIVITY LOGO.
- 7 POINT-OF-MEASUREMENT DIMENSION FOR PLATING THICKNESS (INSIDE CONTACT BEAM).
- 8 POINT-OF-CONTACT DIMENSION.
- 9 NO PART NUMBER MARKING REQUIRED FOR THIS PART.
- 10 TE CONNECTIVITY LOGO AND CSA LOGO ARE MOLDED INTO HOUSING, THIS LOCATION.
- 11 CONTACT: DUPLEX PLATED 0.76µm[.000030] GOLD IN CONTACT AREA, 3.81-7.62µm[.000150-.000300] MATTE TIN ON LEADS ALL OVER 1.27µm[.000050] MIN NICKEL
- 12 ROHS 2002/95/EC COMPLIANT

6	9	OBSOLETE	2.54 [.100]	5.08 [.200]	2	12	8-534237-9
			99.06 [3.900]	101.60 [4.000]	40	12	8-534237-8
			96.52 [3.800]	99.06 [3.900]	39	12	8-534237-7
			93.98 [3.700]	96.52 [3.800]	38	12	8-534237-6
			91.44 [3.600]	93.98 [3.700]	37	12	8-534237-5
			88.90 [3.500]	91.44 [3.600]	36	12	8-534237-4
			86.36 [3.400]	88.90 [3.500]	35	12	8-534237-3
			83.82 [3.300]	86.36 [3.400]	34	12	8-534237-2
			81.28 [3.200]	83.82 [3.300]	33	12	8-534237-1
			78.74 [3.100]	81.28 [3.200]	32	12	8-534237-0
			76.20 [3.000]	78.74 [3.100]	31	12	7-534237-9
			73.66 [2.900]	76.20 [3.000]	30	12	7-534237-8
			71.12 [2.800]	73.66 [2.900]	29	12	7-534237-7
			68.58 [2.700]	71.12 [2.800]	28	12	7-534237-6
			66.04 [2.600]	68.58 [2.700]	27	12	7-534237-5
			63.50 [2.500]	66.04 [2.600]	26	12	7-534237-4
			60.96 [2.400]	63.50 [2.500]	25	12	7-534237-3
			58.42 [2.300]	60.96 [2.400]	24	12	7-534237-2
			55.88 [2.200]	58.42 [2.300]	23	12	7-534237-1
			53.34 [2.100]	55.88 [2.200]	22	12	7-534237-0
			50.80 [2.000]	53.34 [2.100]	21	12	6-534237-9
			48.26 [1.900]	50.80 [2.000]	20	12	6-534237-8
			45.72 [1.800]	48.26 [1.900]	19	12	6-534237-7
			43.18 [1.700]	45.72 [1.800]	18	12	6-534237-6
			40.64 [1.600]	43.18 [1.700]	17	12	6-534237-5
			38.10 [1.500]	40.64 [1.600]	16	12	6-534237-4
			35.56 [1.400]	38.10 [1.500]	15	12	6-534237-3
			33.02 [1.300]	35.56 [1.400]	14	12	6-534237-2
			30.48 [1.200]	33.02 [1.300]	13	12	6-534237-1
			27.94 [1.100]	30.48 [1.200]	12	12	6-534237-0
			25.40 [1.000]	27.94 [1.100]	11	12	5-534237-9
			22.86 [.900]	25.40 [1.000]	10	12	5-534237-8
			20.32 [.800]	22.86 [.900]	9	12	5-534237-7
			17.78 [.700]	20.32 [.800]	8	12	5-534237-6
			15.24 [.600]	17.78 [.700]	7	12	5-534237-5
			12.70 [.500]	15.24 [.600]	6	12	5-534237-4
			10.16 [.400]	12.70 [.500]	5	12	5-534237-3
			7.62 [.300]	10.16 [.400]	4	12	5-534237-2
			5.08 [.200]	7.62 [.300]	3	12	5-534237-1
			B	A	NO OF POSN	PART NUMBER	

9	OBSOLETE	2.54 [.100]	5.08 [.200]	2	3	534237-9
		99.06 [3.900]	101.60 [4.000]	40	6	3-534237-8
		96.52 [3.800]	99.06 [3.900]	39	6	3-534237-7
		93.98 [3.700]	96.52 [3.800]	38	6	3-534237-6
		91.44 [3.600]	93.98 [3.700]	37	6	3-534237-5
		88.90 [3.500]	91.44 [3.600]	36	6	3-534237-4
		86.36 [3.400]	88.90 [3.500]	35	6	3-534237-3
		83.82 [3.300]	86.36 [3.400]	34	6	3-534237-2
		81.28 [3.200]	83.82 [3.300]	33	6	3-534237-1
		78.74 [3.100]	81.28 [3.200]	32	6	3-534237-0
		76.20 [3.000]	78.74 [3.100]	31	6	2-534237-9
		73.66 [2.900]	76.20 [3.000]	30	6	2-534237-8
		71.12 [2.800]	73.66 [2.900]	29	6	2-534237-7
		68.58 [2.700]	71.12 [2.800]	28	6	2-534237-6
		66.04 [2.600]	68.58 [2.700]	27	6	2-534237-5
		63.50 [2.500]	66.04 [2.600]	26	6	2-534237-4
		60.96 [2.400]	63.50 [2.500]	25	6	2-534237-3
		58.42 [2.300]	60.96 [2.400]	24	6	2-534237-2
		55.88 [2.200]	58.42 [2.300]	23	6	2-534237-1
		53.34 [2.100]	55.88 [2.200]	22	6	2-534237-0
		50.80 [2.000]	53.34 [2.100]	21	6	1-534237-9
		48.26 [1.900]	50.80 [2.000]	20	6	1-534237-8
		45.72 [1.800]	48.26 [1.900]	19	6	1-534237-7
		43.18 [1.700]	45.72 [1.800]	18	6	1-534237-6
		40.64 [1.600]	43.18 [1.700]	17	6	1-534237-5
		38.10 [1.500]	40.64 [1.600]	16	6	1-534237-4
		35.56 [1.400]	38.10 [1.500]	15	6	1-534237-3
		33.02 [1.300]	35.56 [1.400]	14	6	1-534237-2
		30.48 [1.200]	33.02 [1.300]	13	6	1-534237-1
		27.94 [1.100]	30.48 [1.200]	12	6	1-534237-0
		25.40 [1.000]	27.94 [1.100]	11	6	534237-9
		22.86 [.900]	25.40 [1.000]	10	6	534237-8
		20.32 [.800]	22.86 [.900]	9	6	534237-7
		17.78 [.700]	20.32 [.800]	8	6	534237-6
		15.24 [.600]	17.78 [.700]	7	6	534237-5
		12.70 [.500]	15.24 [.600]	6	6	534237-4
		10.16 [.400]	12.70 [.500]	5	6	534237-3
		7.62 [.300]	10.16 [.400]	4	6	534237-2
		5.08 [.200]	7.62 [.300]	3	6	534237-1
			B	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIN M. BINNER OSNOV02  
 CHK J. JOLSON OSNOV02  
 APVD J. JOLSON OSNOV02

TE Connectivity

RECT. ASSY, MOD IV, SINGLE ROW, .100CL, VERTICAL BOARD MOUNT, CLOSED, TOP ENTRY, SHORT PNT. OF CONTACT

108-25022

114-25018

00779 ©=534237

SCALE 4:1 SHEET 1 OF 1 REV R5

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)  
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)