

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
F		REV PER ECO-12-008336	20JUN12	PY	BW

Technical drawing of a wire terminal assembly. Dimensions include: 1.90 MAX (total length), .310 MIN DIA (wire diameter), .40 MAX DIA (insulation diameter), .23 MIN DIA (conductor diameter), .627 MAX (height), .47 MIN (width), and .310 MAX (width). Callouts include: 1 (wire insulation), 2 (tongue radius), 3 (flash), and 4 (stamp: AMP 6 AL 13-78). A note specifies: $\phi .390 \pm .005$ FOR 3/8 STUD.

1 WIRE INSULATION: .260-291 DIA
 2 THE TONGUE RADIUS FEATURE IS NOT A TOOLING CONTROLLED DIMENSION AND MAY NOT BE A TRUE RADIUS.
 3. .020 FLASH PERMITTED ON WIRE BARRELL DUE TO IMPACTING
 4 STAMP "AMP 6 AL 13-78" SIZE AND LOCATION APPROX AS SHOWN

Technical drawing of the assembly components: FUNNEL, INSERT, and BODY. Dimensions include: 2.41/2.11 [.095/.083] (height), .32 MIN (INSULATION DEPTH), and .79 MIN (CONDUCTOR DEPTH).

BODY: COPPER ASTM-B187 ANNEALED TIN PL PER ASTM B-545 .000150 MIN THK	696869-1
INSERT & FUNNEL: BRASS ASTM B36 NICKEL PL SAE AMS QQ-N-290A, DATED JULY 2000, .000100 MIN THK	
MATERIAL & FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	12DEC05		TE Connectivity		
DIMENSIONS: INCHES		CHK	MJ SPICER	13DEC05		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	MJ SPICER	13DEC05		PRODUCT SPEC		
0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .008 4 PLC ± - ANGLES ± - FINISH SEE TABLE		APPLICATION SPEC		WIRE TERMINAL, RING TONGUE, SEALED COPALUM, WIRE SIZE: 6 ALUMINUM				
MATERIAL SEE TABLE		WEIGHT	15.2 GRAMS	SIZE	A2	CAGE CODE	00779	
		FINISH	SEE TABLE	DRAWING NO	C=696869		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE	2:1	SHEET	1 of 1	
				REV	F			

1471-9 (3/11)

696869

B

A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#) [751-250](#) [76650-5002](#) [76828-149](#)