




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		A	REVISED PER ECO-12-018201	11OCT2012	KH	MH



- △ MATERIAL:  
BASE HOUSING, UPPER HOUSING, ORGANIZER,  
AND SPACER: THERMOPLASTIC, FLAMMABILITY  
RATING UL94-V0  
CONTACT: COPPER ALLOY
2. CONFORMS TO THE REQUIREMENTS OF TE PRODUCT  
SPECIFICATION, 108-2375; BASED ON TELCORDIA  
GR-1217-CORE FOR SYSTEM QUALITY LEVEL III,  
APPLICATIONS IN CONTROLLED ENVIRONMENTS  
(CENTRAL OFFICE).  
SEE TE PRODUCT SPECIFICATION 108-2375 FOR  
TEST SEQUENCES.
- △ 3. ROWS GA THRU GJ (SHOWN DARKENED) ARE TYPICALLY  
USED AS GROUNDS.
- △ 4. SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO  
HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL  
TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS  
OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
- △ 5. AREA RESERVED FOR TE CONNECTIVITY LOGO.
- △ 6. AREA RESERVED FOR PART NUMBER (X-XXXXXXX-X)  
AND DATE CODE (YYWW).
- △ USE CENTERLINES INDICATED ON PCB HOLE PATTERN  
TO ESTABLISH ALIGNMENT BETWEEN HEADER AND  
RECEPTACLE BOARDS.
- △ 8. PLATED THROUGH HOLE REQUIREMENTS:  
HOLE SIZE PRIOR TO PLATING =  $\varnothing 0.420 \pm 0.013$   
COPPER PLATING THICKNESS =  $0.038 \pm 0.013$   
CALCULATED FINISHED HOLE SIZE =  $\varnothing 0.344 \pm 0.039$   
THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF  
THE PCB THICKNESS FROM THE CONNECTOR MOUNTING  
SIDE.
- △ 9. CONTACT SALES FOR AVAILABILITY OF THIS STACK  
HEIGHT.






SIZE 3 HOUSING \*

120 DIFFERENTIAL PAIRS

384 TOTAL SIGNAL CONTACTS

\* SIZE 1 AND SIZE 2 ARE ALSO AVAILABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 26FEB2009	 TE Connectivity	
		CHK D. TROUT 26FEB2009		
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:	APVD J. FEDDER 26FEB2009	NAME
		1. PLC ±.1 2. PLC ±.013 3. PCL ±.013 4. PCL ANGLES ±.1 FINISH	PRODUCT SPEC 108-2375 APPLICATION SPEC 114-13249	HEADER ASSEMBLY 120/384 SIGNAL STRADA MESA MEZZANINE CONNECTOR
MATERIAL - 			SIZE CAGE CODE DRAWING NO	RESTRICTED TO
		WEIGHT -	A100779C=2110400	-
CUSTOMER DRAWING			SCALE 6:1	SHEET 1 OF 4 REV A


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1		-	-	-

D

C

B

A




ISOMETRIC VIEW  
TYPICAL CONFIGURATION FOR 14mm THRU 42mm  
28mm SHOWN  
SCALE 2:1

C

B

A



ISOMETRIC VIEW  
TYPICAL CONFIGURATION FOR 8mm THRU 13mm  
8mm SHOWN  
SCALE 2:1

	41.8	42mm	MATTE Sn	9-2110400-2
	40.8	41mm	MATTE Sn	9-2110400-1
YES	39.8	40mm	MATTE Sn	9-2110400-0
	38.8	39mm	MATTE Sn	8-2110400-9
	37.8	38mm	MATTE Sn	8-2110400-8
	36.8	37mm	MATTE Sn	8-2110400-7
	35.8	36mm	MATTE Sn	8-2110400-6
	34.8	35mm	MATTE Sn	8-2110400-5
	33.8	34mm	MATTE Sn	8-2110400-4
	32.8	33mm	MATTE Sn	8-2110400-3
	31.8	32mm	MATTE Sn	8-2110400-2
	30.8	31mm	MATTE Sn	8-2110400-1
	29.8	30mm	MATTE Sn	8-2110400-0
	28.8	29mm	MATTE Sn	7-2110400-9
YES	27.8	28mm	MATTE Sn	7-2110400-8
	26.8	27mm	MATTE Sn	7-2110400-7
	25.8	26mm	MATTE Sn	7-2110400-6
	24.8	25mm	MATTE Sn	7-2110400-5
	23.8	24mm	MATTE Sn	7-2110400-4
YES	22.8	23mm	MATTE Sn	7-2110400-3
	21.8	22mm	MATTE Sn	7-2110400-2
	20.8	21mm	MATTE Sn	7-2110400-1
	19.8	20mm	MATTE Sn	7-2110400-0
	18.8	19mm	MATTE Sn	6-2110400-9
	17.8	18mm	MATTE Sn	6-2110400-8
	16.8	17mm	MATTE Sn	6-2110400-7
	15.8	16mm	MATTE Sn	6-2110400-6
	14.8	15mm	MATTE Sn	6-2110400-5
	13.8	14mm	MATTE Sn	6-2110400-4
	12.8	13mm	MATTE Sn	6-2110400-3
	11.8	12mm	MATTE Sn	6-2110400-2
	10.8	11mm	MATTE Sn	6-2110400-1
YES	9.8	10mm	MATTE Sn	6-2110400-0
	8.8	9mm	MATTE Sn	5-2110400-9
	7.8	8mm	MATTE Sn	5-2110400-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

	41.8	42mm	Sn/Pb	4-2110400-2
	40.8	41mm	Sn/Pb	4-2110400-1
YES	39.8	40mm	Sn/Pb	4-2110400-0
	38.8	39mm	Sn/Pb	3-2110400-9
	37.8	38mm	Sn/Pb	3-2110400-8
	36.8	37mm	Sn/Pb	3-2110400-7
	35.8	36mm	Sn/Pb	3-2110400-6
	34.8	35mm	Sn/Pb	3-2110400-5
	33.8	34mm	Sn/Pb	3-2110400-4
	32.8	33mm	Sn/Pb	3-2110400-3
	31.8	32mm	Sn/Pb	3-2110400-2
	30.8	31mm	Sn/Pb	3-2110400-1
	29.8	30mm	Sn/Pb	3-2110400-0
	28.8	29mm	Sn/Pb	2-2110400-9
YES	27.8	28mm	Sn/Pb	2-2110400-8
	26.8	27mm	Sn/Pb	2-2110400-7
	25.8	26mm	Sn/Pb	2-2110400-6
	24.8	25mm	Sn/Pb	2-2110400-5
	23.8	24mm	Sn/Pb	2-2110400-4
YES	22.8	23mm	Sn/Pb	2-2110400-3
	21.8	22mm	Sn/Pb	2-2110400-2
	20.8	21mm	Sn/Pb	2-2110400-1
	19.8	20mm	Sn/Pb	2-2110400-0
	18.8	19mm	Sn/Pb	1-2110400-9
	17.8	18mm	Sn/Pb	1-2110400-8
	16.8	17mm	Sn/Pb	1-2110400-7
	15.8	16mm	Sn/Pb	1-2110400-6
	14.8	15mm	Sn/Pb	1-2110400-5
	13.8	14mm	Sn/Pb	1-2110400-4
	12.8	13mm	Sn/Pb	1-2110400-3
	11.8	12mm	Sn/Pb	1-2110400-2
	10.8	11mm	Sn/Pb	1-2110400-1
YES	9.8	10mm	Sn/Pb	1-2110400-0
	8.8	9mm	Sn/Pb	2110400-9
	7.8	8mm	Sn/Pb	2110400-8
TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN

D. RINGLER

26FEB2009

CHK

D. TROUT

26FEB2009

APVD

J. FEDDER

26FEB2009

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±"

±.13

±0.013

±"

±1

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-2375

APPLICATION SPEC

114-13249

WEIGHT

-

CUSTOMER DRAWING

NAME

HEADER ASSEMBLY  
120/384 SIGNAL  
STRADA MESA MEZZANINE CONNECTOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

C=2110400

-

SCALE

6:1

SHEET

2

OF

4


REV

A

TE Connectivity


LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	SEE SHEET 1	-	-	-		

AI CORNER INDICATORS.



PCB LAYOUT AND PIN IDENTIFICATION   
SHOWN FROM CONNECTOR SIDE  
SCALE 10:1

MATED CONNECTOR OUTLINE  
SEE SHEET 4 FOR LOCATION TO HOLES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 26FEB2009	 TE Connectivity	
		CHK D. TROUT 26FEB2009		
DIMENSIONS:		APVD J. FEDDER 26FEB2009	NAME	
mm		PRODUCT SPEC	HEADER ASSEMBLY	
		APPLICATION SPEC	120/384 SIGNAL	
		WEIGHT	STRADA MESA MEZZANINE CONNECTOR	
MATERIAL		CUSTOMER DRAWING	RESTRICTED TO	
		SCALE 6:1	SHEET 3 OF 4	
		REV A		

4805 (3/11)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [High Speed/Modular Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[650827-1](#) [74040-1346](#) [1410191-1](#) [1410368-3](#) [1410964-2](#) [1410326-3](#) [1410367-3](#) [1410971-4](#) [1467833-1](#) [2000877-1](#) [2000878-1](#) [2041314-1](#)  
[2065387-1](#) [2187307-1](#) [163P](#) [1934290-1](#) [2000875-1](#) [2065917-1](#) [2102736-2](#) [FSR-40](#) [2169868-2](#) [22354-8](#) [437-5040-000](#) [5-1393565-0](#) [039-](#)  
[0246-000](#) [0740618502](#) [0761601016](#) [0784461022](#) [10123159-12ELF](#) [030-2415-003/100 PK](#) [030-7380-004](#) [030-2494-001](#) [532939-1](#) [5532901-](#)  
[3](#) [3-1469268-7](#) [74748-102LF](#) [10041743-101LF](#) [10066670-100002LF](#) [1-533915-1](#) [249-4515-000](#) [7-1469373-3](#) [DL2-2J/S](#) [2000713-8](#)  
[2000713-7](#) [10124313-101LF](#) [3011-21](#) [757105208](#) [430305-001](#) [4395800100](#) [8140115](#)