7530A1314-0 - ACTIVE

Raychem

TE Internal #: 440889-002 High Speed Digital & Data Cable, Cheminax, 75 Ω, 30AWG Wire Size, Operating Temperature Range -65 – 125 °C [-85 – 257 °F] View on TE.com >



Wire & Cable > High Speed Digital & Data Cable



High Speed Digital & Data Cable Type: Cheminax

Impedance: 75Ω

Wire Size: 30 AWG

Operating Temperature Range: -65 – 125 °C [-85 – 257 °F]

Features

Product Type Features

Product Classification	Cable - Coaxial
Cable Style	Round Braided
Product Type	Cable
High Speed Digital & Data Cable Type	Cheminax

Electrical Characteristics

	18.3 pF/ft					
Impedance	75 Ω					
Signal Characteristics						
Velocity of Propagation	74%					
Body Features						
Shield Material	Tin-Plated Copper					
Shield Style	Single					
Jacket Color	Black					
Conductor Material	Silver-Plated High Strength Copper					
Jacket Material	Thermorad					
Dimensions						
Wire Diameter	.3 mm[.012 in]					
Cable Dielectric Diameter	1.35 mm[.053 in]					

7530A1314-0

High Speed Digital & Data Cable, Cheminax, 75 Ω , 30AWG Wire Size, Operating Temperature Range -65 – 125 °C [-85 – 257 °F]



Overall Outside Diameter	2.29 mm[.09 in]						
Wire Size	30 AWG						
Jsage Conditions							
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]						
Other							
Dielectric Material	Rayfoam L						
Product Compliance For compliance documentation, visit the product page on TE.com>							
EU RoHS Directive 2011/65/EU	Compliant						
	Compliant Compliant						
EU RoHS Directive 2011/65/EU							
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant						

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

7530A1314-0

High Speed Digital & Data Cable, Cheminax, 75 Ω, 30AWG Wire Size, Operating Temperature Range -65 – 125 °C [-85 – 257 °F]






Customers Also Bought



7 PIN MIN PLUG KIT	55A0112-10-2	55A1124-26-6/9-9



Documents

Product Drawings 7530A1314-0

English

Datasheets & Catalog Pages 1654025_Sec9_CheminaxCables English Wire and Cable Overview

English

C For support call+1 800 522 6752

7530A1314-0

High Speed Digital & Data Cable, Cheminax, 75 Ω, 30AWG Wire Size, Operating Temperature Range -65 – 125 °C [-85 – 257 °F]



Product Specifications Product Specification

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Boots category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

618235-000 622A014-3-0 CX4132-000 879515-000 982033-2 R280576000 1300830729 EN3BOOTLKIT MTPSRBCL-C 1811481-1 200W531-3-0 202A121-386-0 202A142-4-00/42-0 202A163-4-0-CS5067 202B221-13-0 202B231-13-0 202B563-25-07-0 202C621710CS5361 202D132-4-07/42-0 202D221-4-0-CS5349 202D221-4-26-0 202D263-25-08-0 202D263-4-22/42-0 202D263-4-88-0 202D921-2542-0 202E336-71-0 202F211-50-22-0-CS8474 202F242-50-05-0 202F242-51-04/164-0 202K121-25-CS-1858-0 202K121-25-CS-2062-0 202K132-25-01/225-0CS8387 202K153-3-0186-0 202S132-25-UP-0 203W301-3/42-0 207W663-100/184-0-CS5657 207W623-100-01/184-0 207W634-100/184-0-CS5657 207W656-100-01/184-0 207W667-100-01/184-0 207W667-100/184-0 208A011-3-0 208A021-3-0 221A011-51164-0-CS7133 222A121-2586 222A152-342-0 222A213-25-0-CS5613 222D221-25-13/86-0 222D232-4-61-0-CS5078 222D253-100-22-0