

4

3

2

1

THIS DRAWING IS UNPUBLISHED.




RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	ECO	DATE	DWN	APVD
	B4	ADD NEW PN , CASE MATERIAL ADD PA66	ECO-17-006657	06-APR-17	XR,L	T.K
	B3	ADD NEW PN	ECO-16-017849	12-DEC-16	XR,L	T.K



(B4)	1-1721685-3	OMIH-SS-112LM, 0002M	OMIH-SS-112LM	12V	107-84028	k
(B3)	1-1721685-0	OMIH-SS-112LM, 0000M	OMIH-SS-112LM	12V	107-84032	j
(B3)	1-1721685-2	OMIH-SS-112LM,01020	OMIH-SS-112LM	12V	107-84028	i
	1721685-7	OMIH-SS-112LM,00001	OMIH-SS-112LM	12V	107-79006	h
	9-1419121-1	OMIH-SS-148LM	OMIH-SS-148LM	48V	107-79006	k
	8-1419121-9	OMIH-SS-148DM	OMIH-SS-148DM	48V	107-79006	j
	8-1419121-8	OMIH-SS-124LM	OMIH-SS-124LM	24V	107-79006	i
	8-1419121-6	OMIH-SS-124DM	OMIH-SS-124DM	24V	107-79006	h
	8-1419121-4	OMIH-SS-118DM	OMIH-SS-118DM	18V	107-79006	g
	8-1419121-1	OMIH-SS-112LM	OMIH-SS-112LM	12V	107-79006	f
	7-1419121-9	OMIH-SS-112DM	OMIH-SS-112DM	12V	107-79006	e
	7-1419121-6	OMIH-SS-109LM	OMIH-SS-109LM	9V	107-79006	d
	2-1419145-0	OMIH-SS-109DM	OMIH-SS-109DM	9V	107-79006	c
	7-1419121-4	OMIH-SS-106LM	OMIH-SS-106LM	6V	107-79006	b
	7-1419121-3	OMIH-SS-105LM	OMIH-SS-105LM	5V	107-79006	a
	TE PART NO	DESCRIPTION	PART A	PART B	PACK. SPEC.	No.

RELAY TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN	Davey Liu	25JUL2010	 TE Connectivity OMIH CUSTOMER DRAWING	SIZE	A3	CAGE CODE	00779	DRAWING NO	7-1419121-9	RESTRICTED TO	-
CHK	Banghua Yu	26JUL2010		NAME							
APVD	Sunny Zhang	27JUL2010		PRODUCT SPEC							
				APPLICATION SPEC							
MATERIAL			WEIGHT								
			CUSTOMER DRAWING		SCALE	1:1	SHEET	1 OF 2	REV	B4	

TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±-
 1 PLC ±-
 2 PLC ±-
 3 PLC ±-
 4 PLC ±-
 ANGLES ±-

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	ECO	DATE	APVD
-	-	SEE SHEET 1	-	-	-

NOTES:
 1.LOT NO. SYSTEM AS FOLLOWING:




2.GENERAL TOLERANCE AS FOLLOWING:


TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

CONNECTION DIAGRAM
(BOTTOM VIEW)



DRILLING DIAGRAM(2/1)
(BOTTOM VIEW)



		UV RESIN	UV SEAL	16
		EPOXY RESIN	SEAL	15
UL94 V-0		PBT/PA66 (B4)	CASE	14
CLASS E		UEW	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	CP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
		Cu ALLOY	HINGE SPRING	6
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
		STEEL	CORE	3
		STEEL	ARMATURE	2
		STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Davey Liu 25JUL2010	TE Connectivity	
DIMENSIONS: mm		CHK Banghua Yu 26JUL2010		
		APVD Sunny Zhang 27JUL2010	NAME OMIH CUSTOMER DRAWING	
		PRODUCT SPEC -	SIZE A3	CAGE CODE 00779
MATERIAL		FINISH	WEIGHT	RESTRICTED TO
-		-	-	-
CUSTOMER DRAWING			SCALE 1:1	SHEET 2 OF 2
			REV B4	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [General Purpose Relays](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[APF30318](#) [JVN1AF-4.5V-F](#) [PCN-105D3MHZ](#) [5JO-10000S-SIL](#) [5JO-1000CD-SIL](#) [5JO-400CD-SIL](#) [LY2S-AC220/240](#) [LYQ20DC12](#)
[6031007G](#) [6131406HQ](#) [6-1393099-8](#) [6-1393122-4](#) [6-1393123-2](#) [6-1393767-1](#) [6-1393843-7](#) [6-1415012-1](#) [6-1419102-2](#) [6-1423698-4](#) [6-](#)
[1608051-6](#) [6-1616170-6](#) [6-1616248-2](#) [6-1616282-3](#) [6-1616348-2](#) [6-1616350-1](#) [6-1616350-8](#) [6-1616358-7](#) [6-1616359-9](#) [6-1616360-9](#) [6-](#)
[1617039-1](#) [6-1617090-2](#) [6-1617090-5](#) [6-1617347-5](#) [6-1617353-3](#) [6-1617801-8](#) [6-1618248-4](#) [M83536/1-027M](#) [M83725/1-005](#) [CX-4014](#)
[MAHC-5494](#) [MAVCD-5419-6](#) [703XCX-120A](#) [7-1393100-5](#) [7-1393111-7](#) [7-1393144-5](#) [7-1393767-8](#) [7-1419130-3](#) [7-1608047-2](#) [7-1608065-](#)
[1](#) [7-1617090-0](#) [7-1617090-4](#)